



**Committee of Experts on the Transport of Dangerous Goods
and on the Globally Harmonized System of Classification
and Labelling of Chemicals****Sub-Committee of Experts on the Transport of Dangerous Goods****Fifty-third session**

Geneva, 25 June-4 July 2018

Item 3 of the provisional agenda

Listing, classification and packaging**Organic peroxides: new formulations to be listed in 2.5.3.2.4
and IBC 520****Transmitted by the expert from the European Chemical Industry
Council (CEFIC)*****Introduction**

1. Since a few new peroxides and formulations have become commercially available, there is a need to update the list under 2.5.3.2.4 and packing instruction IBC520. A list of new products, proposed classification, the accompanying competent authority approval references and a summary of the supporting test data are given in Annex to this proposal.

Proposals

2. CEFIC proposes to include one new entry in the list of currently assigned organic peroxides under 2.5.3.2.4 and two new entries to be included in packing instruction IBC520, as follows:

* In accordance with the programme of work of the Sub-Committee for 2017–2018 approved by the Committee at its eighth session (see ST/SG/AC.10/C.3/100, paragraph 98 and ST/SG/AC.10/44, para. 14).

Proposed amendments to the list of currently assigned organic peroxides under 2.5.3.2.4

Change the following entry as indicated

ORGANIC PEROXIDE	Concentration (%)	Diluent type A (%)	Diluent type B 1 (%)	Inert solid (%)	Water	Packing Method	Control temperature (°C)	Emergency temperature (°C)	Number (Generic entry)	Subsidiary risks and remarks
Change: DI-(4-TERT-BUTYL CYCLOHEXYL) PEROXYDI CARBONATE	≤ 42 as a paste					OP7 OP8	35	40	3116 3118	

Proposed amendments to 4.1.4.2, Packing instruction IBC520

Add the following entries under UN3119 as indicated

UN No.	Organic peroxide	Type of IBC	Maximum quantity (litres)	Control temperature	Emergency Temperature
3119	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED				
	ADD NEW entries:				
	tert-Amyl peroxyphthalate, not more than 42% as a stable dispersion in water	31HA1	1000	0 °C	+10 °C
tert-Butyl peroxyphthalate, not more than 42% in a diluent type A	31HA1 31A	1000 1250	10 °C 10 °C	15 °C 15 °C	

Annex

Test results of new organic peroxides and formulations to be added/amended (2.5.3.2.4 or IBC520)

No	Product	packaging	UN	Detonation	P/T / C.1	Deflagration / C.2	Koenen/ E.1	DPVT/ E.2	(mod) Trauzl F.3 or F.4 or F5	SADT (H.3 or H.4)	Competent Authority approval number
1	Di-(4-tert-butylcyclohexyl) peroxydicarbonate, ≤ 42% as a paste	OP8	3118	Test A.6 No	<2170kPa, No	0.33 mm/s, No	< 1mm ("O"), No	<1.0 mm (10g), Low	F.4 4.6 ml Low	H.4 45 °C (400ml)	NL TNO 16 EM/0225
2	tert-Amyl peroxypropionate, not more than 42% as a stable dispersion in water	OP8 31HA1	3119	Test A.1 (77%) No	<2170kPa, No	0.0 mm/s, No	<1.0mm ("O"), No	<1.0 mm (10g), Low	F.4 1.6 ml, No	H.3, isothermal calorimetry 20°C,	NL TNO 17EM/0337
3	tert-Butyl peroxypropionate, not more than 42% in a diluent type A	OP8 31HA1 31A	3119	Test A.1 (75%) No	220 ms (75%), Yes slowly	0.08 mm/s (75%) NO	<1.0mm ("A") (50%) Low	<3.5 mm (10g) (50%) Low	F.5 10.5 J/g (55%) Low	H.3 isothermal calorimetry 25°C	NL TNO 8DV3/2130 (IBC 31HA1) NL TNO 6DV3/1071 (IBC 31A)