

9 November 2015

Agreement

Concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions*

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 97 – Regulation No. 98

Revision 3 - Amendment 5

Supplement 6 to the 01 series of amendments – Date of entry into force: 8 October 2015

Uniform provisions concerning the approval of motor vehicle headlamps equipped with gas-discharge light sources

This document is meant purely as documentation tool. The authentic and legal binding text is: ECE/TRANS/WP.29/2015/27.



UNITED NATIONS

* Former title of the Agreement: Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

Annex 4,

Paragraph 1.2.1.1., amend to read:

"1.2.1.1. Test mixture

1.2.1.1.1. For headlamp with the outside lens in glass:

The mixture of water and a polluting agent to be applied to the headlamp shall be composed of:

9 parts by weight of silica sand with a particle size of 0-100 µm,

1 part by weight of vegetal carbon dust produced from beech wood with a particle size of 0-100 µm,

0.2 parts by weight of NaCMC³, and

5 parts by weight of sodium chloride (pure at 99 per cent),

an appropriate quantity of distilled water, with a conductivity of ≤ 1 µS/m.

The mixture must not be more than 14 days old.

1.2.1.1.2. For headlamp with outside lens in plastic material:

The mixture of water and polluting agent to be applied to the headlamp shall be composed of:

9 parts by weight of silica sand with a particle size of 0-100 µm,

1 part by weight of vegetal carbon dust produced from beech wood with a particle size of 0-100 µm,

0.2 part by weight of NaCMC³,

5 parts by weight of sodium chloride (pure at 99 per cent),

13 parts by weight of distilled water with a conductivity of ≤ 1 µS/m, and

2 ± 1 parts by weight of surface-actant.⁴

The mixture must not be more than 14 days old."
