

19 February 2010

AGREEMENT

**CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS
FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED
AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR
RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF
THESE PRESCRIPTIONS */**

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 69: Regulation No. 70

Revision 1 - Amendment 1

Supplement 7 to the 01 series of amendments - Date of entry into force: 24 October 2009

**UNIFORM PROVISIONS CONCERNING THE APPROVAL OF REAR MARKING
PLATES FOR HEAVY AND LONG VEHICLES**



UNITED NATIONS

*/ Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

GE.10-

Insert a new paragraph 2.4.4., to read:

"2.4.4. "Colour of the reflected light of the device" The definitions of the colour of the reflected light are given in paragraphs 2.30. and 2.31. of Regulation No. 48."

Paragraph 2.5., amend to read:

"2.5. Fluorescence

2.5.1. When certain substances are brought near ... than ordinary colours."

Insert a new paragraph 2.5.2., to read:

"2.5.2. "Colour of the fluorescent light of the device" The definitions of the colour of the fluorescent light are given in paragraph 2.32. of Regulation No. 48."

Annex 6,

Paragraph 2.1., amend to read:

"2.1. When measured with a spectrophotometer in accordance with the provisions of CIE document No. 15 (1971) and illuminated with the CIE Standard illuminant D₆₅ at an angle of 45° to the normal and viewed along the normal (45/0 geometry), the colour of the material in new condition shall be within the limits according to paragraph 2.31. of Regulation No. 48."

Insert a new paragraph 2.1.1., to read:

"2.1.1. Luminance factor for yellow colour shall be ≥ 0.16 . For red colour shall be ≥ 0.03 ."

Paragraph 2.2., amend to read:

"2.2. When illuminated by the CIE Standard Illuminant A at an entrance angle $\beta_1 = \beta_2 = 0^\circ$ or, if this produces a colourless surface reflection, an angle $\beta_1 = \pm 5^\circ$, $\beta_2 = 0^\circ$, and measured at an observation angle of 20', the colour of the material in new condition shall be within the limits according to paragraph 2.30. of Regulation No. 48."

Paragraph 3.1., amend to read:

"3.1. When measured with a spectrophotometer in accordance with the provisions of CIE document No. 15 (1971) and illuminated polychromatically with the CIE Standard Illuminant D₆₅ at an angle 45° to the normal and viewed along the normal (geometry 45/0), the colour of the material in new condition shall be within the limits according to paragraph 2.32. of Regulation No. 48."

Insert a new paragraph 3.1.1., to read:

"3.1.1. "Luminance factor for red colour shall be ≥ 0.30 ."

Annex 8,

Paragraph 1.3., amend to read:

"1.3. Colour fastness – The colours of the exposed specimen shall still meet the requirements specified in Annex 6."
