

Distr.: General 16 September 2010

Original: English English and French only

Economic Commission for Europe

Inland Transport Committee

World Forum for Harmonization of Vehicle Regulations

Working Party on Passive Safety

Forty-eighth session Geneva, 7–10 December 2010 Item 4 of the provisional agenda Global technical regulation No. 9 (Pedestrian safety)

Proposal for Amendment 2

Submitted by the expert from Japan*

The text reproduced below was prepared by the expert from Japan in order to propose the use of the Flexible Pedestrian Legform Impactor (FlexPLI) in the global (gtr) No. 9 safety). technical regulation (pedestrian It is based on ECE/TRANS/WP.29/GRSP/2010/2 and on two documents without a symbol (GRSP-47-32 and GRSP-47-34) distributed during the forty-seventh session of the Working Party on Passive Safety (GRSP). The modifications to the current text of the gtr No. 9 on pedestrian safety, including draft Amendment 1 (ECE/TRANS/WP.29/2010/134), are marked in bold for new or strikethrough for deleted characters.

^{*} In accordance with the programme of work of the Inland Transport Committee for 2006–2010 (ECE/TRANS/166/Add.1, programme activity 02.4), the World Forum will develop, harmonize and update Regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.



I. Proposal

A. Statement of technical rationale and justification

Paragraph 64., amend to read:

"64. The lower legform...in the United Kingdom, and then called as EEVC WG17 pedestrian lower legform impactor. However, it is known to also have certain limitations regarding the biofidelity and the repeatability of the test results. Therefore, Japan proposed to use a completely new legform, the so-called Flexible Pedestrian Legform Impactor (FlexPLI). As the FlexPLI legform is considered by some to have high biofidelity and an excellent ability to assess potential leg injuries, the FlexPLI should be considered to replace EEVC WG17 pedestrian lower legform impactor in the future. However, because of the lack of experience in using the FlexPLI as a certification tool, a further confirmation process is needed. Therefore, a Technical Evaluation Group (TEG) was established to evaluate the reliability of the FlexPLI as a certification tool (TRANS/WP.29/GRSP/36). The TEG is currently assessing the FlexPLI and will advise GRSP by the end of 2007 as to the suitability of the FlexPLI for testing and compliance verification purposes (TRANS/WP.29/GRSP/37). The TEG is also expected to provide its recommendation as to the effective date of entry into force and the date on which the FlexPLI could replace the rigid lower legform impactor. The TEG will also consider a transitional period during which the FlexPLI and the rigid lower legform impactor can be used as alternatives. Several years have passed since then, and the TEG finalized their technical evaluation on the FlexPLI by a majority of its members in 2010. Therefore, this gtr also includes the FlexPLI requirements as well as the EEVC WG17 pedestrian lower legform impactor requirements."

Paragraph 102., amend to read:

"102. For vehicles....Therefore, the group recommends to use the upper legform to bumper test as an optional alternative to the lower legform to bumper test for these vehicles. The test methods for high bumper vehicles can be applied not only when using the EEVC WG17 pedestrian lower legform impactor but also when using the FlexPLI."

Paragraph 106., amend to read:

"106. It was agreed....However, it was also recommended to consider the possible future use of the Flex-PLI, which is considered by some to be more biofidelic and expected to be highly usable and repeatable, following the evaluation to be conducted by the Technical Evaluation Group (TEG) (INF GR/PS/106). <u>19</u>/ Several years have passed, and the TEG finalized their technical evaluation on the FlexPLI by a majority of its members in 2010. Therefore, this gtr also includes the FlexPLI requirements as well as the EEVC WG17, pedestrian lower legform impactor requirements."

Paragraph 110., amend to read:

"110. These studies.....For these reasons, a bending limit of 19° for the EEVC WG17 pedestrian lower legform was selected for this gtr. As for the Flex-PLI, a limit of medial collateral ligament (MCL) elongation at the knee was set at 22 mm based on the agreement of the TEG from a biomechanical point of view (based on Bundesanstalt fuer Strassenwesen (BASt – German Federal Highway Research Institute) correlation study and Japan Automobile Manufacturers Association (JAMA) biomechanical study)."

Paragraph 111., amend to read:

"111. With regard to knee shearing limits, the informal group selected a limit of 6 mm for the EEVC WG 17 pedestrian lower legform impactor, based on the analysis of PMHS by EEVC WG17 and WG10 that showed that a 6 mm shear displacement corresponds to a 4 kN shear force. The 4 kN shear force in the TRL device approximates the 3 kN average peak shearing force acting at the knee joint level that was found associated in the PMHS tests with diaphysis/metaphysis failure. With regards to the occurrence of pedestrian cruciate ligament injuries in vehicle-to-pedestrian accidents, the members of TEG agreed that there is a need for the assessment of anterior cruciate ligament (ACL) and posterior cruciate ligament (PCL) elongations with the FlexPLI in order to provide at least the same level of protection as with the currently used EEVC WG 17 pedestrian legform impactor. However, considering that there is only limited biomechanical data available, some members of TEG felt the need to gain sufficient experience and to collect more data with the new impactor before the establishment of a mandatory threshold value. Therefore, and in order to ensure technical feasibility for fulfilment of a mandatory ACL/PCL requirement, TEG strongly recommends to the contracting parties of the 1998 Agreement to monitor the ACL/PCL elongation against a threshold value of 13 mm for the 60 months after the agreement of the incorporation of the FlexPLI into the gtr. However, at the forty-seventh session of GRSP, several Contracting Parties were opposed to the monitoring of ACL/PCL because of the existence of the requirement of maximum dynamic shearing displacement of EEVC WG17 pedestrian lower legform impactor shall not exceed 6 mm in the current gtr No. 9 (gtr No. 9 Phase 1) in order to protect ACL/PCL of pedestrian. Finally, it was agreed to set mandatory requirement of ACL/PCL as follows, "The maximum dynamic ACL and PCL of Flex-PLI elongation shall not exceed 13 mm. In case of a car that can not fulfil the Maximum ACL and PCL elongation \leq 13 mm with Flex-PLI, the car shall fulfil the Maximum lateral knee shearing displacement ≤ 6 mm with EEVC WG17 lower legform impactor instead if the car needs to obtain approval from a Contracting Party.""

Paragraph 112., amend to read:

"112. With regard.....To protect a higher proportion of the population at risk, the informal group recommends a maximum lateral tibia acceleration limit of 170g for the EEVC WG17 pedestrian lower legform impactor. As for the FlexPLI, the limit of tibia bending moment is set at 340 Nm based on the agreement of the TEG from a biomechanical point of view (based on BASt and JAMA biomechanical studies)."

Paragraph 113., amend to read:

"113. In summary...at the following limits:

For EEVC WG 17 pedestrian lower legform impactor

Maximum lateral knee bending angle $\leq 19.0^{\circ}$;

Maximum lateral knee shearing displacement ≤ 6.0 mm;

Maximum lateral tibia acceleration ≤ 170 g.

For FlexPLI

Maximum MCL elongation ≤ 22 mm;

Maximum Tibia bending moment ≤ 340 Nm;

Maximum ACL and PCL elongation ≤ 13 mm with Flex-PLI;

in case a car can not fulfil the Maximum ACL and PCL elongation ≤ 13 mm with Flex-PLI, the car shall fulfil the Maximum lateral knee shearing displacement ≤ 6 mm with EEVC WG17 lower legform impactor instead if the car needs to obtain approval from a Contracting Party."

Paragraph 114., amend to read:

"114. These values for EEVC WG17 pedestrian lower legform impactor are identical to those that were under consideration by the EC in its review of the Phase 2 requirements of the European directive."

Paragraph 115., amend to read:

"115. In order.....For feasibility reasons, this gtr allows manufacturers to nominate bumper test widths up to 264 mm in total where the acceleration measured at the upper end of the tibia of the EEVC WG 17 pedestrian lower legform impactor shall not exceed 250g. The relaxation zone of 264 mm corresponds to an area that is twice the width of the legform. As for the FlexPLI, for the need for a tibia relaxation zone for the bumper area, TEG is proposing to introduce relaxation zones with a total width of 264 mm, allowing a maximum tibia bending moment of 380 Nm for the first five years after the agreement of the incorporation of the FlexPLI into the gtr, providing the possibility to verify its technical need. Corresponding data should be collected and evaluated until the end of this monitoring period. Based on those results the relaxation zone should be kept, modified or dropped. "

Insert a new section 10., to read:

"10. METHOD OF INTRODUCING THE FLEX-PLI

133. As for the smooth introduction of the new lower legform impactor FlexPLI by each Contracting Party, the Working Party on Passive Safety (GRSP) and some TEG members provided the following recommendations:

- (a) GRSP recommended that if a Contracting Party selects to use the FlexPLI in its national legislation, the Contracting Party shall be required to set a recommended minimum period of lead time based upon considerations of reasonableness and practicability (see paragraph 4.1.3.3. of Article 4 of the 1998 Agreement).
- (b) Some TEG members propose that a vehicle model once certified using the EEVC WG 17 pedestrian legform impactor, would not need to be recertified using the FlexPLI."

Section 10 (former), renumber as section 11 and amend to read:

"…	
INF GR/PS/188	Draft meeting minutes of the 10th meeting
INF GR/PS/189	Attendance list 10th meeting
GRSP-47- 18/Rev.2	(USA) Proposal for amendments to global technical regulation No. 9 (Pedestrian safety)

A list of working papers used by the FlexTEG group is available on the UNECE WP.29 website:

http://www.unece.org/trans/main/wp29/wp29wgs/wp29grsp/pedestrian_FlexPLI.html

Number of	
working paper	Title of Flex TEG document
TEG-001	Agenda for 1st Meeting of Flex PLI Technical Evaluation Group.doc
TEG-002	Flex-G_General_Information_050904.pdf
TEG-003	Flex-G_Preparation_Manual_050904.pdf
TEG-004	2005.09.02 - BASt Flex-G Test Programme.pdf
TEG-005	Revised Agenda for 1st Flex-G_MT.pdf
TEG-006	2005_06_ESV_JAMA-Flex.pdf
TEG-007	2005_06_ESV_JMLIT-Flex.pdf
TEG-008	2005_06_ESV_NHTSA_TRL-Flex.pdf
TEG-009	Attendance list 1 st Flex-PLI Meeting
TEG-010	Draft minutes 1st Flex PLI meeting_051011.pdf
TEG-010- R1	Modified_Minutes 1st Flex PLI meeting_051122.pdf
TEG-011	Agenda for 2nd Meeting of Flex-TEG.pdf
TEG-011- R1	Modified_Agenda for 2nd Meeting of Flex-TEG.pdf
TEG-012	Flex-G_Minor_Modifications_onto_SN01_051122.pdf
TEG-013	Flex Repeatability and Reproducibility for Thigh Leg Knee.pdf
TEG-014	$Flex_Assembly_Test_Results_and_Tentative_Corridors_051122.pdf$
TEG-015	Report_on_Flex-G_Car_Test_Results_051122_final.pdf
TEG-016	Flex-TEG_Schedule_051115.pdf
TEG-016- R1	Flex-TEG_Schedule_051122.pdf

ECE/TRANS/WP.29/GRSP/2010/37

Number of working paper	Title of Flex TEG document
TEG-017	Attendance list 2nd Flex-PLI .pdf
TEG-018	DRAFT Minutes 2nd Flex-TEG_060228.pdf
TEG-018- R1	FINAL Minutes 2nd Flex-TEG_060424.pdf
TEG-019	Draft Agenda for 3rd Meeting of Flex-TEG_060327.pdf
TEG-020	Status Report on Action Items_060424.pdf
TEG-021	Flex-GT-alpha_General_Information_060424.pdf
TEG-022	Flex-GT-alpha_Injury_Assessment_Ability_060424.pdf
TEG-023	TRL-LFI_Retry_Test_060424.pdf
TEG-024	Flex-GT- alpha_Typical_Dynamic_Assembly_Calibration_Test_Result_060424.xls
TEG-025	Attendance list 3rd Flex-TEG_060424.pdf
TEG-026	DRAFT Minutes 3rd Flex-TEG
TEG-026- R1	Final_Minutes_3rd_Flex-TEG_MT_070402.pdf
TEG-027	ACEA_draft_comments_Flex-GT-alpha_060530.pdf
TEG-028	Chairperson_Answer_on_the_ACEA_draft_comments_Flex-GT- alpha_060606.pdf
TEG-029	Draft_Agenda_on_4th_Flex-TEG_Meeting_070316.pdf
TEG-029- R1	Final_Agenda_on_4th_Flex-TEG_Meeting_070402.pdf
TEG-030	Status_Report_on_Action_Items_070402.pdf
TEG-031	Development of an FE Biofidelic Flexible Pedestrian Legform Impactor Model (FLEX-GT-prototype Model)
TEG-032	Development of a Biofidelic Flexible Pedestrian Legform Impactor Type GT (FLEX-GT)
TEG-033	Information on Flexible Pedestrian Legform Impactor Type GT (FLEX-GT)
TEG-034	Flexible Pedestrian Legform Impactor Type GT (FLEX-GT) Evaluation Test Results
TEG-035	Flexible Pedestrian Legform Impactor Type GT (FLEX-GT) Car Test Results
TEG-036	Flex-GT-alpha BASt/ACEATests
	Handling and Usage (Flex-GT-alpha)

Number of working paper	Title of Flex TEG document
TEG-038	Certification Histories (Flex-GT-alpha)
TEG-039	ACEA Preliminary Test Results with FlexPLI-alpha
TEG-040	Attendance list of 4th Flex-TEG meeting
TEG-041	Draft minutes of 4th Flex-TEG meeting
TEG-041- Rev.1	Finalized_the_4th_Flex-TEG_Meeting_Minutes_071207
TEG-042	FlexPLI Comments ACEA 20070808 TFPapproved
TEG-043	ACEA/BASt Joint Project Report on Tests with the Flexible Pedestrian Legform Impactors Flex GT alpha and Flex GT
TEG-044	5th_Flex-TEG_Meeting_DRAFT_Agenda
TEG-044- Rev.1	Revised 5th Flex-TEG Meeting DRAFT Agenda_071204
TEG-044- Rev.2	Finalized 5th Flex-TEG Meeting Agenda 071207
TEG-045	J-MLIT Flex-GT Simplified Car Test Results 071129
TEG-045- Rev.1	J-MLIT Flex-GT Simplified Car Test Results 080331
TEG-046	JAMA-JARI Answer for the ACEA Comments Sep 2007 071129
TEG-047	Flex-GT Full Calibration Test Procedures 071129
TEG-048	Review of Injury Criteria and Thresholds for Flex 071129
TEG-049	Evaluation of Protection Level Provided by Flex-PLI 071129
TEG-050	Status of Action Items 071130
TEG-051	BAST/ACEA Joint Project Preliminary Report on Flex-GT Repeatability and Reproducibility of Assembly Certification and inverse test results
TEG-052	FTSS Design Review of Flex-GT and FLEX-GTR Development dec14-07
TEG-053	Draft Minutes of the 5th Flex-TEG Meeting, 080124
TEG-053- Rev.1	Final Minutes of the 5th Flex-TEG Meeting, 080331
TEG-054	Flex-GTR_Mechanical_Design_080229
TEG-054- Rev.1	Flex-GTR_Mechanical_Design_080331
TEG-055	Flex-GTR_Instrumentation_Electrical_Design_080229

Number of working paper	Title of Flex TEG document
TEG-055- Rev.1	Flex-GTR_Instrumentation_Electrical_Design_080331
TEG-056	Flex-GTR_Full_Calibration_Test_Procedure_080229
TEG-056- Rev.1	Flex-GTR_Full_Calibration_Test_Procedure_080331
TEG-057	Flex-GTR_Optional_Instrumentation_080304
TEG-057- Rev.1	Flex-GTR_Optional_Instrumentation_080327
TEG-058	M=BUS_Onboard_DAS_Information_080305
TEG-058- Rev.1	M=BUS_Onboard_DAS_Information_080331
TEG-059	Slice_Onboard_DAS_Information_080331
TEG-060	Draft_Agenda_6th_Flex-TEG_Meeting_080314
TEG-060- Rev.1	Final_Agenda_6th_Flex-TEG_Meeting_080331
TEG-061	Status of the Action Items_080331
TEG-062	BASt Proposal for a Full Assembly Certification Test_080331
TEG-063	NHTSA_Flex-GT_Test_summary_080331
TEG-064	NHTSA_Flex-GT_Certification_Tests_080331
TEG-065	NHTSA_Design_Upper_Body_Mass_080331
TEG-066	TIPS_for_Measurement_Cable_Repairment_080331
TEG-067	Repeatability_of_Dynamic_Assembly_Test_Stopper_Material_080331
TEG-068	Draft Minutes of the 6th Flex-TEG Meeting
TEG-068- Rev.1	Finalized_Minutes_of_the_6th_Flex-TEG_Meeting_081208
TEG-069	Draft_Agenda_7th_Flex-TEG_Meeting_081208
TEG-069- Rev.1	Finalized_Agenda_7th_Flex-TEG_Meeting_081208
TEG-070	Status_Action_Items_081208
TEG-070- Rev.1	Finalized_Status_Action_Items_081208
TEG-071	FTSS_Flex_GTR_prototype_Development_071208
TEG-071-	Bone_Core_Durability_Improvement_081208

Number of working paper	Title of Flex TEG document
Add.1	
TEG-071- Add.2	Develop_Dynamic_Assy_Calibration_Test_Methods
TEG-072	Japan_Flex-GTR-prototye_Evaluation_Report
TEG-072- Rev1	Japan_Flex-GTR-prototye_Evaluation_Test Result
TEG-073	MESSRING_ISO_MME_corde_Flex_Proposal
TEG-073- Rev1	MESSRING_Suggest_ISO_MME_corde_Flex
TEG-074	FTSS_Flex_Pendulum_Dynamic_Calbration_Proposal
TEG-075	BASt_Flex_Inverse_Dynamic_Calibration_Proposal
TEG-076	JAMA_Proposal_MCL_Threshod_Value
TEG-077	JAMA_Proposal_Tibia_Threshod_Value
TEG-078	BASt_Proposal_ACL-PCL-MCL_Threshod_Value
TEG-079	JAMA_Proposal_Flex-GTR-prot_Evaluation_Schedule
TEG-080	J-MLIT proposal for the Flex-TEG working schedule
TEG-081	JAMA_Flesh_Sensitivity_TRL_Flex
TEG-082	BASt_Flesh_Sensitivity_TRL
TEG-083	Draft Minutes of the 7th Flex-TEG Meeting
TEG-083- Rev1	Finalized_Minutes_7th_Flex-TEG_Meeting
TEG-084	JAMA_Proposal_Tibia_Injury_Criteria
TEG-085	Draft_Agenda_8th_Flex-TEG_Meeting
TEG-085- Rev1	Finalized_Agenda_8th_Flex-TEG_Meeting
TEG-086	Draft_Status_Report_Action_Items
TEG-086- Rev1	Finalized_Status_Report_Action_Items
TEG-087	JAMA-JARI_L-R_Symetric_Bumper_Corner_Test_0903011
TEG-088	JAMA_Flex-GTR-proto_Round_Robin_Test
TEG-089	BASt_BGS_Flex_Test_Report
TEG-090	ACEA_Summary

working inpererTitle of Flex TEG documentTEG-091Opel_ReportTEG-092FTSS_ProposalTEG-093JAMA-JARI_Study_for_Inverse_Test_090517TEG-094BASt_Tentative_Corridor_Inverse_TestTEG-095JAMA_Investigation_Human_MCL_Injury_CriteriaTEG-096Correlation_Flex-GTR-proto_and_Human_Lower_Limb_OutputTEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_OUtputTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-101Final: 8th Flex-TEG AgendaTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103Final: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG MinutesTEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109Refinement of (tentative) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109RAFT: 10th Flex-TEG AgendaTEG-100Final: 9th Flex-TEG MinutesTEG-100RAFT: 10th Flex-TEG Agenda <th></th> <th></th>		
TEG-091 Opel_Report TEG-092 FTSS_Proposal TEG-093 JAMA-JARI_Study_for_Inverse_Test_090517 TEG-094 BASt_Tentative_Corridor_Inverse_Test TEG-095 JAMA_Investigation_Human_MCL_Injury_Criteria TEG-096 Correlation_Flex-GTR-proto_and_Human_Lower_Limb_Output TEG-097 JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_Threshold TEG-098 BASt_Proposal_Flex-GTR-proto_Tibia_MCL_Threshold TEG-099 Evaluation_Test_Schedule_Flex-GTR-proto TEG-100 DRAFT_Minutes_8th_Flex-TEG_Meeting_090812 TEG-100 Final: 8th Flex-TEG Minutes Rev.1 TEG-101 TEG-102 Review of Dynamic Calibration Corridor Making Method TEG-103 DRAFT: Status of Action Items Rev.1 Final: Status of Action Items TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109	Number of working	
TEG-092FTSS_ProposalTEG-093JAMA-JARI_Study_for_Inverse_Test_090517TEG-094BASt_Tentative_Corridor_Inverse_TestTEG-095JAMA_Investigation_Human_MCL_Injury_CriteriaTEG-096Correlation_Flex-GTR-proto_and_Human_Lower_Limb_OutputTEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_ThresholdTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-090Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-1010Final: 8th Flex-TEG AgendaTEG-1011DRAFT: 9th Flex-TEG AgendaTEG-1012Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG MinutesTEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109Final: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG AgendaTEG-100DRAFT: 10th Flex-TEG AgendaTEG-1010DRAFT: 10th Flex-TEG AgendaTE		Title of Flex TEG document
TEG-093JAMA-JARI_Study_for_Inverse_Test_090517TEG-094BASt_Tentative_Corridor_Inverse_TestTEG-095JAMA_Investigation_Human_MCL_Injury_CriteriaTEG-096Correlation_Flex-GTR-proto_and_Human_Lower_Limb_OutputTEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-1010DRAFT 9th Flex-TEG AgendaTEG-1011DRAFT: 9th Flex-TEG AgendaTEG-1012Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsRev.1Final: Status of Action ItemsRev.1Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109RAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG AgendaTEG-100Final: 10th Flex-TEG AgendaTEG-100Final: 10th Flex-T	TEG-091	Opel_Report
TEG-094BASt_Tentative_Corridor_Inverse_TestTEG-095JAMA_Investigation_Human_MCL_Injury_CriteriaTEG-096Correlation_Flex-GTR-proto_and_Human_Lower_Limb_OutputTEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-101DRAFT_9th Flex-TEG AgendaTEG-102Final: 8th Flex-TEG AgendaRev.1Final: 9th Flex-TEG AgendaTEG-103Review of Dynamic Calibration Corridor Making MethodTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG MinutesTEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-100Flax-TI Oth Flex-TEG AgendaTEG-1010DRAFT: 10th Flex-TEG AgendaTEG-1010Final: 10th Flex-TEG Agenda	TEG-092	FTSS_Proposal
TEG-095JAMA_Investigation_Human_MCL_Injury_CriteriaTEG-096Correlation_Flex-GTR-proto_and_Human_Lower_Limb_OutputTEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_ThresholdTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-1010Final: 8th Flex-TEG MinutesRev.1DRAFT: 9th Flex-TEG AgendaTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsRev.1Final: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG MinutesTEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9	TEG-093	JAMA-JARI_Study_for_Inverse_Test_090517
 TEG-096 Correlation_Flex-GTR-proto_and_Human_Lower_Limb_Output TEG-097 JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_Threshold TEG-098 BASt_Proposal_Flex-GTR-proto_Tibia_MCL_Threshold TEG-099 Evaluation_Test_Schedule_Flex-GTR-proto TEG-100 DRAFT_Minutes_8th_Flex-TEG_Meeting_090812 TEG-100 Final: 8th Flex-TEG Minutes Rev.1 TEG-101 DRAFT: 9th Flex-TEG Agenda TEG-102 Review of Dynamic Calibration Corridor Making Method TEG-103 DRAFT: Status of Action Items TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109 Final: 9th Flex-TEG Minutes TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109 Final: 10th Flex-TEG Agenda 	TEG-094	BASt_Tentative_Corridor_Inverse_Test
TEG-097JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_ThresholdTEG-098BASt_Proposal_Flex-GTR-proto_Tibia_ThresholdTEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-101DRAFT: 9th Flex-TEG AgendaTEG-101DRAFT: 9th Flex-TEG AgendaTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG AgendaTEG-100Final: 9th Flex-TEG AgendaTEG-1010DRAFT: 10th Flex-TEG AgendaTEG-102Final: 10th Flex-TEG Agenda	TEG-095	JAMA_Investigation_Human_MCL_Injury_Criteria
 TEG-098 BASt_Proposal_Flex-GTR-proto_Tibia_Threshold TEG-099 Evaluation_Test_Schedule_Flex-GTR-proto TEG-100 DRAFT_Minutes_8th_Flex-TEG_Meeting_090812 TEG-100 Final: 8th Flex-TEG Minutes Rev.1 TEG-101 DRAFT: 9th Flex-TEG Agenda TEG-102 Review of Dynamic Calibration Corridor Making Method TEG-103 DRAFT: Status of Action Items TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 Final: 9th Flex-TEG Minutes TEG-109 Final: 9th Flex-TEG Minutes TEG-109 Final: 10th Flex-TEG Agenda 	TEG-096	Correlation_Flex-GTR-proto_and_Human_Lower_Limb_Output
TEG-099Evaluation_Test_Schedule_Flex-GTR-protoTEG-100DRAFT_Minutes_8th_Flex-TEG_Meeting_090812TEG-100Final: 8th Flex-TEG MinutesRev.1Review of Dramic Calibration Corridor Making MethodTEG-101Final: 8th Flex-TEG AgendaRev.1Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesTEG-109Final: 10th Flex-TEG AgendaTEG-100Final: 10th Flex-TEG Agenda	TEG-097	JAMA_Proposal_Flex-GTR-proto_Tibia_MCL_Threshold
 TEG-100 DRAFT_Minutes_8th_Flex-TEG_Meeting_090812 TEG-100 Final: 8th Flex-TEG Minutes Rev.1 TEG-101 DRAFT: 9th Flex-TEG Agenda TEG-101 Final: 9th Flex-TEG Agenda Rev.1 Review of Dynamic Calibration Corridor Making Method TEG-103 DRAFT: Status of Action Items TEG-103 Final: Status of Action Items Rev.1 TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109 Final: 9th Flex-TEG Minutes TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110 Final: 10th Flex-TEG Agenda 	TEG-098	BASt_Proposal_Flex-GTR-proto_Tibia_Threshold
TEG-100- Rev.1Final: 8th Flex-TEG MinutesRev.1DRAFT: 9th Flex-TEG AgendaTEG-101- Review of Dynamic Calibration Corridor Making MethodTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-103Final: Status of Action ItemsRev.1Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototypeTEG-104Pushing surface Information for Flex-GTR-prototype (SN03)TEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesRev.1TEG-110DRAFT: 10th Flex-TEG AgendaTEG-110-Final: 10th Flex-TEG Agenda	TEG-099	Evaluation_Test_Schedule_Flex-GTR-proto
Rev.1TEG-101DRAFT: 9th Flex-TEG AgendaTEG-101Final: 9th Flex-TEG AgendaRev.1Final: 9th Flex-TEG AgendaTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-103Final: Status of Action ItemsTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesRev.1Final: 9th Flex-TEG AgendaTEG-110Final: 10th Flex-TEG Agenda	TEG-100	DRAFT_Minutes_8th_Flex-TEG_Meeting_090812
TEG-101-Final: 9th Flex-TEG AgendaRev.1Review of Dynamic Calibration Corridor Making MethodTEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-103-Final: Status of Action ItemsRev.1Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-104Pushing surface Information for Flex-GTR-prototype (SN03)TEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesRev.1DRAFT: 10th Flex-TEG AgendaTEG-110Final: 10th Flex-TEG Agenda	TEG-100- Rev.1	Final: 8th Flex-TEG Minutes
Rev.1TEG-102Review of Dynamic Calibration Corridor Making MethodTEG-103DRAFT: Status of Action ItemsTEG-103Final: Status of Action ItemsRev.1Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototypeTEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesRev.1TEG-110TEG-110DRAFT: 10th Flex-TEG AgendaTEG-110-Final: 10th Flex-TEG Agenda	TEG-101	DRAFT: 9th Flex-TEG Agenda
 TEG-103 DRAFT: Status of Action Items TEG-103: Final: Status of Action Items Rev.1 TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109 Final: 9th Flex-TEG Minutes TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda 	TEG-101- Rev.1	Final: 9th Flex-TEG Agenda
 TEG-103- Rev.1 Final: Status of Action Items Rev.1 TEG-104 Pushing surface Information for Flex-GTR-prototype for Flex-GTR- prototype TEG-105 JAMA Round Robin Test Results Flex-GTR-prototype (SN03) TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109- Final: 9th Flex-TEG Minutes TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda 	TEG-102	Review of Dynamic Calibration Corridor Making Method
Rev.1TEG-104Pushing surface Information for Flex-GTR-prototype for Flex-GTR-prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109Final: 9th Flex-TEG MinutesRev.1DRAFT: 10th Flex-TEG AgendaTEG-110Final: 10th Flex-TEG Agenda	TEG-103	DRAFT: Status of Action Items
prototypeTEG-105JAMA Round Robin Test Results Flex-GTR-prototype (SN03)TEG-106ACEA Comments, 9th TEG meetingTEG-1079th Flex-TEG Meeting Discussion Results of day 1TEG-108Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test ProcedureTEG-109DRAFT: 9th Flex-TEG MinutesTEG-109-Final: 9th Flex-TEG MinutesRev.1DRAFT: 10th Flex-TEG AgendaTEG-110-Final: 10th Flex-TEG Agenda	TEG-103- Rev.1	Final: Status of Action Items
 TEG-106 ACEA Comments, 9th TEG meeting TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109- Final: 9th Flex-TEG Minutes Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda 	TEG-104	
 TEG-107 9th Flex-TEG Meeting Discussion Results of day 1 TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109- Final: 9th Flex-TEG Minutes Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda 	TEG-105	JAMA Round Robin Test Results Flex-GTR-prototype (SN03)
TEG-108 Refinement of (tentative) Certification Corridors for the Dynamic Full Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109- Final: 9th Flex-TEG Minutes Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda	TEG-106	ACEA Comments, 9th TEG meeting
Assembly (Inverse) Certification Test Procedure TEG-109 DRAFT: 9th Flex-TEG Minutes TEG-109- Final: 9th Flex-TEG Minutes Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda	TEG-107	9th Flex-TEG Meeting Discussion Results of day 1
TEG-109- Final: 9th Flex-TEG Minutes Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda	TEG-108	
Rev.1 TEG-110 DRAFT: 10th Flex-TEG Agenda TEG-110- Final: 10th Flex-TEG Agenda	TEG-109	DRAFT: 9th Flex-TEG Minutes
TEG-110- Final: 10th Flex-TEG Agenda	TEG-109- Rev.1	Final: 9th Flex-TEG Minutes
-	TEG-110	DRAFT: 10th Flex-TEG Agenda
	TEG-110- Rev.1	Final: 10th Flex-TEG Agenda

Number of working paper	Title of Flex TEG document
TEG-111	DRAFT: Status of Action Items
ГЕ G-111- Rev.1	Final: Status of Action Items
ГЕ G-11 2	Flex-GTR Testing, NHTSA
ГЕ G-11 3	KATRI Round Robin Tests Using the Flex-GTR-Prototype (SN03)
ГЕ G-11 4	ACEA Comments, 10th Flex-TEG Meeting
FEG-115	Influence of Test Parameter Variations on The Flex GTR Joint Project of ACEA and BASt
FEG-116	Impact Parameter Tolerances for Inverse Certification Test and Vehicle Testing, BASt
ГЕG-117	Minor updates and pusher plate discussion for Flex Pli GTR, FTSS
ГЕG-118	General Status from FLEX Pli GTR Model Consortium, FTSS
FEG-119	Finalization of Impact and Assessment Conditions for Inverse Certification Test, BASt
ГЕ G-12 0	Requirement Corridor (BASt-Method) for Pendulum Type (Type 3) Dynamic Calibration Test Method, JAMA-JARI
ГЕ G-12 1	Flex-GTR Flesh Dimensions and Mass Tolerance, JAMA-JARI with FTSS communications
TEG-122	Flex-GTR (Mass, COG, Inertia) Tolerances , JAMA-JARI with FTSS communications
ГЕ G-12 3	SLICE Updates for FLEX-GTR, DTS
ГЕ G-12 4	DRAFT Minutes
	10th Flex-PLI Technical Evaluation Group (Flex-TEG) Meeting
-	Finalized Minutes
Rev.1	10th Flex-PLI Technical Evaluation Group (Flex-TEG) Meeting
ГЕ G-125	Draft Agenda
	11th Flex-PLI Technical Evaluation Group (Flex-TEG) Meeting
TEG-125- Rev.1	Finalized Agenda
	11th Flex-PLI Technical Evaluation Group (Flex-TEG) Meeting
FEG-126	Status Report on Action Items at 11th Flex-TEG meeting
TEG-127	Technical Background Information Document for the UN-ECE GRSP explaining the Derivation of Threshold Values and Impactor Certification methods for the FlexPLI version GTR agreed by the FlexPLI-TEG at their 9th Meeting

ECE/TRANS/WP.29/GRSP/2010/37

Number of working paper	Title of Flex TEG document
TEG-128	ACEA; Injury values : impact vs rebound
TEG-129	ACEA Comments
TEG-130	BASt; Flex-GTR: Proposal for ACL/PCL injury threshold
TEG-131	TEG Agreement on the Tibia and ACL Issues (Finalized)
TEG-132	FTSS; Flex PLI Catch Rope and Bracket Proposal
TEG-133	FTSS; 400 Nm Tibia Gage Loading Results
TEG-134	FTSS; FLEX PLI GTR Model development status

,,

B. Text of the regulation

Paragraph 4.1.1., amend to read:

"4.1.1. Lower legform to bumper

To verify compliance with the performance requirements as specified in paragraph 5.1.1., both the test impactor specified in paragraph 6.3.1.1. and the test procedures specified in paragraph 7.1.1. for the EEVC WG17 pedestrian lower legform impactor, or both the test impactor specified in paragraph 6.3.1.2. and the test procedures specified in paragraph 7.1.2. for the FlexPLI, shall be used respectively."

Paragraph 4.1.2, amend to read:

"4.1.2. Upper legform to bumper:

To verify compliance with the performance requirements as specified in paragraph 5.1.2., both the test impactor specified in paragraph 6.3.1.2. **6.3.1.3.** and the test procedures specified in paragraph 7.1.2. **7.1.3**. shall be used."

Insert a new paragraph 5.1.1., to read:

"5.1.1. When tested in accordance with paragraph 7.1.1. (EEVC WG17 pedestrian lower legform to bumper) or paragraph 7.1.2. (FlexPLI to bumper) according to the choice of each contracting party, the results shall comply with 5.1.1.1. or 5.1.1.2. respectively."

Paragraph 5.1.1. (former), renumber as paragraph 5.1.1.1. and amend to read:

"... tested in accordance with paragraph 7.1.1. (lower legform to bumper), the maximum dynamic knee bending"

Insert a new paragraph 5.1.1.2., to read:

"5.1.1.2. When tested in accordance with paragraph 7.1.2., the maximum dynamic medial collateral ligament elongation at the knee shall not exceed 22 mm, and the dynamic bending moments at the tibia shall not exceed 340 Nm. The maximum dynamic anterior cruciate ligament and posterior cruciate ligament elongation shall not exceed 13 mm. In case a car can not fulfil the maximum ACL and PCL elongation ≤ 13 mm with Flex-PLI, the car shall fulfil the maximum lateral knee shearing displacement ≤ 6mm with EEVC WG17 lower legform impactor in stead if the car need to obtain approval from a Contracting Party. In addition, the manufacturer may nominate bumper test widths up to a maximum of 264 mm in total where the tibia bending moment of the FlexPLI shall not exceed 380 Nm for initial five years. A Contracting Party may restrict application of the relaxation zone requirement in its domestic legislation if it decides that such restriction is appropriate."

Paragraph 5.1.2., amend to read:

"5.1.2. When tested in accordance with paragraph 7.1.2. 7.1.3. (upper legform to bumper), the instantaneous sum of the impact forces with respect to time shall not exceed 7.5 kN and the bending moment on the test impactor shall not exceed 510 Nm."

Title of paragraph 6.3.1.1., amend to read:

"6.3.1.1. EEVC WG17 pedestrian Llower legform impactor:"

Title of Figure 12., amend to read:

"Figure 12: EEVC WG17 pedestrian Llower legform impactor (see paragraph 6.3.1.1.)"

Insert new paragraphs 6.3.1.2. to 6.3.1.2.7.2., to read:

"6.3.1.2. Flexible pedestrian lower legform impactor (FlexPLI):

The lower legform impactor shall consist of flesh, flexible long bone segments (representing femur and tibia), and a knee joint as shown in Figure 13.

The overall length of the impactor shall be 928 ± 3 mm, having a required mass of 13.2 ± 0.7 kg including flesh. The length of the femur, knee joint, and tibia shall be 339 ± 2 mm, 185 ± 1 mm, and 404 ± 2 mm respectively. The knee joint centre position shall be 94 ± 1 mm from the top of the knee joint.

Brackets, pulleys, protectors, connection parts etc. attached to the impactor for the purpose of launching and/or protecting may extend beyond the dimensions shown in Figure 13.

- 6.3.1.2.1. The cross-sectional shape perpendicular to the Z axis of the femur and tibia main bodies shall be 90 ± 2 mm in width along the Y axis, and 84 ± 1 mm in width along the X axis as shown in Figure 14 (a). The impact face shall be 30 ± 1 mm in radius, 30 ± 1 mm in width along the Y axis, and 48 ± 1 mm in width along the X axis as shown in Figure 14 (a).
- 6.3.1.2.2. The cross-sectional shape perpendicular to the Z axis of the knee joint shall be 108 ± 2 mm in width along the Y axis, and 118 ± 1 mm in width along the X axis as shown in Figure 14 (b). The impact face shall be 103 ± 1 mm in radius, 12 ± 1 mm in width along the Y axis, and 86 ± 1 mm in width along the X axis as shown in Figure 14 (b).
- 6.3.1.2.3. The masses of the femur and tibia without flesh, including the connection part to the knee joint, shall be 2.46 ± 0.12 kg and 2.64 ± 0.13 kg respectively. The mass of the knee joint without flesh shall be 4.28 ± 0.21 kg. The total mass of the femur, knee joint, and tibia shall be 9.38 ± 0.47 kg.

The centre of gravity of the femur and tibia without flesh, including the connection part to the knee joint, shall be 159 ± 8 mm and 202 ± 10 mm respectively from the top, but not including the connection part to the knee joint, of each part as shown in Figure 13. The centre of gravity of the knee shall be 92 ± 5 mm from the top of the knee joint as shown in Figure 13.

The moment of inertia of the femur and tibia without flesh, including the connection part inserted to the knee joint, about the X axis through the respective centre of gravity shall be 0.0325 ± 0.0016 kgm² and 0.0467 ± 0.0023 kgm² respectively. The moment of inertia of the knee joint about the X axis through the respective centre of gravity shall be 0.0180 ± 0.0009 kgm².

6.3.1.2.4. For each test, the impactor (femur, knee joint, and tibia) shall be covered by flesh composed of synthetic rubber sheets (R1, R2) and neoprene

sheets (N1F, N2F, N1T, N2T, N3) as shown in Figure 15. The sheets are required to have a compression characteristic as shown in Figure 16. The compression characteristic shall be checked using the same batch of sheets as those used for the impactor flesh. The size of the sheets shall be within the requirements described in Figure 16.


- 6.3.1.2.5. The test impactor or at least the flesh shall be stored for at least four hours in a controlled storage area with a stabilised temperature of $20 \pm 2^{\circ}$ C prior to impactor removal for calibration. After removal from the storage, the impactor shall not be subjected to conditions other than those pertaining in the test area.
- 6.3.1.2.6. Lower legform instrumentation
- 6.3.1.2.6.1. Four transducers shall be installed in the tibia to measure bending moments applied to the tibia. The sensing locations of each of the transducers are as follows: tibia-1: 134 ± 1 mm, tibia-2: 214 ± 1 mm, tibia-3: 294 ± 1 mm and tibia-4: 374 ± 1 mm below the knee joint centre respectively as shown in Figure 17. The measurement axis of each transducer shall be the X axis of the impactor.
- 6.3.1.2.6.2. Three transducers shall be installed in the knee joint to measure elongations of the medial collateral ligament (MCL), anterior cruciate ligament (ACL), and posterior cruciate ligament (PCL). The measurement locations of each transducer are shown in Figure 17. The measurement locations shall be within ± 3 mm along the X axis from the knee joint centre.
- 6.3.1.2.6.3. The instrumentation response value channel frequency class (CFC), as defined in ISO 6487:2002, shall be 180 for all transducers. The CAC response values, as defined in ISO 6487:2002, shall be 30 mm for the knee ligament elongations and 400 Nm for the tibia bending moments. This does not require that the impactor itself be able to physically elongate or bend until these values.
- 6.3.1.2.6.4 The measurements for the FlexPLI shall be taken only for the major impact with the vehicle prior to the rebound phase. All maxima occurring during or after the rebound phase shall be ignored. For example, the zero crossing after the maximum of the MCL elongation or of the tibia bending moments shall be considered as the end of the major impact with the vehicle. The major impact with the vehicle and therefore the measurement interval should normally not exceed 50 ms after the first contact. Maxima occurring near the end of the 50 ms timeframe should be reviewed individually.
- 6.3.1.2.7. Lower legform certification
- 6.3.1.2.7.1. The lower legform impactor shall meet the performance requirements specified in paragraph 8.
- 6.3.1.2.7.2. The impactor has to be certified according to the inverse type dynamic certification test described in paragraph 8.2.3. in advance of to start the homologation test series. The certified impactor shall be certified according to the pendulum type dynamic certification test described in paragraph 8.2.2 after every 10 car tests*, as well as inverse type dynamic certification test after every 30 car tests (*no need to perform pendulum type dynamic certification test after every 30 car tests). The impactor shall be re-certified by these dynamic tests if more than one

year has elapsed since the previous dynamic certification tests, if any impactor transducer output has exceeded the specified CAC. If the impactor fails the dynamic certification tests, it shall be re-certified by using the static calibration test described in paragraph 8.2.1. in order to identify the parts that shall be changed to new ones."


Insert new Figures 13 to 17., to read:


"Figure 13

FlexPLI; Dimensions and C.G. locations of femur, knee joint, and tibia (Side view)



and tibia without flesh (Included the connection part mass to the femur and tibia C.G. calculation)











Figure 16 FlexPLI; flesh compression characteristics





Strain

(a) Synthetic rubber sheets



Paragraph 6.3.1.2. (former), renumber as paragraph 6.3.1.3. and amend to read:

"..., foam covered at the impact side, and $350 \pm 5 \text{ mm} \log (\text{see Figure } 1318)$."

Paragraphs 6.3.1.2.1. to 6.3.1.2.9. (former), renumber as paragraphs 6.3.1.3.1. to 6.3.1.3.9.

Paragraph 6.3.1.2.9.1. (former), renumber as paragraph 6.3.1.3.9.1. and amend to read:

"...in three positions, as shown in Figure 1318, each using a separate channel."

Paragraph 6.3.1.2.9.2. (former), renumber as paragraph 6.3.1.3.9.2. and amend to read:

"...at positions 50 mm either side of the centre line (see Figure 1318)."

Paragraphs 6.3.1.2.9.3. to 6.3.1.2.10.2. (former), renumber as paragraphs 6.3.1.3.9.3. to 6.3.1.3.10.2.

Title of Figure 13(former), renumber as Figure 18 and amend to read:

"... Upper legform impactor (see paragraph 6.3.1.2 6.3.1.3.)"

Paragraph 6.3.2.1., amend to read:

"6.3.2.1. Child headform impactor (see Figure 1419) The child....." Paragraph 6.3.2.1.1., amend to read:

"6.3.2.1.1. ... axis perpendicular to the mounting face A (see Figure 1419) and ..."

Figure 14 (former), renumber as Figure 19.

Paragraph 6.3.2.2., amend to read:

"6.3.2.2. Adult headform impactor (see Figure 1520)

The adult ... as shown in Figure 1520. The mass ..."

Figure 15 (former), renumber as Figure 20.

Paragraph 6.3.2.2.1., amend to read:

"6.3.2.2.1. ... axis perpendicular to the mounting face A (see Figure 1520) and ..."

Paragraph 7.1.1., amend to read:

"7.1.1. EEVC WG 17 pedestrian Llower legform impactor to bumper test procedure:...."

Paragraph 7.1.1.2., amend to read:

"7.1.1.2. ... and lateral planes are orthogonal to each other (see Figure 1621)."

Paragraph 7.1.1.3., amend to read:

"7.1.1.3. ... at the time of first contact with the bumper (see Figure 1722), ..."

Paragraph 7.1.1.3.2., amend to read:

"7.1.1.3.2. ... its knee joint, with a tolerance of $\pm 5^{\circ}$ (see Figure 1621)."

Figures 16 to 17 (former), renumber as Figures 21 to 22.

Insert new paragraphs 7.1.2. to 7.1.2.4., to read:

"7.1.2. FlexPLI to bumper test procedure

Each test shall be completed within two hours of when the impactor to be used is removed from the controlled storage area.

- 7.1.2.1. The selected target points shall be in the bumper test area.
- 7.1.2.2. The direction of the impact velocity vector shall be in the horizontal plane and parallel to the longitudinal vertical plane of the vehicle. The tolerance for the direction of the velocity vector in the horizontal plane and in the longitudinal plane shall be $\pm 2^{\circ}$ at the time of first contact. The axis of the impactor shall be perpendicular to the horizontal plane, with a roll and pitch angle tolerance of $\pm 2^{\circ}$ in the lateral and longitudinal plane. The horizontal, longitudinal and lateral planes are orthogonal to each other (see Figure 23).
- 7.1.2.3. The bottom of the impactor shall be at 75 mm above ground reference plane at the time of first contact with the bumper (see Figure 24), with $a \pm 10$ mm tolerance. When setting the height of the propulsion system, an allowance must be made for the influence of gravity during the period of free flight of the impactor.
- 7.1.2.3.1. The lower legform impactor for the bumper tests shall be in 'free flight' at the moment of impact. The impactor shall be released to free flight at such a distance from the vehicle that the test results are not influenced

by contact of the impactor with the propulsion system during rebound of the impactor.

The impactor may be propelled by an air, spring or hydraulic gun, or by other means that can be shown to give the same result.

- 7.1.2.3.2. At the time of first contact the impactor shall have the intended orientation about its vertical axis, for the correct operation of its knee joint, with a yaw angle tolerance of $\pm 5^{\circ}$ (see Figure 23).
- 7.1.2.3.3. At the time of first contact the centre line of the impactor shall be within $a \pm 10$ mm tolerance to the selected impact location.
- 7.1.2.3.4. During contact between the impactor and the vehicle, the impactor shall not contact the ground or any object which is not part of the vehicle.
- 7.1.2.4. The impact velocity of the impactor when striking the bumper shall be 11.1 ± 0.2 m/s. The effect of gravity shall be taken into account when the impact velocity is obtained from measurements taken before the time of first contact."

Insert new Figures 23 and 24., to read:

"Figure 23

Tolerances of angles for the lower legform impactor at the time of the first impact (see paragraphs 7.1.2.2. and 7.1.2.3.2.)





Figure 24

FlexPLI to bumper tests for complete vehicle in normal ride attitude (left) and for cut-body mounted on supports (right) (see paragraph 7.1.2.3.)



Paragraphs 7.1.2. to 7.1.2.3. (former), renumber as paragraphs 7.1.3. to 7.1.3.3.

Paragraph 8., amend to read:

"8. Certification of impactors

....The requirements for the lower legform impactors are specified in paragraph 8.1. to 8.2., the upper legform impactor requirements are specified in paragraph 8.28.3. and the adult and child headform impactors requirements are specified in paragraph 8.38.4."

Paragraph 8.1., amend to read:

"8.1. EEVC WG 17 pedestrian Hower legform impactor certification"

Paragraph 8.1.1.2., amend to read:

"8.1.1.2. ... shall be within the limits shown in Figure 1825. Also, the energy ..."

Paragraph 8.1.1.3., amend to read:

"8.1.1.3. ...shall be within the limits shown in Figure 1926."

Paragraph 8.1.1.4., amend to read:

"8.1.1.4. ... firmly to the femur, as shown in Figure 2027. The rotational axis ..."

Paragraph 8.1.1.5., amend to read:

"8.1.1.5. ... from the centre of the knee joint, as shown in Figure 2428. ..."

Paragraph 8.1.2.4.1., amend to read:

"8.1.2.4.1. ... of 2000 mm minimum length, as shown in Figure 2229. It shall be ..."

Paragraph 8.1.2.4.2., amend to read:

"8.1.2.4.2. ...the certification impactor shall be as specified in Figure 2330. The face of ..."

Paragraph 8.1.2.4.5., amend to read:

"8.1.2.4.5 ...the stationary impactor as shown in Figure **2330**. The certification impactor ..."

Insert new paragraphs 8.2. to 8.2.3.4.4., to read:

- "8.2. FlexPLI certification
- 8.2.1. Static certification tests
- 8.2.1.1. The femur and tibia of the lower legform impactor shall meet the requirements respectively specified in paragraph 8.2.1.2. when tested as specified in paragraph 8.2.1.4. The knee joint of the lower legform impactor shall meet the requirements specified in paragraph 8.2.1.3. when tested as specified in paragraph 8.2.1.5. The stabilized temperature of the impactor during the certification tests shall be $20^{\circ} \pm 2^{\circ}$ C.

The CAC response values, as defined in ISO 6487:2002, shall be 30 mm for the knee ligament elongations and 5 kN for the applied external load. For these tests low-pass filtering at an appropriate frequency is permitted, to remove higher frequency noise without significantly affecting the measurement of the response of the impactor.

- 8.2.1.2. When the femur and tibia of the impactor are loaded in bending in accordance with paragraph 8.2.1.4., the applied moment and generated deflection at the centre of the femur and tibia $(M_c \text{ and } D_c)$ shall be within the corridors shown in Figure 31.
- 8.2.1.3. When the knee joint of the impactor is loaded in bending in accordance with paragraph 8.2.1.5., the MCL, ACL, and PCL elongations and applied bending moment or force at the centre of the knee joint (M_c or F_c) shall be within the corridors shown in Figure 32.
- 8.2.1.4. The edges of the femur and tibia, not bending parts, shall be mounted to the support rig firmly as shown in Figure 33 and Figure 34. The Y axis of the impactor shall be parallel to the loading axis within $180 \pm 2^{\circ}$ tolerance. In order to avoid friction errors, roller plates shall be set underneath the support rigs.

The centre of the loading force shall be applied at the centre of the femur and tibia within $\pm 2^{\circ}$ tolerance along the Z axis. The force shall be increased at a rate between 10 and 100 mm/minute until the bending moment at the centre part (M_c) of the femur or tibia reaches 400 Nm.

8.2.1.5. The edges of the knee joint, not bending parts, shall be mounted to the support rig firmly as shown in Figure 35. The Y axis of the impactor shall be parallel to the loading axis within $180 \pm 2^{\circ}$. In order to avoid friction errors, roller plates shall be set underneath the support rigs. To avoid impactor damage, a neoprene sheet shall be set underneath the loading ram and the impactor face of the knee joint which is described in the Figure 14 shall be removed. The neoprene sheet used in this test shall have compression characteristics as shown in Figure 16.

The centre of the loading force shall be applied at the centre of the knee joint within $\pm 2^{\circ}$ tolerance along the Z axis. The external load shall be increased at a rate between 10 and 100 mm/minute until the bending moment at the centre part of the knee joint (M_c) reaches 300 Nm.

8.2.2. Dynamic certification tests (pendulum type)

- 8.2.2.1. The lower legform impactor (femur, knee joint, and tibia are connected/assembled firmly) shall meet the requirements specified in paragraph 8.2.2.3. when tested as specified in paragraph 8.2.2.4.
- 8.2.2.2. Certification
- 8.2.2.2.1. The test facility used for the certification test shall have a stabilised temperature of 20 ± 2 °C during certification.
- 8.2.2.2.2. The temperature of the certification area shall be measured at the time of certification and recorded in a certification report.
- 8.2.2.3. Requirements
- 8.2.2.3.1. When the lower legform impactor is used for a test as specified in paragraph 8.2.2.4., the maximum bending moment of the tibia at tibia-1 shall be not more than 272 Nm and not less than 235 Nm, the maximum bending moment at tibia-2 shall be not more than 211 Nm and not less than 185 Nm, the maximum bending moment at tibia-3 shall be not more than 160 Nm and not less than 135 Nm, and the maximum bending moment at tibia-4 shall be not more than 108 Nm and not less than 94 Nm. The maximum elongation of MCL shall be not more than 26 mm and not less than 23 mm, the maximum elongation of ACL shall be not more than 11 mm and not less than 9.0 mm, and the maximum elongation of PCL shall be not more than 5.4 mm and not less than 4.0 mm.

For all these values, the readings used shall be from the initial impact timing to 250 ms after the impact timing.

- 8.2.2.3.2. The instrumentation response value CFC, as defined in ISO 6487:2002, shall be 180 for all transducers. The CAC response values, as defined in ISO 6487:2002, shall be 30 mm for the knee ligament elongations and 400 Nm for the tibia bending moments. This does not require that the impactor itself be able to physically elongate and bend to these values.
- 8.2.2.4. Test procedure
- 8.2.2.4.1. The impactor, including flesh, shall be suspended from the dynamic certification test rig $15 \pm 1^{\circ}$ upward from the horizontal as shown in Figure 36. The impactor shall be released from the suspended position, whereupon the impactor falls freely against the pin joint of the test rig as shown in Figure 36.
- 8.2.2.4.2. The knee joint centre of the impactor shall be 30 ± 1 mm below the bottom line of the stopper bar, and the tibia impact face shall be located 13 ± 1 mm from the front upper edge of the stopper bar when the stopper block is removed from the stopper bar and then hung from the impactor without any contact (see Figure 36).
- 8.2.3. Dynamic certification tests (inverse type)
- 8.2.3.1. The lower legform impactor with flesh (femur, knee joint, and tibia are connected/assembled firmly) shall meet the requirements specified in paragraph 8.2.3.3. when tested as specified in paragraph 8.2.3.4.
- 8.2.3.2. Certification
- 8.2.3.2.1. The test facility used for the certification test shall have a stabilised temperature of 20 ± 2 °C during certification.

- 8.2.3.2.3. The temperature of the certification area shall be measured at the time of certification and recorded in a certification report.
- 8.2.3.3. Requirements
- 8.2.3.3.1. When the lower legform impactor is used for the test specified in paragraph 8.2.3.4., the maximum bending moment of the tibia at tibia-1 shall be not more than 277 Nm and not less than 237 Nm, the maximum bending moment at tibia-2 shall be not more than 269 Nm and not less than 223 Nm, the maximum bending moment at tibia-3 shall be not more than 204 Nm and not less than 176 Nm, and the maximum bending moment at tibia-4 shall be not more than 120 Nm and not less than 98 Nm. The maximum elongation of the MCL shall be not more than 10.5 mm and not less than 8.5 mm, and that of the PCL shall be not more than 6 mm and not less than 4.5 mm.

For all these values, the readings used shall be from the initial impact timing to 50 ms after the impact timing.

- 8.2.3.3.2. The instrumentation response value CFC, as defined in ISO 6487:2002, shall be 180 for all transducers. The CAC response values, as defined in ISO 6487:2002, shall be 30 mm for the knee ligament elongations and 400 Nm for the tibia bending moments. This does not require that the impactor itself be able to physically elongate and bend to these values.
- 8.2.3.4. Test procedure
- 8.2.3.4.1. The fully assembled FlexPLI (with flesh and skin) shall be stationary suspended vertically from a test rig as shown in Figure 37. It is then impacted by the upper edge of a linearly guided Al honeycomb impactor, covered by a thin (less than 1 mm thickness) paper cloth, at an impact speed of $11,1 \pm 0,2$ m/s. The legform is to be released from the test rig within 10 ms after the time of first contact to ensure a free flight condition.
- 8.2.3.4.2. The honeycomb of 5052 alloy, which is attached in front of the moving ram, shall have a crash strength of 75 ± 10 per cent psi and dimensions of $1 = 200 \pm 2$ mm, w = 160 ± 2 mm and $d = 60 \pm 5$ mm. To ensure a consistent and good level of repeatability, the honeycomb should either have a 3/16 inch cell size in combination with a density of 3.1 pcf or a 1/4 inch cell size in combination with a density of 2.3 pcf or a 3/16 inch cell size in combination with a density of 2.0 pcf.
- 8.2.3.4.3. The upper edge of the honeycomb face is to be in line with the rigid plate of the linearly guided impactor. At time of first contact, the upper edge of the honeycomb is to be in line with the knee joint centre line within a vertical tolerance of 0 ± 2 mm. The honeycomb shall not be excessively handled or deformed before the impact test.
- 8.2.3.4.4. The FlexPLI pitch angle and therefore the pitch angle of the velocity vector of the honeycomb impactor (rotation around y-axis) at the time of first contact shall be within a tolerance of $0 \pm 2^{\circ}$ in relation to the lateral vertical plane. The FlexPLI roll angle and therefore the roll angle of the honeycomb impactor (rotation around x-axis) at the time of first contact shall be within a tolerance of $0 \pm 2^{\circ}$ in relation to the longitudinal vertical plane. The FlexPLI yaw angle and therefore the yaw angle of the velocity vector of the honeycomb impactor (rotation around z-axis) at the time of

first contact shall be within a tolerance of $0\pm2^\circ\!,$ to ensure a correct operation of the knee joint."

Paragraph 8.2. (former), renumber as paragraph 8.3.

Paragraph 8.2.1. (former), renumber as 8.3.1. and amend to read:

"... specified in paragraph 8.2.3. 8.3.3. when tested as specified in paragraph 8.2.4. 8.3.4."

Paragraphs 8.2.2. to 8.2.4.5. (former), renumber as paragraphs 8.3.2. to 8.3.4.5.

Paragraph 8.2.4.6. (former), renumber as paragraph 8.3.4.6. and amend to read:

"... at a velocity of 7.1 ± 0.1 m/s into the stationary pendulum as shown in Figure 2438."

Paragraphs 8.2.4.7. to 8.3.1. (former), renumber as paragraphs 8.3.4.7. to 8.4.1.

Paragraph 8.3.1.1. (former), renumber as paragraph 8.4.1.1. and amend to read:

"... specified in paragraph 8.3.2. 8.4.2. when tested as specified in paragraph 8.3.3. 8.4.3."

Paragraphs 8.3.2. to 8.3.3. (former), renumber as paragraphs 8.4.2. to 8.4.3.

Paragraph 8.3.2.1. (former), amend to read:

"...in accordance with paragraph 8.3.3 8.4.3. the peak resultant ..."

Paragraph 8.3.3.1. (former), renumber as paragraph 8.4.3.1. and amend to read:

"...impactor shall be suspended from a drop rig as shown in Figure 2539."

Paragraph 8.3.3.2. (former), renumber as paragraph 8.4.3.2.

Paragraph 8.3.3.3. (former), renumber as paragraph 8.4.3.3. and amend to read:

"... impactor with respect to the vertical as shown in Figure 2539. The suspension of ..."


Paragraph 8.3.3.4. (former), renumber as paragraph 8.4.3.4.

Figures 18 to 23 (former), renumber as Figures 25 to 30.

Insert new Figures 31 to 37., to read:


"Figure 31

Requirement corridor of femur and tibia in static certification test (see paragraph 8.2.1.2.)



(a) Femur bending corridor

(b) Tibia bending corridor






Figure 32 **Requirement corridors for knee joint in static certification test (see paragraph 8.2.1.3.)**







Figure 33 Test set-up for femur in static certification tests (see paragraph 8.2.1.4.)

 F_c : External loading force at center of the tibia D_c : Deflection at center of the tibia M_c : Moment Center (Nm) = $F_c/2$ (N) x 0.205 (m) R: Radius, W: Width along to the side axis












Figure 37 Test set-up for dynamic lower legform impactor certification test, inverse type (see paragraph 8.2.3.4.)

Figures 24 (former), renumber as Figures 38 and amend to read:

"... certification test (see paragraph 8.2.4.6 8.3.4.6)"

Figures 25 (former), renumber as Figures 39 and amend to read:

"... certification test (see paragraph 8.3.3.1 8.4.3.1)"

II. Justification

Based on the results of the TEG activities up to now, the expert from Japan proposes the above-mentioned draft amendments to the gtr on pedestrian protection (gtr No. 9) following the responsibility of the TEG chairmanship.

A. Statement of technical rationale and justification

Paragraph 64: new text to introduce FlexPLI (editorial).

Paragraphs 102: new text regarding FlexPLI requirements.

Paragraph 106: new text to introduce FlexPLI (editorial).

Paragraphs 110, 111, 112, 113: new text regarding FlexPLI requirements.

Paragraph 114: clarification (editorial).

Paragraphs 115: new text regarding FlexPLI requirements.

Insert a new section 10: new text to introduce the FlexPLI to each Contracting Party smoothly.

Section 10 (former): renumbering (editorial) and described TEG documents.

B. Text of the regulation

Paragraph 4.1.1: clarification on the EEVC WG17 pedestrian lower legform impactor as well as to the FlexPLI (editorial).

Paragraph 4.1.2: renumbering (editorial).

Insert a new Paragraph 5.1.1.: guidance for a contracting party choice that to use of the EEVC WG17 pedestrian lower legform or FlexPLI.

Paragraph 5.1.1.(former).: renumbering and delete unnecessarily description.

Insert a new Paragraph 5.1.1.2.: new text on the FlexPLI requirements.

Paragraph 5.1.2: renumbering (editorial).

Title of Paragraph 6.3.1.1.: clarification (editorial).

Title of Figure 12: clarification (editorial).

Insert a new paragraphs 6.3.1.2. to 6.3.1.2.7.2.: new paragraphs regarding the FlexPLI.

Insert new Figures 13 to 17: new figures regarding the Flex-PLI.

Paragraph 6.3.1.2. (former): renumbering (editorial).

Paragraph 6.3.1.2.1. to 6.3.1.2.9. (former): renumbering (editorial).

Paragraph 6.3.1.2.9.1. (former): renumbering (editorial).

Paragraph 6.3.1.2.9.2. (former): renumbering (editorial).

Paragraph 6.3.1.2.9.3. to 6.3.1.2.10.2 (former): renumbering (editorial).

Title of Figure 13(former): renumbering (editorial).

Paragraph 6.3.2.1.: renumbering (editorial).

Paragraph 6.3.2.1.1.: renumbering (editorial).

Figure 14 (former): renumbering (editorial).

Paragraph 6.3.2.2.: renumbering (editorial).

Figure 15 (former): renumbering (editorial).

Paragraph 6.3.2.2.1.: renumbering (editorial).

Paragraph 7.1.1.: clarification (editorial).

Paragraph 7.1.1.2.: renumbering (editorial).

Paragraph 7.1.1.3.: renumbering (editorial).

Paragraph 7.1.1.3.2.: renumbering (editorial).

Figure 16 to 17 (former): renumbering (editorial).

Insert new paragraphs 7.1.2. to 7.1.2.4.: new paragraphs regarding the Flex-PLI.

Figures 23 and 24: new figures regarding the Flex-PLI.

Paragraphs 7.1.2. to 7.1.2.3. (former): renumbering (editorial).

Paragraph 8.: renumbering (editorial).

Paragraph 8.1.: clarification (editorial).

Paragraph 8.1.1.2.: renumbering (editorial).

Paragraph 8.1.1.3.: renumbering (editorial).

Paragraph 8.1.1.4.: renumbering (editorial).

Paragraph 8.1.1.5.: renumbering (editorial).

Paragraph 8.1.2.4.1.: renumbering (editorial).

Paragraph 8.1.2.4.2.: renumbering (editorial).

Paragraph 8.1.2.4.5.: renumbering (editorial).

Insert new paragraphs 8.2. to 8.2.3.4.4.: new paragraphs regarding the FlexPLI.

Paragraph 8.2. (former): renumbering (editorial).

Paragraph 8.2.1 (former): renumbering (editorial).

Paragraph 8.2.2. to 8.2.4.5. (former): renumbering (editorial).

Paragraph 8.2.4.6. (former): renumbering (editorial).

Paragraph 8.2.4.7. to 8.3.1. (former): renumbering (editorial).

Paragraph 8.3.1.1. (former): renumbering (editorial).

Paragraph 8.3.2. to 8.3.3. (former): renumbering (editorial).

Paragraph 8.3.2.1. (former): renumbering (editorial).

Paragraph 8.3.3.1. (former): renumbering (editorial).

Paragraph 8.3.3.2. (former): renumbering (editorial).

Paragraph 8.3.3.3. (former): renumbering (editorial).

Paragraph 8.3.3.4. (former): renumbering (editorial).

Figure 18 to 23 (former): renumbering (editorial).

Insert new Figures 31 to 37 (former): new figures regarding the FlexPLI.

Figure 24 (former): renumbering (editorial).

Figure 25 (former): renumbering (editorial).