Committee of Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals

3 April 2019

Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals

Thirty-seventh session
Geneva, 8-10 July 2019
Item 3 (b) of the provisional agenda
Hazard communication:
improvement of annexes 1 to 3 and further
rationalization of precautionary statements

Proposed changes to the presentation of flammable gas hazard category 1A in Annex 3

Transmitted by the expert from the United Kingdom on behalf of the informal working group on improving Annexes 1, 2 and 3 of the GHS

This informal document sets out the changes proposed in working document ST/SG/AC.10/C.4/2019/3. New text is shown in red, and deleted text is shown in strikethrough.

Annex 3 Table A3.2.2: Codification of prevention precautionary statements

MIIICA	ex 5 Table A5.2.2: Confication of prevention precautionary statements				
Code	Prevention precautionary statements	Hazard class		Hazard category	Conditions for use
(1)	(2)	(3)		(4)	(5)
P203	Obtain, read and follow all safety instructions before use.	Flammable gases (chapter 2.2)	A, B		
				(chemically unstable gases)	
			1A	Chemically unstable gas A	
			IA	Chemically unstable gas B	
P210	Keep away from heat, hot surfaces, sparks, open flames and	Flammable gases (chapter 2.2)	1A, 1B, 2		
	other ignition sources. No smoking.			Flammable gas	
			1A	Pyrophoric gas	
			1A	Chemically unstable gas A	
				Chemically unstable gas B	
				1B, 2	
P222	Do not allow contact with air.	Flammable gases (chapter 2.2)		1A, Pyrophoric gas	- if emphasis of the hazard statement is deemed necessary.
P280	Wear protective gloves/protective clothing/eye protection/face	Flammable gases (chapter 2.2)		1A, Pyrophoric gas	Manufacturer/supplier or the competent authority to specify
	protection/hearing protection/				the appropriate personal protective equipment.
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.	Flammable gases (chapter 2.2)	1A, 1B, 2		
			1A	Flammable gas	
				Pyrophoric gas	
			171	Chemically unstable gas A	
				Chemically unstable gas B	
				1B, 2	
P381	In case of leakage, eliminate all ignition sources.	Flammable gases (chapter 2.2)	1A, 1B, 2		
				Flammable gas	
			1A	Pyrophoric gas	
			1A	Chemically unstable gas A	
				Chemically unstable gas B	
				1B, 2	
P403	Store in a well-ventilated place.	Flammable gases (chapter 2.2)	1A, 1B, 2		
			1A	Flammable gas	
				Pyrophoric gas	
				Chemically unstable gas A	
				Chemically unstable gas B	
				1B, 2	
