



**Economic and Social  
Council**

Distr.  
GENERAL

ECE/TRANS/WP.29/GRE/2006/41  
21 July 2006

Original: ENGLISH  
ENGLISH AND FRENCH ONLY

---

**ECONOMIC COMMISSION FOR EUROPE**

INLAND TRANSPORT COMMITTEE

World Forum for Harmonization of Vehicle Regulations (WP.29)

Working Party on Lighting and Light-Signalling (GRE)

Fifty-seventh session

2-6 October 2006

Item 11. of the provisional agenda

**PROPOSAL FOR DRAFT CORRIGENDUM 1 TO SUPPLEMENT 2 TO  
REGULATION No. 112**

(Headlamps emitting an asymmetrical passing beam)

Submitted by the expert from the Working Party "Brussels 1952" (GTB)

Note: The text reproduced below was prepared by the expert from GTB in order to correct an error in the reference value for bend lighting minimum illumination in the case of failure. The proposal supersedes ECE/TRANS/WP.29/GRE/2006/13. The modification to the current text of the Regulation (up to Supplement 5 to the original version) is marked in **bold** characters.

---

Note: This document is distributed to the Experts on Lighting and Light-Signalling only.

A. PROPOSAL

Paragraph 5.9.2., correct to read:

"5.9.2. in the case of failure the illumination .... to become a bend lighting, a minimum illumination of at least **3** lux shall be fulfilled in test point 25 V (V-V line, D 75 cm)."

B. JUSTIFICATION

When paragraph 5.9.2. was amended by Supplement 2 to the original version of the Regulation, the value of 5 lux was copied from the corresponding failure provisions in paragraph 5.5.2. of Regulation No. 98, without taking into account the different measuring procedure in paragraph 6.1.3. of Regulation No. 112. This proposal aims to specify the correct value.

-----