UNITED NATIONS



Economic and Social Council

Distr.

GENERAL

TRANS/WP.29/2004/2 10 December 2003

Original: ENGLISH

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

World Forum for Harmonization of Vehicle Regulations (WP.29) (One-hundred-and-thirty-second session, 9-12 March 2004, agenda item 4.2.1.)

PROPOSAL FOR DRAFT SUPPLEMENT 9 TO THE 02 SERIES OF AMENDMENTS TO REGULATION No. 3

(Retro-reflecting devices)

Transmitted by the Working Party on Lighting and Light-Signalling (GRE)

<u>Note</u>: The text reproduced below was adopted by GRE at its fifty-first session, and is transmitted for consideration to WP.29 and to AC.1. It is based on document TRANS/WP.29/GRE/2003/2/Rev.1, not amended (TRANS/WP.29/GRE/51, para. 28).

This document is a working document circulated for discussion and comments. The use of this document for other purposes is the entire responsibility of the user. Documents are also available via the INTERNET:

http://www.unece.org/trans/main/welcwp29.htm

TRANS/WP.29/2004/2 page 2

Contents, "ANNEXES",

<u>Title of appendix of annex 5</u>, amend to read:

"Annex 5 – Appendix – Retroreflectors for trailers – Class IIIA and IIIB "

Title of annex 16, amend to read:

"Annex 16 – Test procedure for Class IB and IIIB devices"

Text of the Regulation,

Paragraph 2.15., amend to read:

"2.15. Retro-reflecting devices are divided into three classes according to their photometric characteristics: Class IA or IB, Class IIIA or IIIB, and Class IVA."

Paragraph 2.16., amend to read:

"2.16. Retro-reflecting devices of Class IB and IIIB are devices combined with other signal lamps which are not watertight according to annex 8, paragraph 1.1., and which are integrated into the body of a vehicle."

Paragraph 3.1.1., amend to read

"3.1.1. drawings, in triplicate, in sufficient detail to permit identification of the type, showing geometrically the position(s) in which the retro-reflecting device may be fitted to the vehicle, and in case of class IB or IIIB-retro-reflectors details of installation. The drawings must show the position intended for the approval number and class indicator in relation to the circle of the approval mark;"

Paragraph 5.5.1.3., amend to read:

"5.5.1.3. a group of symbols IA, IB, IIIA, IIIB or IVA showing the class of the approved retro-reflecting device."

Paragraph 7.1., amend to read:

".... this Regulation. The test procedures are described in annex 4 (Class IA, IIIA), annex 14 (Class IVA) and annex 16 (Class IB, IIIB)."

| Annex 2, item 9, amend to read: |
|--|
| "9. Concise description: |
| In isolation/part of an assembly of devices: 2/ |
| Annex 3, the note, amend to read: |
| " The competent authorities shall avoid using approval numbers IA, IB, IIIA, IIIB and IVA which might be confused with the class symbols IA, IB, IIIA, IIIB and IVA. |
| These sketches" |
| Annex 5, |
| Paragraph 2., amend to read: |
| "2. SHAPE AND DIMENSIONS OF RETRO-REFLECTING DEVICES IN CLASS IIIA AND IIIB (see appendix to this annex)" |
| Paragraph 2.1., amend the words "Class III A" to read "Class III A and III B". |
| Paragraph 2.6., amend the words "Class III A" to read "Class III A and III B". |
| Annex 5, appendix, amend to read: |
| "RETROREFLECTORS FOR TRAILERS – CLASS IIIA AND IIIB" |
| Annex 7, |
| Paragraph 2., amend to read: |

"..... of the area to be used. In the case of Class III A, III B and Class IV A", the

whole of"

TRANS/WP.29/2004/2 page 4

Paragraph 3.1., amend to read:

"3.1. Class IA, Class IB, Class IIIA and Class IIIB"

<u>Paragraph 3.1.1.</u>, the table, in the column "Class" on the third line, amend the figure "IIIA" to read "IIIA, IIIB".

Annex 8, paragraph 1.2., amend to read:

"1.2. Alternative test procedure for Class IB and IIIB devices

As an alternative, at the ..."

Annex 16, amend to read:

"Annex 16

TEST PROCEDURE FOR CLASS IB AND IIIB DEVICES

Retro-reflecting devices of Class IB and IIIB shall be tested according to the test procedures specified in annex 4, following the chronological order of tests given in annex 12, with the exception of the test according to annex 8, paragraph 1., which for Class IB and IIIB devices may be replaced by the test specified in annex 8, paragraph 1.2."