

Informal Group on GTR9 Phase2 (IG GTR9-PH2) 2nd Meeting

Technical Discussion – Benefit

Updated Version of GTR9-1-07r1

March 28-29, 2012

Japan Automobile Standards Internationalization Center (JASIC)¹

Outline

1. Anticipated Factors for Enhanced Injury Mitigation
2. Estimation of Cost Reduction due to Tibia Fracture Mitigation
3. Summary

1. Anticipated Factors for Enhanced Injury Mitigation



Injury Mitigation

GTR9-1-07r1

- Improved Biofidelity -
Tibia

Knee



Component Level



Tibia

Knee (ACL)


Assembly Level



1. Anticipated Factors for Enhanced Injury Mitigation

GTR9-1-07r1

- Enhanced Injury Assessment Capabilities -



- Wider coverage of tibia fracture
- Use of bending moment that best describes human tibia fracture

- Flex-PLI ligaments elongate due to combined knee loading
- Use of ligament elongation provides better correlation with human injuries

1. Anticipated Factors for Enhanced Injury Mitigation

GTR9-1-07r1

- Otte et al. (2007) -

CHARACTERISTICS ON FRACTURES OF TIBIA AND FIBULA IN CAR IMPACTS TO PEDESTRIANS – INFLUENCES OF CAR BUMPER HEIGHT AND SHAPE

Otte, D.*; Haasper, C. **

* Accident Research Unit

** Trauma Department

Medical University Hanover, Germany

ABSTRACT

This study deals with the analysis of lower leg fractures in pedestrians after collisions with passenger cars and examines to what extent the shape and location of the fractures in the lower leg changed, following alterations in the shape and height of bumpers. It can be assumed that the bumpers changed in form and effective impact height, not least due to the realization of the developments of vehicle safety tests as in the context of the European Union Directive 2003/102/EC. In addition, consumer protection tests, EuroNCAP, accomplished a change of the injury situation.


For the study, traffic accidents from GIDAS (German in-Depth-Accident Study) were selected, which had been documented in the years 1995 to 2004 by scientific teams in Hannover and Dresden areas and for which there is detailed information regarding injury patterns and collision speeds. The

- 1995 – 2004 GIDAS data
- 143 pedestrians with leg fractures (tibia/fibula) documented by X-rays

1. Anticipated Factors for Enhanced Injury Mitigation

GTR9-1-07r1

- Otte et al. (2007) -




If the heights of the fractures are correlated to the effective dynamic heights of the bumpers, it turns out that 80% of all fractures are located between 19 and 46 cm, whereas 80% of the impact forces are transferred at heights of 32 to 44 cm of the lower leg (Figure 4). Thus the cause of the fractures is frequently located above the fracture itself. Fracture height and bumper height were only identical in 17.5% of the cases, in 47.5% fracture was above the bumper and 35% fracture below the bumper.

- Fracture location was identical to the bumper height only in 17.5 % of the cases
- 82.5% of fractures are presumed to be due to indirect loading

1. Anticipated Factors for Enhanced Injury Mitigation

GTR9-1-07r1

- Japanese In-depth Accident Data (ITARDA) -



References:
 (1) "FY2005 ITARDA Report : Investigation of Vehicle Safety Measures by Accident Reconstruction", ITARDA (2006) (in Japanese)
 (2) Otte et al., Characteristics on Fractures on Tibia and Fibula in Car Impacts to Pedestrians – Influence of Car Bumper Height and Shape, IRCOBI (2007)

Most significant improvement is with leg fracture mitigation

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

GTR9-1-07r1

- Estimated Reduction in Annual Medical Cost (US, JPN) -

Number of Pedestrians Sustaining Tibia Fracture by MAIS
PCDS, age > 15

MAIS	Total	with Tibia Fracture	without Tibia Fracture
1	165	0	165
2	74	4	70
3	70	25	45
4	31	8	23
5	49	17	32
6	18	6	12

Fatality Ratio by MAIS

MAIS	Fatality Ratio
2	1.0%
3	5.3%
4	22.5%
5	47.6%
6	99.0%




Figure 14. Probability of Fatality vs. Maximum Known AIS

Reference : Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)

Percentage of Tibia Fracture by Injury Severity

Injury Severity	With Tibia Fracture (%)	Without Tibia Fracture (%)
Fatal	32.7%	67.3%
Severe	22.6%	77.4%
Minor	0.0%	100.0%

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation GTR9-1-07r1

- Estimated Reduction in Annual Medical Cost (US, JPN) -
 Percentage of Tibia Fracture by Injury Severity Annual Medical Cost due to Tibia Fracture

Injury Severity	With Tibia Fracture (%)	Without Tibia Fracture (%)
Fatal	32.7%	67.3%
Severe	22.6%	77.4%
Minor	0.0%	100.0%

Country	Cost
US	\$ 171,901,940
JPN	\$ 88,010,679


Number of Pedestrians by Injury Severity

Injury Severity	16YO and older		0-15YO	
	US	JPN	US	JPN
Fatal	3816	1372	276	29
Severe	11501	6730	2357	1277
Minor	31112	36517	11399	8974

\times
0.825 (coverage increase)
 \times
0.7 (Protection Level)

US Fatal : FARS
 US Non-fatal : NASS-PCDS (Weighed)
 JPN : ITARDA

Average Medical Cost per Case



Tibia AIS	count
2	13
3	47


Weighed Cost For Tibia Fracture
 = \$44,684
 (\$1 = ¥80)

Annual Medical Cost Reduction from Tibia Fracture Mitigation

Country	Cost
US	\$ 99,273,370
JPN	\$ 50,826,167


2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Estimation of Percentage of Tibia Fracture by Injury Severity -

Number of Pedestrians
Sustaining Tibia FX by MAIS

MAIS	with Tibia FX	without Tibia FX
1	N_1	n_1
2	N_2	n_2
3	N_3	n_3
4	N_4	n_4
5	N_5	n_5
6	N_6	n_6

Fatality Ratio
by MAIS

MAIS	Ratio
1	R_1
2	R_2
3	R_3
4	R_4
5	R_5
6	R_6

FX: fracture

Number of Pedestrians Sustaining Tibia FX by Injury Severity

MAIS	with Tibia FX			without Tibia FX		
	Fatal	Severe	Minor	Fatal	Severe	Minor
1	0	0	N_1	0	0	n_1
2	$N_2 \times R_2$	$N_2 \times (1 - R_2)$	0	$n_2 \times R_2$	$n_2 \times (1 - R_2)$	0
3	$N_3 \times R_3$	$N_3 \times (1 - R_3)$	0	$n_3 \times R_3$	$n_3 \times (1 - R_3)$	0
4	$N_4 \times R_4$	$N_4 \times (1 - R_4)$	0	$n_4 \times R_4$	$n_4 \times (1 - R_4)$	0
5	$N_5 \times R_5$	$N_5 \times (1 - R_5)$	0	$n_5 \times R_5$	$n_5 \times (1 - R_5)$	0
6	$N_6 \times R_6$	$N_6 \times (1 - R_6)$	0	$n_6 \times R_6$	$n_6 \times (1 - R_6)$	0
SUM	N_f	N_s	N_m	n_f	n_s	n_m

Percentage of Tibia Fracture by Injury Severity

Injury Severity	with Tibia Fracture	without Tibia Fracture
Fatal	$N_f / (N_f + n_f)$	$n_f / (N_f + n_f)$
Severe	$N_s / (N_s + n_s)$	$n_s / (N_s + n_s)$
Minor	$N_m / (N_m + n_m)$	$n_m / (N_m + n_m)$

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

Number of Pedestrians Sustaining Tibia Fracture by MAIS

MAIS	US (NASS-PCDS)			JPN (ITARDA)		
	Numbers			Numbers		
	total	with Tibia FX	without Tibia FX	total	with Tibia FX	without Tibia FX
1	165	0	165	77	0	77
2	74	4	70	45	12	33
3	70	25	45	36	7	29
4	31	8	23	26	4	22
5	49	17	32	45	4	41
6	18	6	12	27	4	23

US (NASS-PCDS)
age>15

JPN (ITARDA)
age>15, collision with
passenger car or wagon

FX: fracture

Fatality Ratio by MAIS




Figure 14. Probability of Fatality vs. Maximum Known AIS

Reference : Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)

MAIS	Non-fatal		Fatal		Fatality Ratio	
	Raw	Weighted	Raw	Weighted	Raw	Weighted
1	83974	31378428.0	345	20144.0	0.4%	0.1%→ 0.0%
2	22562	4148494.0	621	42577.7	2.7%	1.0%
3	13252	1358201.0	1217	76251.3	8.4%	5.3%
4	3457	305362.3	1677	88814.0	32.7%	22.5%
5	1709	119922.9	2414	109091.8	58.5%	47.6%
6	17	838.9	1886	79165.8	99.1%	99.0%

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Estimated Percentage of Tibia Fracture by Injury Severity -
 Number of Pedestrians Sustaining Tibia Fracture by MAIS age > 15

MAIS	US (NASS-PCDS)			JPN (ITARDA)		
	Total	with Tibia Fracture	without Tibia Fracture	Total	with Tibia Fracture	without Tibia Fracture
1	165	0	165	77	0	77
2	74	4	70	45	12	33
3	70	25	45	36	7	29
4	31	8	23	26	4	22
5	49	17	32	45	4	41
6	18	6	12	27	4	23

Fatality Ratio by MAIS

MAIS	Fatality Ratio
2	1.0%
3	5.3%
4	22.5%
5	47.6%
6	99.0%




Figure 14. Probability of Fatality vs. Maximum Known AIS


Reference : Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)

Percentage of Tibia Fracture by Injury Severity

Injury Severity	US		JPN	
	With Tibia Fracture (%)	Without Tibia Fracture (%)	With Tibia Fracture (%)	Without Tibia Fracture (%)
Fatal	32.7%	67.3%	12.9%	87.1%
Severe	22.6%	77.4%	19.4%	80.6%
Minor	0.0%	100.0%	0.0%	100.0%

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

US - Number of Pedestrians by Injury Severity -

Injury Severity	16 YO and older	0-15 YO
Fatal	3816	276
Severe	11501	2357
Minor	31112	11399

Number of Fatal was derived from FARS(2009)

Number of Severe and Minor was derived from NASS-GES (2009)

NASS-GES data

NASS-GES Variable: INJSEV	16 YO and older		0-15 YO	
	Case	Weighted case	Case	Weighted case
No Injury (O)	6	776.4	1	15.6
Possible Injury (C)	82	11669.3	25	5439.3
Non-incapacitating Evident Injury (B)	801	19442.4	259	5959.8
Incapacitating Injury (A)	441	11501.4	89	2356.9
Fatal Injury (K)	84	2447.6	9	247.0

Number for Minor Injury

Number for Severe Injury


JPN

Injury Severity	16 YO and older	0-15 YO
Fatal	1372	29
Severe	6730	1277
Minor	36517	8974

All of Japanese data were derived from ITARDA (2009)
 Fatal: Died within 24 hours from accident
 Severe: Injury that requires 30 days or more for cure
 Minor : injury that requires less than 30 days for cure

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Number of Pedestrians with Tibia Fracture by Injury Severity -

Percentage of Tibia Fracture by Injury Severity

Injury Severity	With Tibia Fracture (%)		Without Tibia Fracture (%)	
	US	JPN	US	JPN
Fatal	32.7%	12.9%	67.3%	87.1%
Severe	22.6%	19.4%	77.4%	80.6%
Minor	0.0%	0.0%	100.0%	100.0%

Number of Pedestrians by Injury Severity

Injury Severity	16YO and older		0-15YO	
	US	JPN	US	JPN
Fatal	3816	1372	276	29
Severe	11501	6730	2357	1277
Minor	31112	36517	11399	8974




US Fatal : FARS
 US Non-fatal : NASS-GES (Weighed)
 JPN : ITARDA

Number of Pedestrians with Tibia Fracture by Injury Severity

Injury Severity	16YO and older		0-15YO	
	US	JPN	US	JPN
Fatal	1248	177	90	4
Severe	2599	1306	533	248
Minor	0	0	0	0

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Cost per Case (US) -




Table A-1
Summary of Unit Costs, 2000
2000 Dollars


	FDO	MAIS0	MAIS1	MAIS2	MAIS3	MAIS4	MAIS5	Fatal
INJURY COMPONENTS								
Medical	\$0	\$1	\$2,380	\$15,625	\$46,495	\$131,306	\$332,457	\$22,095
Emergency Services	\$31	\$22	\$97	\$212	\$368	\$830	\$852	\$833
Market Productivity	\$0	\$0	\$1,749	\$25,017	\$71,454	\$106,439	\$438,705	\$595,358
HH Productivity	\$47	\$33	\$572	\$7,322	\$21,075	\$28,009	\$149,308	\$191,541
Insurance Admin.	\$116	\$80	\$741	\$6,909	\$18,893	\$32,335	\$68,197	\$37,120
Workplace Cost	\$51	\$34	\$252	\$1,953	\$4,266	\$4,698	\$8,191	\$8,702
Legal Costs	\$0	\$0	\$150	\$4,981	\$15,808	\$33,685	\$79,856	\$102,138
Subtotal	\$245	\$170	\$5,941	\$62,020	\$178,358	\$337,301	\$1,077,567	\$957,787
NON-INJURY COMPONENTS								
Travel Delay	\$803	\$773	\$777	\$846	\$940	\$999	\$9,148	\$9,148
Property Damage	\$1,484	\$1,019	\$3,844	\$3,954	\$6,799	\$9,833	\$9,446	\$10,273
Subtotal	\$2,287	\$1,792	\$4,621	\$4,800	\$7,739	\$10,832	\$18,594	\$19,421
Total	\$2,532	\$1,962	\$10,562	\$66,820	\$186,097	\$348,133	\$1,096,161	\$977,208
QALYs	\$0	\$0	\$4,455	\$91,137	\$128,107	\$383,446	\$1,306,836	\$2,389,179
Comprehensive	\$0	\$0	\$15,017	\$157,958	\$314,204	\$731,580	\$2,402,997	\$3,366,388
Total Comprehensive ratio/Fatal		0.45%	4.69%	9.33%	21.73%	71.38%	100.00%	
Injury Component ratio/Fatal			0.31%	4.58%	9.16%	21.53%	71.24%	100.00%

Note: Unit costs are on a per-person basis for all injury levels. PDC costs are on a per damaged vehicle basis.

Cost per case for MAIS 2 and 3 injuries

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Cost per Case (JPN) -



Report of the research for
economical analysis of the
costs of traffic accidents,
Cabinet Office of Japan,
2007

図表9-2 被害者1名(損害物1件)当たりの交通事故による損失額(平成16年(度))

単位：千円

Unit : 1,000 yen

		死亡	後遺障害	重傷	傷害	物損	死傷
人的損失	逸失利益	15,496					
	慰謝料	12,919					
	治療関係費	599					
	葬祭費	751					
	小計	29,764	8,072	8,072	555	-	1,161
物的損失		368	368	368	368	240	368
事業主体の損失		1,075	241	241	61	-	78
各種公的機関等の損失		1,957	969	969	735	1	809
金銭的損失合計		33,165	9,650	9,650	1,769	244	2,411
死傷損失		226,000	-	83,600	-	-	1,823
総計		259,165	9,650	93,250	1,769	244	4,234

for Severe Injury

Economic Cost

Intangible Consequences

Comprehensive Cost

(慰謝料が重複すると考える場合)

死傷損失	212,900	-	-	-	-	1,718
総計	246,246	9,650	-	1,769	244	4,129

注1 物損は物損のみの事故の場合である。

注2 「死傷」の数値は死傷者1名当たりの場合の損失額。重傷損失は含まれていない。

注3 重傷の場合については、人的損失額のうち慰謝料の推計が不可能であるため、重傷損失と慰謝料が重複する場合については記載していない。

注4 後遺障害、傷害及び物損については、図表7-3の値を再掲している。

Exchange rate used : \$1=107.4 yen @2000

Cost per Case of JPN	Cost (thousand yen)	Cost (\$)
Economic Cost	9,650	89,850
Intangible Consequences	83,600	778,399
Comprehensive Cost	93,250	868,249

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Cost per Case (US, JPN) -

US

Unit Cost by MAIS
(NHTSA,2002)

Injury Level	Economic Cost	Intangible Consequences	Comprehensive Cost
MAIS2	\$66,819	\$91,137	\$157,956
MAIS3	\$186,098	\$128,107	\$314,205

Number of Tibia Fracture by AIS
(NASS-PCDS, age>15)

Tibia AIS	count
2	13
3	47

×

Weighted Cost per Case

Economic Cost	Intangible Consequences	Comprehensive Cost
\$160,254	\$120,097	\$280,351

JPN

Cost per Case
(Severe Injury Average)

Economic Cost	Intangible Consequences	Comprehensive Cost
\$89,850	\$778,399	\$868,249

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Cost per Case Comparison -

		Economic Cost				Intangible Consequences	Comprehensive Cost
Definition		Human Cost	Property Cost	Company Cost	Public Agency Cost	• QALYs	• Sum of Economic Cost and Intangible Consequence
		<ul style="list-style-type: none"> • Medical Cost • Market Productivity • Household Productivity 	<ul style="list-style-type: none"> • Property Damage 	<ul style="list-style-type: none"> • Workplace Costs 	<ul style="list-style-type: none"> • Emergency Services • Insurance Administration • Legal Costs • Travel Delay 		
Cost	US	\$119,294	\$6,183	\$3,765	\$31,012	\$120,097	\$280,351
	JPN	\$75,158	\$3,426	\$2,244	\$9,022	\$778,399	\$868,249


US : Weighted for MAIS2 and 3

JPN : Unweighted (Severe Injury average)

QALY : Quality-Adjusted Life Years lost

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Estimated Annual Cost due to Tibia Fracture -

Number of Pedestrians with Tibia Fracture by Injury Severity

Injury Severity	16 YO and older	
	US	JPN
Fatal	1248	177
Severe	2599	1306
Minor	0	0



Cost per Case

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$160,254	\$120,097	\$280,351
JPN	\$89,850	\$778,399	\$868,249




Annual Cost due to Tibia Fracture

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$616,497,138	\$462,013,159	\$1,078,510,297
JPN	\$133,247,550	\$1,154,365,717	\$1,287,613,267

2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Overview of Cost Estimation Procedure -



2. Estimation of Cost Reduction due to Tibia Fracture Mitigation

- Estimated Annual Cost Reduction -

Annual Cost due to Tibia Fracture

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$616,497,138	\$462,013,159	\$1,078,510,297
JPN	\$133,247,550	\$1,154,365,717	\$1,287,613,267

Protection Level

0.825

- Coverage increase relative to TRL legform
- Otte et al. (2007) : Tibia fracture due to indirect loading = 82.5%

Coverage Increase by Introducing FlexPLI

0.7

- Protection Level by complying with injury thresholds that correspond to 30% injury probability

Annual Cost Reduction from Tibia Fracture Mitigation by Introducing FlexPLI

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$356,027,097	\$266,812,599	\$622,839,697
JPN	\$76,950,460	\$666,646,202	\$743,596,662

3. Summary

- The Flex-PLI provides improved biofidelity of the tibia and knee at both assembly and component levels
- Accident data show that tibia fracture is most frequent in pedestrian severe (AIS 2+) injuries
- Most significant factor that would contribute to injury mitigation is enhanced biofidelity of the tibia and much wider coverage of injury measurements over the tibia
- Additional annual cost reduction due to tibia fracture mitigation by introducing the Flex-PLI was estimated to be approximately \$356M in the US and \$77M in Japan (economic cost) relative to the use of TRL legform
- Intangible consequences showed significant discrepancy between US and Japan – may require further study

References

- Otte, D., Haasper, C., Characteristics on Fractures of Tibia and Fibula in Car Impacts to Pedestrians – Influences of Car Bumper Height and Shape, IRCOBI Conference (2007)
- “FY2005 ITARDA Report : Investigation of Vehicle Safety Measures by Accident Reconstruction”, ITARDA (2006) (in Japanese)
- Goertz A., Accident Statistical Distributions from NAS CDS, 2010 SAE World Congress, SAE Paper Number 2010-01-0139 (2010)
- NHTSA, The Economic Impact of Motor Vehicle Crashes 2000, DOT HS 809 446 (2002)
- “Report of the research for economical analysis of the costs of traffic accidents”, Cabinet Office of Japan (2007) (in Japanese)

Thank you for your attention