Informal Group on GTR9 Phase2 (IG GTR9-PH2) 2nd Meeting

Technical Discussion – Benefit

Updated Version of GTR9-1-07r1

March 28-29, 2012
Japan Automobile Standards Internationalization Center (JASIC)¹


Outline

- 1. Anticipated Factors for Enhanced Injury Mitigation
- Estimation of Cost Reduction due to Tibia Fracture Mitigation
- 3. Summary


- Improved Biofidelity -


ibia Knee


Component Level




Tibia








Knee (ACL)



- Enhanced Injury Assessment Capabilities -



- Wider coverage of tibia fracture
- Use of bending moment that best describes human tibia fracture

- Flex-PLI ligaments elongate due to combined knee loading
- Use of ligament elongation provides better correlation with human injuries 4

- Otte et al. (2007) -

CHARACTERISTICS ON FRACTURES OF TIBIA AND FIBULA IN CAR IMPACTS TO PEDESTRIANS – INFLUENCES OF CAR BUMPER HEIGHT AND SHAPE

Otte, D.*; Haasper, C. **

* Accident Research Unit

** Trauma Department

Medical University Hanover, Germany


ABSTRACT

This study deals with the analysis of lower leg fractures in pedestrians after collisions with passenger cars and examines to what extent the shape and location of the factures in the lower leg changed, following alterations in the shape and height of bumpers. It can be assumed that the bumpers changed in form and effective impact height, not least due to the realization of the developments of vehicle safety tests as in the context of the European Union Directive 2003/102/EC. In addition, consumer protection tests, EuroNCAP, accomplished a change of the injury situation.

For the study, traffic accidents from GIDAS (German in-Depth-Accident Study) were selected, which had been documented in the years 1995 to 2004 by scientific teams in Hannover and Dresden areas and for which there is detailed information regarding injury patterns and collision speeds. The

- 1995 2004 GIDAS data
- 143 pedestrians with leg fractures (tibia/fibula) documented by X-rays

- Otte et al. (2007) -




If the heights of the fractures are correlated to the effective dynamic heights of the bumpers, it turns out that 80% of all fractures are located between 19 and 46 cm, whereas 80% of the impact forces are transferred at heights of 32 to 44 cm of the lower leg (Figure 4). Thus the cause of the fractures is frequently located above the fracture itself. Fracture height and bumper height were only identical in 17.5% of the cases, in 47.5% fracture was above the bumper and 35% fracture below the bumper.

- Fracture location was identical to the bumper height only in 17.5 % of the cases
- 82.5% of fractures are presumed to be due to indirect loading

6

- Japanese In-depth Accident Data (ITARDA) -



Most significant improvement is with leg fracture mitigation

- Estimated Reduction in Annual Medical Cost (US, JPN) -

Number of Pedestrians Sustaining Tibia Fracture by MAIS

PCDS, age > 15

MAIS	Total	with Tibia Fracture	without Tibia Fracture
1	165	0	165
2	74	4	70
3	70	25	45
4	31	8	23
5	49	17	32
6	18	6	12

Fatality Ratio by MAIS

MAIS	Fatality Ratio
2	1.0%
3	5.3%
4	22.5%
5	47.6%
6	99.0%




Figure 14. Probability of Fatality vs. Maximum Know ATS

Reference: Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)

Percentage of Tibia Fracture by Injury Severity

Injury	With Tibia	Without Tibia	
Severity	Fracture (%)	Fracture (%)	
Fatal	32.7%	67.3%	
Severe	22.6%	77.4%	
Minor	0.0%	100.0%	

- Estimated Reduction in Annual Medical Cost (US, JPN) -

Percentage of Tibia Fracture by Injury Severity

Injury Severity	With Tibia Fracture (%)	Without Tibia Fracture (%)
Fatal	32.7%	67.3%
Severe	22.6%	77.4%
Minor	0.0%	100.0%




Number of Pedestrians by Injury Severity

Injury	16YO a	nd older	0-15YO		
Severity	US	JPN	US	JPN	
Fatal	3816	1372	276	29	
Severe	11501	6730	2357	1277	
Minor	31112	36517	11399	8974	

US Fatal : FARS
US Non-fatal : NASS-PCDS (Weighed)



Average Medical Cost per Case



Tibia AIS	count	
2	13	
3	47	

Weighed Cost For Tibia Fracture = \$44,684


Annual Medical Cost due to Tibia Fracture


Country	Cost	
US	\$ 171,901,940	
JPN	\$ 88,010,679	



Annual Medical Cost Reduction from Tibia Fracture Mitigation

Country	Cost
US	\$ 99,273,370
JPN	\$ 50,826,167





- Estimation of Percentage of Tibia Fracture by Injury Severity -

Number of Pedestrians Sustaining Tibia FX by MAIS

MAIS	with Tibia FX	without Tibia FX
1	0	n ₁
2	N_2	n ₂
3	N_3	n ₃
4	N_4	n ₄
5	N ₅	n ₅
6	N_6	n ₆

Fatality Ratio by MAIS

<u> </u>		
MAIS	Ratio	
1	R ₁	
2	R ₂	
3	R ₃	
4	R ₄	
5	R ₅	
6	R ₆	

Number of Pedestrians Sustaining Tibia FX by Injury Severity

MAIC	with Tibia FX		without Tibia FX			
MAIS	Fatal	Severe	Minor	Fatal	Severe	Minor
1	0	0	0	0	0	n ₁
2	N ₂ xR ₂	N ₂ x(1-R ₂)	0	n ₂ xR ₂	n ₂ x(1-R ₂)	0
3	N ₃ xR ₃	N ₃ x(1-R ₃)	0	n ₃ xR ₃	n ₃ x(1-R ₃)	0
4	N ₄ xR ₄	N ₄ x(1-R ₄)	0	n ₄ xR ₄	n ₄ x(1-R ₄)	0
5	N ₅ xR ₅	N ₅ x(1-R ₅)	0	n ₅ xR ₅	n ₅ x(1-R ₅)	0
6	N ₆ xR ₆	N ₆ x(1-R ₆)	0	n ₆ xR ₆	n ₆ x(1-R ₆)	0
SUM	$N_{\rm f}$	N _s	N _m	n _f	n _s	n _m

Percentage of Tibia Fracture by Injury Severity

Injury Severity	with Tibia Fracture	without Tibia Fracture
Fatal	$N_f / (N_f + n_f)$	$n_f / (N_f + n_f)$
Severe	$N_s / (N_s + n_s)$	$n_s / (N_s + n_s)$
Minor	$N_m / (N_m + n_m)$	$n_m / (N_m + n_m)$

FX: fracture

Number of Pedestrians Sustaining Tibia Fracture by MAIS

MAIS	US	(NASS-PC	DS)	JPN (ITARDA)					
		Numbers			Numbers				
	total	with Tibia FX	without Tibia FX	total	with Tibia FX	without Tibia FX			
1	165	0	165	77	0	77			
2	74	4	70	45	12	33			
3	70	25	45	36	7	29			
4	31	8	23	26	4	22			
5	49	17	32	45	4	41			
6	18	6	12	27	4	23			

US (NASS-PCDS) age>15

JPN (ITARDA)
age>15, collision with
passenger car or wagon

FX: fracture

Fatality Ratio by MAIS




Figure 14. Probability of Fatality vs. Maximum Enown AIS

Reference: Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)

MAIC	Non-fatal		F	atal	Fatality Ratio		
MAIS	Raw	Weighted	Raw	Weighted	Raw	Weighted	
1	83974	31378428.0	345	20144.0	0.4%	0.1%-> 0.0%	
2	22562	4148494.0	621	42577.7	2.7%	1.0%	
3	13252	1358201.0	1217	76251.3	8.4%	5.3%	
4	3457	305362.3	1677	88814.0	32.7%	22.5%	
5	1709	119922.9	2414	109091.8	58.5%	47.6%	
6	17	838.9	1886	79165.8	99.1%	99.0%	

- Estimated Percentage of Tibia Fracture by Injury Severity -


Number of Pedestrians Sustaining
Tibia Fracture by MAIS

age > 15

	U	S (NASS-P	CDS)	JPN (ITARDA)				
MAIS	Total	with Tibia Fracture	without Tibia Fracture	Total	with Tibia Fracture	without Tibia Fracture		
1	165	0	165	77	0	77		
2	74	4	70	45	12	33		
3	70	25	45	36	7	29		
4	31	8	23	26	4	22		
5	49	17	32	45	4	41		
6	18	6	12	27	4	23		

Fatality Ratio by MAIS

MAIS	Fatality Ratio
2	1.0%
3	5.3%
4	22.5%
5	47.6%
6	99.0%




Reference: Goertz A., Accident Statistical Distributions from NAS CDS, SAE Paper #2010-01-0139 (2010)



Percentage of Tibia Fracture by Injury Severity

	U	S	JPN		
Injury	With Tibia	Without Tibia	With Tibia	Without Tibia	
Severity	Fracture (%)	Fracture (%)	Fracture (%)	Fracture (%)	
Fatal	32.7%	67.3%	12.9%	87.1%	
Severe	22.6%	77.4%	19.4%	80.6%	
Minor	0.0%	100.0%	0.0%	100.0%	



- Number of Pedestrians by Injury Severity -

Injury Severity	16 YO and older	0-15 YO		Number of Fatal was derived from FARS(2009)
Fatal	3816	276		
Severe	11501	2357	—	Number of Severe and Minor was
Minor	31112	11399	-	derived from NASS-GES (2009)

NASS-GES data

	16 YO and older		0-15 YO		
NASS-GES Variable: INJSEV	Case	Weighted case	Case	Weighted case	
No Injury (O)	6	776.4	1	15.6	
Possible Injury (C)	82	11669.3	25	5439.3	
Non-incapacitating Evident Injury (B)	801	19442.4	259	5959.8	Number for Minor Injury
Incapacitating Injury (A)	441	11501.4	89	2356.9	Number for Severe Injury
Fatal Injury (K)	84	2447.6	9	247.0	


JPN

Injury Severity	16 YO and older	0-15 YO	
Fatal	1372	29	
Severe	6730	1277	
Minor	36517	8974	

All of Japanese data were derived from ITARDA (2009)

Fatal: Died within 24 hours from accident

Severe: Injury that requires 30 days or more for cure Minor: injury that requires less than 30 days for cure



- Number of Pedestrians with Tibia Fracture by Injury Severity -

Percentage of Tibia Fracture by Injury Severity

Injury Severity	With Fractu		Without Tibia Fracture (%)		
	US	JPN	US	JPN	
Fatal	32.7%	12.9%	67.3%	87.1%	
Severe	22.6%	19.4%	77.4%	80.6%	
Minor	0.0%	0.0%	100.0%	100.0%	


Number of Pedestrians by Injury Severity

Injury	16YO aı	nd older	0-15YO		
Severity	US	JPN	US	JPN	
Fatal	3816	1372	276	29	
Severe	11501	6730	2357	1277	
Minor	31112	36517	11399	8974	

US Fatal : FARS US Non-fatal : NASS-GES (Weighed)

Number of Pedestrians with Tibia Fracture by Injury Severity

Injury	16YO a	nd older	0-15YO		
Severity	US	JPN	US	JPN	
Fatal	1248	177	90	4	
Severe	2599	1306	533	248	
Minor	0	0	0	0	



- Cost per Case (US) -




Table A-1 Summary of Unit Costs, 2000 2000 Dollars

	PDO	MAISO	MAIS1	MAIS2	MAIS3	MAIS4	MAIS5	Falci
INJUR (COMPONENTS								
Medical	\$0	\$1	\$2,380	\$15,625	\$46,495	\$131,306	\$332,457	\$22,095
Emergency Services	\$31	\$22	\$97	\$212	\$368	\$830	\$852	\$833
Market Productivity	\$0	\$0	\$1,749	\$25,017	\$71,454	\$106,439	\$438,705	\$595,358
HH Productivity	\$47	\$33	\$572	\$7,322	\$21,075	\$28,009	\$149,308	\$191,541
Insurance Admin.	\$116	\$80	\$741	\$6,909	\$18,893	\$32,335	\$68,197	\$37,120
Workplace Cost	\$51	\$34	\$252	\$1,953	\$4,266	\$4,698	\$8,191	\$8,702
Legal Costs	\$0	\$0	\$150	\$4,981	\$15,808	\$33,685	\$79,856	\$102,138
Subtotal	\$245	\$170	\$5,941	\$62,020	\$178,358	\$337,301	\$1,077,567	\$957,787
			NON-IN.	URY COMP	ONENTS			
Travel Delay	\$803	\$773	\$777	\$846	\$940	\$999	\$9,148	\$9,148
Property Damage	\$1,484	\$1,019	\$3,844	\$3,954	\$6,799	\$9,833	\$9,446	\$10,273
Subtotal	\$2,287	\$1,792	\$4,621	\$4,800	\$7,739	\$10,832	\$18,594	\$19,421
Total	\$2,532	\$1,962	\$10,562	\$66,820	\$186,097	\$348,133	\$1,096,161	\$977,208
QALYs	\$0	\$0	\$4,455	\$91,137	\$128,107	\$383,446	\$1,306,836	\$2,389,179
Comprehensive	\$0	\$0	\$15,017	\$157,958	\$314,204	\$731,580	\$2,402,997	\$3,366,388
Total Comprehensive ratio/Fatal		0.45%	4.69%	9.33%	21.73%	71.38%	100.00%	
Injury Component rati	o/Fatal		0.31%	4.58%	9.16%	21.53%	71.24%	100.00%
M. J. H. B. J.		1		1 0000				


Note: Unit costs are on a per-person basis for all injury levels. PDG costs are on a per damaged vehicle basis.

- Cost per Case (US) -

Cost per Case by MAIS (NHTSA,2002)


		Econom		Internalible Comprehensive		
Injury Level	Human Cost	Property Cost	Company Cost	Public Agency Cost	Intangible Consequences	Comprehensive Cost
MAIS 2	\$47,964	\$3,954	\$1,953	\$12,948	\$91,137	\$157,956
MAIS 3	\$139,024	\$6,799	\$4,266	\$36,009	\$128,107	\$314,205

Number of Pedestrians
Sustaining Tibia Fracture
by AIS
(NASS-PCDS, age>15)



Weighted Cost per Case

Economic Cost				loton cible	Comprehensive
Human Cost	Property Cost	Company Cost	Public Agency Cost	Intangible Consequences	Comprehensive Cost
\$126,464	\$6,407	\$3,947	\$32,828	\$123,008	\$292,654



- Cost per Case (JPN) -

- Unpublished data for average human cost by MAIS
- Based on Japanese insurance data
- Human cost only

Cost per Case by MAIS

Exchange rate used: \$1=107.4 yen @2000

		Econom		Internalis Communication		
Injury Level	Human Cost	Property Cost	Company Cost	Public Agency Cost	Intangible Consequences	Comprehensive Cost
MAIS 2	\$16,760	N/A	N/A	N/A	N/A	N/A
MAIS 3	\$38,175	N/A	N/A	N/A	N/A	N/A

Number of Pedestrians
Sustaining Tibia Fracture
by AIS
(NASS-PCDS, age>15)

MAIS	count		
2	12		
3	7		

Weighted Cost per Case

	Econon	late a cible	Comprehensive		
Human Cost	Property Cost	ty Cost Company Cost Public Agency Cost		Intangible Consequences	Comprehensive Cost
\$24,650	N/A	N/A	N/A	N/A	N/A


- Cost per Case Comparison -

			Economic Cost			Intangible Consequences	Comprehensive Cost
		Human Cost	Property Cost	Company Cost	Public Agency Cost		
Defir	nition	 Medical Cost Market Productivity Household Productivity 	Property Damage	Workplace Costs	 Emergency Services Insurance Administration Legal Costs Travel Delay 	• QALYs	Sum of Economic Cost and Intangible Consequence
Cost	US	\$126,464	\$6,407	\$3,947	\$32,828	\$123,008	\$292,654
	JPN	\$24,650	N/A	N/A	N/A	N/A	N/A

QALY: Quality-Adjusted Life Years lost

Breakdown of Human Cost

	Human Cost				
	Medical Cost	Market Productivity	Household Productivity		
US	\$42,237	\$65,049	\$19,178		
JPN	\$24,650				



- Estimated Annual Cost due to Tibia Fracture -

Number of Pedestrians with Tibia Fracture by Injury Severity

Injury	16 YO and older		
Severity	US	JPN	
Fatal	1248	177	
Severe	2599	1306	
Minor	0	0	




Cost per Case

	Economic		Comprehensive
Country	Cost	Consequences	Cost
US	\$169,646	\$123,008	\$292,654
JPN	\$24,650	N/A	N/A

JPN: Economic Cost includes Human Cost only

Annual Cost due to Tibia Fracture

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$652,628,162	\$473,211,776	\$1,125,839,938
JPN	\$36,555,950	N/A	N/A



- Estimated Annual Cost Reduction - Annual Cost due to Tibia Fracture

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$652,628,162	\$473,211,776	\$1,125,839,938
JPN	\$36,555,950	N/A	N/A

Protection Level

Coverage Increase by Introducing FlexPLI

0.825

0.7

JPN: Economic Cost includes Human Cost only

- Coverage increase relative to TRL legform
- Otte et al. (2007): Tibia fracture due to indirect loading = 82.5%
- Protection Level by complying with injury thresholds that correspond to 30% injury probability

Annual Cost Reduction from Tibia Fracture Mitigation by Introducing FlexPLI

Country	Economic Cost	Intangible Consequences	Comprehensive Cost
US	\$376,892,764	\$273,279,801	\$650,172,564
JPN	\$21,111,061	N/A	N/A

- Comparison with Previous Results -

	Cost per Case						# Ped w/Tib	Ann. Cost	Coeff.	Benefit
	Human	Property	Company	Public	Intangible	Total	Fx	Tib Fx	Coen.	benent
JPN Previous	\$44,684	N/A	N/A	N/A	N/A	\$44,684	1970	\$88M	0.825 *0.7	\$51M
JPN Current	\$24,650	N/A	N/A	N/A	N/A	\$24,650	1483	\$37M	0.825 *0.7	\$21M
US Previous	\$44,684	Not Included	Not Included	Not Included	Not Included	\$44,684	3847	\$172M	0.825 *0.7	\$99M
US Current	\$126,464	\$6,407	\$3,947	\$32,828	\$123,008	\$292,654	3847	\$1,126M	0.825 *0.7	\$650M

3. Summary

- The Flex-PLI provides improved biofidelity of the tibia and knee at both assembly and component levels
- Accident data show that tibia fracture is most frequent in pedestrian severe (AIS 2+) injuries
- Most significant factor that would contribute to injury mitigation is enhanced biofidelity of the tibia and much wider coverage of injury measurements over the tibia
- Additional annual cost reduction due to tibia fracture mitigation by introducing the Flex-PLI was estimated to be approximately \$377M of Economic Cost and \$650M of Comprehensive Cost in the US, relative to the use of TRL legform
- Japan data could not be processed in the same way as performed with the US data due to the lack of information – may require further study

References

- Otte, D., Haasper, C., Characteristics on Fractures of Tibia and Fibula in Car Impacts to Pedestrians – Influences of Car Bumper Height and Shape, IRCOBI Conference (2007)
- "FY2005 ITARDA Report: Investigation of Vehicle Safety Measures by Accident Reconstruction", ITARDA (2006) (in Japanese)
- Goertz A., Accident Statistical Distributions from NAS CDS, 2010 SAE World Congress, SAE Paper Number 2010-01-0139 (2010)
- NHTSA, The Economic Impact of Motor Vehicle Crashes 2000, DOT HS 809 446 (2002)

Thank you for your attention