



**E-BIC and ACEP Overview
for
UNECE WP30
Geneva 9-12 June 2015**





Agenda



BIC codes update



E-BIC Service for Customs




Global ACEP Database





The BIC Code Registry Today



 2500+ codes registered to over 2000 container owner/operators in over 120 countries.

Est. > 99% of world's container fleet is marked with ISO-6346 code, in compliance with the CCC and Istanbul conventions.





A valid BIC Code contributes to a secure supply chain and secure borders




- Allows for instant identification of the owner of any container, 24x7 - regardless of how many times it changes hands.
- Applicants provide full contact info and proof of legitimate business.
- Eliminates possibility of duplicates





Customs use of BIC Registry

- In 2011, individual Customs Administrations began requesting electronic versions of the Register for use in threat assessment modules.





e-BIC for Customs launched in 2014

- Download latest file directly into systems
- XML or CSV format available
- Real-time Validation
- Allows Authorities to perform automated validations to assist in threat assessment.





Mobile Site

Check any code 24x7 on any smartphone





Summing up...

- The Register is a valuable tool for Customs
- Free of charge for Customs
- Set-up within one day
- BIC Register + Customs = Increased Security





ACEP

- Approved Continuous Examination Program
- CSC Examination scheme used on most containers

Combined Customs Approval and CSC Safety Approval Plate



Identification #

ACEP # assigned to owner/operator



APPROVED FOR TRANSPORT UNDER CUSTOMS SEAL

D/DK/4850-031/2013

TYPE **D45-NPGD-560-A-LASA** MANUFACTURER'S NO. **TL14076 933**
OF THE CONTAINER

Owner : **PVDU380 2437**

Unit 45 bv
Villapark 7-8
3051 BP Rotterdam

TIMBER COMPONENT TREATMENT

NO TIMBER USED

MANUFACTURED BY

YANGZHOU TONGLEE REEFER CONTAINER CO.,LTD. CHINA

TEL: 86514 87585823 FAX: 86514 87582196

CSC SAFETY APPROVAL

L-31-SNCH-45002

DATE MANUFACTURED	10/2014	
IDENTIFICATION NO.	TL14076 933	
MAXIMUM OPERATING GROSS MASS	34,000 KG.	74,960 LBS.
ALLOWABLE STACKING LOAD FOR 1.8G		
STACKED AND SUPPORTED AT 45' LOCATION	136,000 KG.	299,830 LBS.
STACKED AND SUPPORTED AT 40' LOCATION	68,000 KG.	149,910 LBS.
STACKED AT 45' SUPPORTED AT 40' LOCATION	68,000 KG.	149,910 LBS.
STACKED AT 40' SUPPORTED AT 45' LOCATION	68,000 KG.	149,910 LBS.
TRANSVERSE RACKING TEST FORCE	150,000 NEWTONS	

ACEP-D-HH-53

Com



IMO Global ACEP Database

- CSC requires Administrations to publish, audit and renew ACEP's.
- BIC hosts Global ACEP Database to support these requirements and improve safety.
- Verify ACEP number anytime, anywhere



www.bic-acep.org





Questions?

dow@bic-code.org

Thank you

