## ECONOMIC COMMISSION FOR EUROPE

## INLAND TRANSPORT COMMITTEE

Working Party on the Transport of Dangerous Goods

Joint Meeting of the RID Committee of Experts and the Working Party on the Transport of Dangerous Goods

Bern, 22-26 March 2010 Item 3 of the provisional agenda

## **STANDARDS**

Working procedures of the Working Group on Standards - Proposed characterization of standards referenced in RID/ADR/ADN

Transmitted by the European Committee for Standardisation (CEN)

Annex

ADR sub- section/ para.	RID sub- section/ para.	ADN sub- section/ para.	Standards Organization	Responsible Stdardization Body	Standard- Number	Standard-Title	Reference text	Requirements included?	Dedicated standard	Character of reference
1.8.6.4	1.8.6.4	_	EN ISO/ IEC	?	17020:2004	Not included	shall be accredited according to the standard EN ISO/IEC	no	no	S, B
1.8.6.4	1.8.6.4	_	EN ISO/ IEC	?	17020:2004	Not included	shall ensure that meets the requirements of the standard EN ISO/ICE	no	no	R, B
1.8.7.8	1.8.7.8	_	EN	TC 296	12972:2007	Tanks for transport of dangerous goods - Testing, inspection and marking of metallic tanks	The requirements of are considered to have been complied with if the following standadrs are applied: EN	yes	yes	R, V
_	_	1.15.3.8	EN	?	45004:1995	Not included	shall have and shall maintain an effective system of and conforming to the standards EN and ISO or EN	no	no	R, B
_	_	1.15.3.8	ISO	?	9001	Not included	shall have and shall maintain an effective system of and conforming to the standards EN and ISO or EN	no	no	R, B
_	_	1.15.3.8	EN	?	29001:1997	Not included	shall have and shall maintain an effective system of and conforming to the standards EN and ISO or EN	no	no	R, B
_	_	1.16.4.1	EN	?	45004:1995	Not included	They shall meet the following criteria:; compliance with the material contents of EN	yes	no	R, B
Part 2 2.1.2.6	2.1.2.6	2.1.2.6	ASTM	?	D 4359-90	Not included	shall be subjected to ASTM or to	no	no	R, B
2.2.2.1.5	2.2.2.1.5	2.2.2.1.5	ISO	?	10156:1996	Not included	is determined either by tests or by calculation methods adopted by ISO (see	no	no	R, B
2.2.2.1.5	2.2.2.1.5	2.2.2.1.5	ISO	?	10156-2:2005	Not included	ISO) is determined either by tests or by calculation methods adopted by ISO (see	no	no	R, B
,	2.2.2.1.6 c)	2.2.2.1.6 c)	ASTM	?	D 240	Not included	shall be determined by one of the	no	no	R, B
Note 2.2.2.1.6 c) Note	Note 2.2.2.1.6 c) Note	Note 2.2.2.1.6 c) Note	ISO	?	FDIS 13943:1999 (E/F) 86.1 to 86.3	Not included	following methods ASTM shall be determined by one of the following methods ISO/FDIS	no	no	R, B
2.2.2.1.6 c) Note	2.2.2.1.6 c) Note	2.2.2.1.6 c) Note	NFPA	?	30B	Not included	shall be determined by one of the following methods NFPA	no	no	R, B
2.2.3.1.4	2.2.3.1.4	2.2.3.1.4	ISO	?	2431:1993	Not included	shall be assigned if the requirements of are met: Flow time t in accordance with ISO	no	no	R, B
2.2.3.1.5	2.2.3.1.5	2.2.3.1.5	ISO	?	2431:1993	Not included	not subject to ADR/RID if conforming to ISO	no	no	R, V
2.2.52.1.4 Note	2.2.52.1.4 Note	2.2.52.1.4 Note	ISO	?	3679:1983	Not included	it's recommended to determine such as described in ISO	no	no	ı
2.2.7.2.3.3.2			ISO	?	9978:1992	Radiation protection; sealed radioactive sources; leakage test methods	it shall meet the following requirements: the volumetric leakage rate assessment specified in ISO would not exceed	no	no	S, V
2.2.7.2.3.3.6 a) i)	2.2.7.2.3.3.6 a) i)	2.2.7.2.3.3.6 a) i)	ISO	?	2919:1999	Radiation protection - Sealed radioactive sources - General requirements and classification	may be excepted from: they are alternatively subjected to the test prescribed in ISO	no	no	S, V
2.2.7.2.3.3.6 a) ii)	2.2.7.2.3.3.6 a) ii)	2.2.7.2.3.3.6 a) ii)	ISO	?	2919:1999	Radiation protection - Sealed radioactive sources - General requirements and classification	may be excepted from: they are alternatively subjected to the test prescribed in ISO	no	no	S, V
	2.2.7.2.3.3.6 b)	2.2.7.2.3.3.6 b)	ISO	?	2919:1999	Radiation protection - Sealed radioactive sources - General requirements and classification	may be excepted from: they are alternatively subjected to the test prescribed in ISO	no	no	S, V
2.2.7.2.3.3.8	2.2.7.2.3.3.8	2.2.7.2.3.3.8	ISO	?	9978:1992	Radiation protection; sealed radioactive sources; leakage test methods	may be excepted from: The alternative assessment shall comprise any of the tests prescribed in ISO	no	no	S, V
2.2.8.1.6	2.2.8.1.6	2.2.8.1.6	ISO	?	3574	Not included	are judged to cause , a corrosion rate exceeding For the purposes of testing ISO shall be used.	no	no	R, B
2.3.3.1.1 e)	2.3.3.1.1 e)	2.3.3.1.1 e)	ISO	?	3679:1983	Not included	shall be determined by means of one of the following types of apparatus: Apparatus in accordance with ISO	no	no	R, B
2.3.3.1.1 e)	2.3.3.1.1 e)	2.3.3.1.1 e)	ISO	?	3680:1983	Not included	shall be determined by means of one of the following types of apparatus: Apparatus in accordance with ISO	no	no	R, B
2.3.3.1.2 a)	2.3.3.1.2 a)	2.3.3.1.2 a)	ISO	?	3679:1983	Not included	only apparatus and test methods suitable for shall be used, in accordance with the following standards: ISO	no	no	R, B
2.3.3.1.2 b)	2.3.3.1.2 b)	2.3.3.1.2 b)	ISO	?	3680:1983	Not included	only apparatus and test methods suitable for shall be used, in accordance with the following standards: ISO	no	no	R, B
2.3.3.1.2 c)	2.3.3.1.2 c)	2.3.3.1.2 c)	ISO	?	1523:1983	Not included	only apparatus and test methods suitable for shall be used, in accordance with the following standards: ISO	no	no	R, B

ADR sub- section/ para.	RID sub- section/ para.	ADN sub- section/ para.	Standards Organization	Responsible Stdardization Body	Standard- Number	Standard-Title	Reference text	Requirements included?	Dedicated standard	Character of reference
5.4.3.4 Foot Note	_	_	EN	?	471	Not included	Additional equipment required For example an similar to that described in EN	yes	no	I
Part 6 6.1.1.4 Note	6.1.1.4 Note	_	ISO	ISO/ TC 122/SC 3	16106:2006	Packaging – Transport packages for dangerous goods - Dangerous goods packagings, intermediate bulk containers (IBCs) and large packagings - Guidelines for the application of ISO 9001	shall be under a quality assurance programme which satisfies NOTE: ISO provides acceptable guidance	yes	yes	'
6.1.3.2	6.1.3.2	_	ISO	?	3574:1999	Not included	shall be determined according to the appropriate ISO standard, for example ISO	yes	no	S, V
Note	6.1.4.1.1 Note	_	ISO	?	3573:1999	Hot rolled carbon steel sheet of commercial and drawing qualities	suitable type NOTE: "suitable" steels are identified in ISO	yes	no	I
Note	6.1.4.1.1 Note	_	ISO	?	3574:1999	Cold-reduced carbon steel sheet of commercial and drawing qualities	shall be constructed of of a suitable type NOTE: "suitable" steels are identified in ISO	yes	no	I
	6.1.4.1.1 Note	_	ISO	?	11949:1995	Cold-reduced electrolytic tinplate	shall be constructed of of a suitable type NOTE: "suitable" steels are also identified in ISO	yes	no	I
	6.1.4.1.1 Note		ISO	?	11950:1995	Coldreduced electrolytic chromium/chromium oxide- coated steel	shall be constructed of of a suitable type NOTE: "suitable" steels are also identified in ISO	yes	no	ı
Note	6.1.4.1.1 Note	_	ISO	?	11951:1995	Coldreduced blackplate in coil form for the production of tinplate or electrolytic chromium/chromium-oxide coated steel	steels are also identified in ISO	yes	no	'
6.1.4.8.8 Note	6.1.4.8.8 Note		ISO	ISO/ TC122/ SC3	16103:2005	Packaging – Transport packaging for dangerous goods - Recycled plastics material* provides additional guidance on procedures to be followed in approving the use of recycled plastics material	ISO provides additional guidance to be followed	yes	yes	'
6.1.4.12.1	6.1.4.12.1	_	ISO	?	535:1991	Not included	The water resistance shall be such that is not greater than see ISO	yes	no	S, B
	6.1.5.3 Footnote 3	_	ISO	?	2248	Not included	See ISO Standard	yes	no	ı
	6.1.5.3.5 c)	_	ISO	?	2431:1993	Not included	intended for the carriage of substances having (corresponding to ISO Standard	yes	no	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	ISO/ TC58/ SC3	9809-1:1999	Gas cylinders – Refillable seamless steel gas cylinders – Design, construction and testing – Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 Mpa	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	ISO/ TC58/ SC3	9809-2:2000	Gas cylinders – Refillable seamless steel gas cylinders – Design, construction and testing – Part 2: Quenched and tempered steel cylinders with tensile strength greater than or equal to 1 100 MPa	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	CEN/ TC 261 /SC 5	9809-3:2000	Gas cylinders – Refillable seamless steel gas cylinders – Design, construction and testing – Part 3: Normalized steel cylinders	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	?	7866:1999	Gas cylinders – Refillable seamless aluminium alloy gas cylinders – Design, construction and testing	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	?	11118:1999	Gas cylinders – Non-refillable metallic gas cylinders – Specification and test methods	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	?	11119-1:2002	Gas cylinders of composite construction – Specification and test methods – Part 1: Hoop wrapped composite gas cylinders	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	?	11119-2:2002	Gas cylinders of composite construction – Specification and test methods – Part 2: Fully wrapped fibre reinforced composite gas cylinders with load-sharing metal liners	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.1	6.2.2.1.1	_	ISO	?	11119-3:2002	Gas cylinders of composite construction – Specification and test methods – Part 3: Fully wrapped fibre reinforced composite gas cylinders with non-load-sharing metallic or non-metallic liners	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.2	6.2.2.1.2	_	ISO	?	11120:1999	Gas cylinders – Refillable seamless steel tubes for compressed gas transport, of water capacity between 150 I and 3 000 I – Design, construction and testing	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.3	6.2.2.1.3	_	ISO	ISO/ TC58/ SC3	9809-1:1999	Gas cylinders – Refillable seamless steel gas cylinders – Design, construction and testing – Part 1: Quenched and tempered steel cylinders with tensile strength less	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.3	6.2.2.1.3	_	ISO	ISO/ TC58/	9809-3:2000	than 1 100 Mpa Gas cylinders – Refillable seamless steel gas cylinders – Design, construction and testing – Part 3: Normalized	The following standards apply for the design,	yes	yes	S, B
6.2.2.1.3	6.2.2.1.3	_	ISO	SC3 ?	3807-1:2000	steel cylinders  Cylinders for acetylene – Basic requirements – Part 1:	The following standards apply for the	yes	yes	S, B
6.2.2.1.3	6.2.2.1.3	_	ISO	?	3807-2:2000	Cylinders without fusible plugs Cylinders for acetylene – Basic requirements – Part 2:	design, The following standards apply for the	yes	yes	S, B
6.2.2.1.4	6.2.2.1.4	_	ISO	?	21029-1:2004	Cylinders with fusible plugs Cryogenic vessels – Transportable vacuum insulated vessels of not more than 1 000 l volume – Part 1:	design, The following standards apply for the design,	yes	yes	S, B
6.2.2.2	6.2.2.2	_	ISO	?	11114-1:1997	Design, fabrication, inspection and tests Transportable gas cylinders – Compatibility of cylinder and valve materials with gas contents – Part 1: Metallic	The following standards apply for the design,	yes	yes	S, B
6.2.2.2	6.2.2.2	_	ISO	?	11114-2:2000	materials  Transportable gas cylinders – Compatibility of cylinder and valve materials with gas contents – Part 2: Non- metallic materials	The following standards apply for the design,	yes	yes	S, B
6.2.2.2 Note	6.2.2.2 Note	_	ISO	?	11114-1	Not included	The limitations imposed in ISOon do not apply to	yes	yes	ı