



Economic and Social Council

Distr.: General
21 December 2010
English
Original: English and French

Economic Commission for Europe

Inland Transport Committee

World Forum for Harmonization of Vehicle Regulations

153rd session

Geneva, 8–11 March 2011

Item 4.10.10 of the provisional agenda

1958 Agreement – Consideration of draft Corrigenda to existing Regulations submitted by GRE

Proposal for Corrigendum 1 to Supplement 5 to the 04 series of amendments to Regulation No. 48 (Installation of lighting and light-signalling devices)

Submitted by the Working Party on Lighting and Light-Signalling*

The text reproduced below was adopted by the Working Party on Lighting and Light-Signalling (GRE) at its sixty-fourth session. It is based on informal document GRE-64-14 as reproduced in Annex III to the report. It is submitted to the World Forum for Harmonization of Vehicle Regulations (WP.29) and to the Administrative Committee (AC.1) for consideration (ECE/TRANS/WP.29/GRE/64, para. 15).

* In accordance with the programme of work of the Inland Transport Committee for 2006–2010 (ECE/TRANS/166/Add.1, programme activity 02.4), the World Forum will develop, harmonize and update Regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.

Paragraph 5.18.1., amend to read:

"5.18.1. If at all fixed positions of the movable components the lamps on the movable components meet all the position, geometric visibility, colorimetric and photometric requirements for those lamps."

Paragraph 5.18.4., amend to read:

"5.18.4. ...

(a) ... However, additional lamps for the above functions may be activated, when the movable component is in any fixed open position, provided that these additional lamps satisfy all the position, geometric visibility, colorimetric and photometric requirements applicable to the lamps installed on the movable component.

...

(b) Should ... the interdependent lamp(s) specified by the Applicant during the device approval procedure shall meet all the position, outwards geometric visibility, colorimetric and photometric requirements for those lamps, at all fixed positions of the movable component(s) ..."
