

**UNITED NATIONS STATISTICAL COMMISSION and
ECONOMIC COMMISSION FOR EUROPE**

CONFERENCE OF EUROPEAN STATISTICIANS

Work Session on Statistical Data Editing

(Ottawa, Canada, 16-18 May 2004)

Topic (iv): New and emerging methods, including automation through machine learning, imputation, evaluation of methods

**IMPLICIT LINEAR INEQUALITY EDITS GENERATION AND ERROR LOCALIZATION IN
THE SPEER EDIT SYSTEM**

Supporting Paper

Submitted by the U. S. Census Bureau, United States¹

Abstract: The Census Bureau's SPEER editing system applies the Fellegi-Holt model to economic establishment surveys under ratio edits and a limited form of balancing. If the complete set of explicit and implicit edits is available, then Fellegi-Holt methods have the advantage that they determine the minimal number of fields to change so that an edit failing record satisfies all edits in one pass through the data. For most surveys implicit edits are not generated because the generation requires days-to-months of computation. In some situations, when implicit edits are not available Fellegi-Holt systems use integer programming methods to solve the error localization problem directly and slowly. With only a small subset of the needed implied edits, the 1997 version of SPEER (Draper and Winkler, 1997) applies ad hoc heuristics that find error-localization solutions that are not optimal for as much as five percent of the edit failing records. In this paper we present recent modifications to the SPEER editing system that maintain its exceptional speed and do a better job of error localization. The new SPEER has an auxiliary program for generating implicit linear inequality edits using the Fourier-Motzkin elimination method. We present the theory, computational algorithms, and results from evaluating the feasibility of this approach. The feasibility study shows heuristics used in the 1997 version of SPEER are not needed if a moderately large, easily generated, subset of the implied edits is available prior to error localization.

I. INTRODUCTION

1. Survey data files may contain a large number of records with missing or inconsistent data. Errors can arise during the data collection process due to item non-response, misunderstanding of a survey question, or problems during computer keying operations. Records with missing or suspicious data must be edited for publication of accurate statistics. Data editing is the process of identifying and correcting inconsistencies in the collected data. Data editing consumes a considerable amount of the survey resources. For economic surveys, this cost is reported to be up to 40 percent of the total survey cost (Federal Committee on Statistical Methodology, 1990). This cost can be reduced if we have an automated system that can be repeatedly used at different survey cycles and by various separate surveys. Currently, for most surveys, the detection and correction of inconsistent data is done using an automated software. Fellegi and Holt (Fellegi and Holt, 1976) provided the theory and methodology for the creation of such a system.

2. An automated system based on the Fellegi-Holt methodology must satisfy the following three requirements (Fellegi and Holt, 1976):

¹ Prepared by Maria M. Garcia <maria.m.garcia@census.gov> This report is released to inform parties of research and to encourage discussion. The views expressed are those of the author and not necessarily of the U. S. Census Bureau.

- (i) Data in each record should be made to satisfy the edits by changing the fewest possible fields.
- (ii) The imputation rules should derive automatically from the edit rules.
- (iii) Imputation should maintain the joint distribution of the variables.

This model requires that the data in each record should be made to satisfy all edits by changing the minimum possible fields (number one above.) This criterion is referred to as the error localization problem. Fellegi and Holt showed that the implicit edits that can be logically derived from the set of analysts' supplied explicit edits are needed for solving the error localization problem. The complete set of explicit and implicit edits is sufficient to determine imputation intervals for erroneous fields so that an edit failing record is corrected. Prior edit models would fail because they lack information about the original set of explicit edits that may not fail, but might fail the imputed record if information in the complete set of edits is not used during error localization.

3. Several Fellegi-Holt systems are available for editing continuous economic data: Statistics Canada's Generalized Edit and Imputation System (GEIS) (Schiopu-Kratina and Kovar, 1989), Statistics Netherlands CherryPi (De Waal, 1996), National Agricultural Statistics Service's AGGIES (Todaro, 1999) and the US Census Bureau's Structured Program for Economic Editing and Referrals (SPEER, Greenberg and Petkunas, 1990; Draper and Winkler, 1997). The GEIS, CherryPi and AGGIES software solve simultaneous linear inequality edits using a modified Chernikova algorithm (Rubin, 1975) to implicitly generate the failing implied edits needed for finding error localization solutions. SPEER applies simple heuristics to generate a subset of the failing implied edits for data that must satisfy ratio and balancing edits.

4. In this paper we applied the Fourier-Motzkin elimination method (Duffin, 1974) to generate a moderately large subset of the implied edits prior to error localization in the SPEER editing system. In the following sections we present the theory, computational algorithms, and results from using this approach. Section II provides background on the SPEER editing system. Section III presents the methodology for generating the linear inequality edits implied by ratio and balancing edits. Section IV discusses how this methodology is used in the new SPEER system. Section V presents the results of testing the feasibility of using this approach on the Census Bureau's Annual Survey of Manufactures data and in Section VI we provide a discussion of our results.

II. THE SPEER EDITING SYSTEM

5. The Census Bureau has developed SPEER (Structured Programs for Economic Editing and Referrals) software that applies the Fellegi-Holt model for editing continuous economic data that must satisfy ratio edits and a limited form of balancing. The SPEER system has been used at the Census Bureau on several economic surveys since the early 1980's (Greenberg and Surdi, 1984). In this paper we describe modifications to the SPEER edit software that maintain its exceptional speed and do a better job of error localization. The current version of SPEER consists of a main edit program and four auxiliary modules. The FORTRAN code for the edit checking, error localization, and imputation routines in the main edit program is new. The four auxiliary modules perform different tasks: the first module automatically determines the ratio edits bounds (Thompson and Sigman, 1996); the second module checks the logical consistency of the user's supplied explicit edits and generates the implied ratio edits needed for error localization (Garcia and Goodwin, 2002); the third module generates the regression coefficients used in the imputation module; and a new fourth module generates a subset of the implied linear inequality edits that arise when combining ratio edits and balance equations. The SPEER software identifies and corrects erroneous fields in data records that must satisfy ratio edits and single level balancing. By single level balancing we mean that fields are allowed to be restricted by at most one balance equation. It is known that only ratio and balance edits are required in most economic surveys.

6. A record with n fields is represented by $v = (v_1, v_2, \dots, v_n)$. A ratio edit is the requirement that the ratio of two highly correlated items is bounded by lower and upper bounds, $l_{ij} \leq v_i / v_j \leq u_{ij}$, where l_{ij} and u_{ij} are the largest lower bound and smallest upper bound respectively. A balance edit is the requirement that two or more details add up to the reported total, $\sum_{k \in S} v_k - v_t = 0$, where S is a proper subset of the first n integers and $t \notin S$. The v_k , $k \in S$ are known as details and v_t is known as the total.

7. Fellegi-Holt editing model guarantees that if the complete set of edits is available, then we can determine a minimum number of fields to change so that an edit failing record no longer fails. In the earliest versions of SPEER, which used ratio edits only, it is possible to generate the complete set of ratio edits. Thus, it is easy and exceptionally fast to solve the error localization problem. In the most recent version of SPEER Draper and Winkler (1997) generate implicit edits induced by failing ratio edits and balance equations "on the fly" for every edit failing record. The induced edits are then used to further restrict imputation intervals than the restrictions placed by ratio edits only. The solution, however, is not necessarily an error localization solution since not all implied edits are available. This is true in most cases: in general for continuous data it is not possible to a priori generate all the implicit edits for a set of explicit linear inequality edits due to the exponential growth of the total number of implied edits (Sande, 1978). Winkler and Chen (2002) provided extensions to the theory and computational aspects of the Fellegi-Holt editing model for discrete data. In their research they showed that if most of the implicit edits are computed prior to automatic editing, then error localization algorithms are faster than direct integer programming methods for solving the error localization problem. These results can be extended to continuous data. The main purpose of this paper is to use this idea in SPEER editing when a large subset, but not all, of the implicit edits are generated prior to editing.

III. IMPLICIT EDIT GENERATION FOR BALANCING AND RATIO EDITS

8. The SPEER edit system has an auxiliary module for generating all the implicit ratio edits. In the 1997 version of SPEER, the implicit edits implied by failing ratio edits and a balance equation are generated on the main program for every failing record. This means many implicit edits are repeatedly computed. The new SPEER software generates a moderately large subset of the implied edits prior to SPEER editing. The implied edits are then available to be used in the main edit program, and it is not necessary to repeatedly generate the same implicit edits as additional edit failing records are encountered. This eliminates the need for implied edit generation during the computationally intensive error localization program. We want to point out that in most situations implied edits are not generated because the generation requires days-to-months of computation, however it is feasible to generate implicit edits for SPEER algorithms because it deals with numeric data under ratio edits and single level balancing only.

9. The new module for generating implicit linear inequality edits for data under ratio and balancing edits is based on the Fourier-Motzkin elimination method (Duffin, 1974). The Fourier-Motzkin method had been used in new algorithms developed at Statistics Netherlands to delete a field from nodes representing the current set of edits in a tree search algorithm for finding error localization solutions (Quere, 2000). The mathematical knowledge to generate implicit edits is simple. The method was developed by Fourier for checking the consistency of a set of linear inequalities. Suppose we have a ratio edit, $l_{ij} \leq v_i / v_j \leq u_{ij}$, and balance equation,

$\sum_{k \in S} v_k - v_t = 0$. Using simple algebra we can rewrite the ratio edit as two linear inequality edits and the balance

equation as two linear inequality edits. If we can find a common field in the linear inequality edits corresponding to the ratio and balance edits and provided the coefficients of the common variable have opposite signs, then we can eliminate the common variable by creating a linear combination of the two edits. The new SPEER implicit edit generation uses this methodology to generate as many implicit edits as possible from linear combinations of the complete set of ratio edits and the balance equations. The algorithm is repeated to generate new implied edits from linear combinations of the newly generated implicit edits and the set of ratio edits. Using a moderately large, easily generated, subset of the implied edits has numerous advantages. For ratio edits and single level balancing the edit generation logic is simple. If implicit edits are available, the speed of the main edit program is no longer an issue when compared to Chernikova-type error localization algorithms. This is important as reducing computations is a critical aspect of developing a Fellegi-Holt system.

10. While doing this research we found that the balance equations may affect the ratio edits bounds and bounds in the complete set of ratio edits are not necessarily optimal. This happens if two details are required to balance to a reported total and two terms of this balance equation are in a ratio edit. Consider the case where fields v_i and v_j balance to total v_t , and there are ratio edits connecting fields v_i , v_j , and v_t . If $v_i + v_j - v_t \leq 0$ and $v_i - u_{ij}v_j \leq 0$ are linear inequality edits corresponding to the balance equation and ratio edit respectively

with the coefficients of v_j having opposite signs, we can use Fourier-Motzkin elimination to generate a new implied edit. There are two fields in common in the generating balance and ratio edits, therefore this new edit is a ratio edit, $\frac{v_i}{v_t} \leq \frac{u_{ij}}{1+u_{ij}}$. In this case, if $\frac{u_{ij}}{1+u_{ij}} \leq u_{it}$, then we have found a more restrictive upper bound for

the ratio connecting fields v_i and v_t . Since any pair of ratio edits with a common field implies another ratio edit, it follows that updating at least one bound in the complete set of ratio edits implies that all ratio edit bounds must be revised and adjusted due to the interaction with the balance equations. In the next section we will see that in our test data 15% of the lower and upper bounds were adjusted after two passes through the new implicit edit generation program. The possibility that the ratio edits bounds should be modified using the edit restrictions imposed on data items by the balance equations has not been considered in the previous version of the SPEER edit system. It implies that the algorithms in this earlier version of SPEER did not have available the edits that impose the most restrictions on the fields, and therefore could change the error localization solutions and the imputation intervals used to "fill-in" data in the imputation module.

11. The implied edits generated by ratio edits and balance equations are computed using this methodology.

We first represent the edits as linear inequality edits $Av \leq 0$, $A = \begin{pmatrix} R \\ B \end{pmatrix}$, where R and B are the matrices of coefficients corresponding to ratio and balance edits respectively, and v is the vector of data fields. Then proceed as follows:

Step 1: Choose two linear inequality edits with a common field v_k in which the coefficients of v_k have opposite signs in the ratio and balance edits. Use Fourier-Motzkin elimination to generate a new implied edit.

Step 2: Verify that the new implied edit is essentially new. If the new implied edit has only two entering fields then check whether the corresponding ratio edit bound needs to be updated. If any ratio edit bound is updated then revise and update the complete set of ratio edits.

Step 3: Adjoin the coefficients from the new implied edits to the matrix of coefficients and repeat.

12. The code is written in SAS and SAS/IML. The input of the new implicit edit generation module is the complete set of ratio edits and the balance equations. We first generate all implicit edits obtained by eliminating a common variable from a ratio edit and balance equation. The edit generation program then successively generates implicit edits by combining the newly generated implicit edits with the ratio edits. In their research, Draper and Winkler (1997) showed that this type of edits, obtained by replacing terms in a balance equation with the appropriate terms from the ratio edits, allows the SPEER system to error localize most edit failing records. This result is very important: it allows us to consider the smaller subset of the implied edits obtained by combining the newly generated edits with the ratio edits only which greatly simplifies the implicit edit generation methodology.

IV. EDITING IN THE NEW SPEER

13. The 1997 version of SPEER (Draper and Winkler, 1997) for editing numeric data under ratio edits and single level balancing generates failing implicit edits during error localization for every edit failing record. In the previous section we described how the Fourier-Motzkin elimination method can be used to generate linear inequality edits implied by ratio and single-level balancing edits. In the new version of SPEER we use this methodology to generate a moderately large subset of the implicit edits prior to automatic editing which considerably simplifies error localization in the SPEER edit system. This is important because the implicit edits are then available to be used many times in the error localization routine for every edit failing record. The need to repeatedly generate the implicit edits for every edit failing record is eliminated and the computational effort during error localization is reduced.

14. In the new version of SPEER, the edit checking, error localization, and imputation modules have all been rewritten to use the implicit edits generated prior to automatic editing. The edit checking routine identifies

the records failing any ratio edit, balance equation, or implicit edit. Changes to the edit checking routine are straightforward, we simply added code to determine if any of the implied edits generated prior to editing failed. The code in the previous version of the error localization module needed to generate and error localize failing implied edits was not particularly easy, and it is no longer needed. Error localization has been greatly simplified. For every data record marked as failing at least one edit (ratio or balance) in the edit checking routine, the error localization module uses a greedy algorithm (Nemhauser and Wolsey, 1987) to determine the minimum number of fields to impute so that the record no longer fails.

15. The code in the imputation algorithm also uses the information from the implied edits generated prior to automatic editing. We recall that one of the main results of the Fellegi-Holt (Fellegi and Holt, 1976) theory is that if we know the values of a subset of fields that satisfy all edits that place restrictions on those fields only, then we can impute for the remaining fields so that the record satisfies all edits. If there is only one term in a balance equation marked for imputation, then the balance equation is used to impute the value of the item. Otherwise, we impute a field value using the information from the other known fields' values, the ratio edits restrictions, balance edits and implied edits to determine the interval into which to impute. Draper and Winkler (1997) showed that the implied edits generated by a failing ratio edit and a balance equation are sufficient for determining the imputation intervals. We used this result in the new imputation routine by using only the implied edits generated the first time through in the edit generation algorithm.

16. The main steps in SPEER editing are:

Edit checking: For each record, use ratio edits and balance equations to identify edit failures. If record fails at least one edit, use implied edits generated using the new edit generation methodology to identify failing implied edits. Otherwise, go to the next record.

Error Localization: Use the failing ratios, failing balance edits, and failing implicit edits in a greedy algorithm to determine the number of fields to be changed so that the record satisfies the edits.

Imputation: For each field marked to be imputed, determine if the item value can be imputed using a balance equation. Otherwise, use the other known fields (reported and imputed), the ratio and balance edits, and the first order implied edits to determine an interval into which field values can be imputed.

V. EMPIRICAL RESULTS

17. To test the new SPEER'02 algorithms we used keyed data from the 1997 Annual Survey of Manufactures (ASM). The ASM is a mail out/mail back sampled survey. It collects data from manufacturing establishments on a four-page paper instrument. The ASM measures manufacturing activity that includes employment, payroll, fringe benefits, cost of materials, product shipments, capital expenditures, and total inventories. The ASM provides measures of industrial production and productivity and is the only source of comprehensive data on the manufacturing level of the American economy.

18. Our test data set consists of 6,533 records on 310 industry classification codes (SIC). All records are edit failing records with most records having at least five items failures. Each record contains an identification number, an SIC code, and data for 17 numerical fields. The ASM fields edited using the SPEER editing system are listed in Table 1.

Table 1: ASM Fields to be Edited Using SPEER Edit System

ASM Fields	Description
SW = WW + OW	Salary and Wages
VS	Value of Shipments
TE = PW + OE	Total Employment
WW	Production Worker Wages
OW	Other Employee Wages
TIB	Total Inventory at Beginning of Year
CM	Cost of Materials
TIE	Total Inventory at End of Year
PW	Number of Production Workers
OE	Number of Other Employees
PH	Number of Plant Hours Worked
LE	Legally Required Benefits
VP	Voluntarily Paid Fringe Benefits
PTIE	Calculated Sum of Details of TIE
PTIB	Calculated Sum of Details of TIB
PVS	Calculated Sum of Details of VS
PCM	Calculated Sum of Details of CM

19. ASM fields measuring production worker wages (WW) and other employee wages (OW) are required to balance to the reporting unit's total salary and wages (SW). Similarly, the number of production workers (PW) and other employees (OE) must be equal to the reported total employment (TE). The last four fields (PTIE, PTIB, PVS, PCM) contain the calculated sum of detail items corresponding to their respective totals.

20. The explicit ratio edits are defined by the subject matter experts. The auxiliary program for generating implied ratio edits is used to obtain ratio edit bounds for every pair of fields. In our test data there are 310 industry classes, 136 ratios for each class, for a total of 84,320 linear inequality edits corresponding to the complete set of ratio edits. The complete set of edits and the balance equations are then used as input to the implicit edit generation program. In the previous section we mentioned that it was possible that the ratio edit bounds needed adjustment during implicit edit generation. This is important since the ratio edits bounds are used for computing imputation intervals so that record no longer fails. Table 2 displays the total number of ratio edit bounds adjusted after two passes through the implicit edit generation program. For the ASM edits, 15 percent of the ratio edit bounds were adjusted after two passes through the implicit edit generation program.

Table 2: Number of Adjusted Edit Bounds in the ASM Ratio Edits After Two Passes

Number of items in ASM data	Number of industry codes in test data	Number of ratio edits for each industry code	Number of bounds adjusted after two passes
17	310	136 (272 bounds)	12,346 (15%) (out of 84,320)

22. The set of linear inequality edits generated using the implicit edit generation program is used, along with the adjusted complete set of ratio edits, as input to the new SPEER system. We used our test data for comparing the results when running the 1997 version of SPEER and the new version of SPEER in which a large subset of the implied edits is generated prior to editing. To avoid confusion we refer to the 1997 version of SPEER as SPEER'97. We examined how many records can be automatically corrected by either system after doing multiple passes through the data. After the first pass through the editing system, imputation will not be successful for a small proportion of records. These records will be partially corrected by imputing only those fields for which the imputation routine successfully computed imputation intervals. These partially corrected records are then passed again through the editing system.

23. Both programs correctly identified all 6,533 records as edit failing records. However the number of records corrected by either program after different passes through the data is different. Table 3 displays the number of records still failing edits after different passes through the editing system.

Table 3: Number of Records Still Failing After Different Passes Through SPEER Editing

Pass	SPEER'97 (failing implied edits generated Aon the fly@)	SPEER (large subset of implied edits generated prior to editing)
First Pass	297 (4.5%)	104 (1.6%)
Second Pass	81 (1.2%)	57 (0.9%)
Third Pass	42 (0.6%)	54 (0.8%)

24. Clearly, both edit systems are performing well in terms of correctly identifying items to impute so records no longer fail. There are 297 records still failing edits after one pass through SPEER'97, while the number of records still failing edits in the new SPEER is 104. The number of records still failing edits after two passes is 57 (0.9%) in the new SPEER and 81 (1.2%) in SPEER'97. The new SPEER consistently corrects more records in the first and second passes than SPEER'97 and there is no significant gain in records corrected after running the data through the system a third time.

25. Our next comparison examines the effect of using the moderately large subset of the implied edits generated prior to editing on the number of times a field was marked for deletion during error localization. Table 4 displays the ASM fields identified to be imputed and the number of times each reported value was changed for a subset of the test data including only records for which all fields marked for deletion were successfully imputed by both SPEER'97 and the new SPEER after two passes through the data (6,386 records).

26. The number of times reported details WW, OW, PW and reported totals SW and TE are marked to be changed is larger in the new SPEER than in SPEER'97. For all other fields (with the one exception of item PH), the number of times a field was marked for deletion during error localization is consistently higher in SPEER'97 when compare with the new SPEER. For item SW, these results conflict with the results expected by the subject matter experts. The ASM uses reliability weights to control the selection of item failures. Analysts assign the highest reliability weight to item SW. However, the new SPEER changed reported SW 39% of the time (2,508 changes in 6,386 records).

Table 4: Number of Times Field was Changed After Two Passes

ASM fields	Number of times field was changed in SPEER'97	Number of times field was changed in new SPEER
SW = WW + OW	433	2508
VS	447	436
TE = PW + OE	397	1081
WW	181	2307
OW	412	483
TIB	31	29
CM	104	92
TIE	27	26
PW	556	1053
OE	731	490
PH	608	624
LE	552	508
VP	243	218
PTIE	280	279
PTIB	260	258
PVS	3444	3443
PCM	367	355

27. To assess the effect of item SW reliability weight on the number of times item SW is marked to be changed in the new SPEER we ran the program assigning higher reliability weights to SW (weights ranging between 2 and 10,000) but did not see a significant decrease in the number of times reported field value of SW was changed by the edit system. This was expected: Both SPEER'97 and the new SPEER runs use the same default weights but SPEER'97 changed total SW only 7% of the time. Thus, there must be other reasons for this discrepancy.

28. There are two possible explanations. Firstly, SW, WW, OW, PW and TE are restricted by balance equations and in the new SPEER fields restricted by a balance edit enter all the implicit edits generated prior to SPEER editing. The error localization module uses a greedy algorithm. Thus the number of times a field is marked for deletion is associated to the number of times the field enters the failing edits.

29. Secondly, it is difficult to correctly impute data for an edit failing record when balance equations and ratio edits must be satisfied. If only one item in a balance equation is imputed, then the joint distribution of the variables is not necessarily preserved. Draper and Winkler (1997) report to have successfully imputed most records on the first pass while maintaining the joint relationships between the variables by using the following heuristic: impute two items in a balance equation when the error localization solution identified only one item in a balance edit for deletion. This heuristic is included in both SPEER'97 and the new SPEER. As we mentioned above, the new SPEER generates implied edits by combining balance equations with ratio edits. Therefore at least two items in each implied edit is in a balance equation. Thus, using the heuristic suggested by Draper and Winkler, the new SPEER imputes for at least two items even if only one item is marked to be deleted during

error localization. This clearly increases the number of times items in balance equations are changed by the editing system. We suspected this heuristic was not needed in the new version of SPEER due to the availability of a large subset of edits implied by ratio and balance edits prior to error localization: error localization algorithm has enough edits to correctly identify a minimum number of fields to change.

30. To assess the effect of this heuristic on the number of times field in balance equations are marked to be changed during error localization we ran the new SPEER system on the same 6,386 records after deleting the code implementing this heuristic in the program. Table 5 displays ASM fields in balance equations (Note: the heuristic affects only terms in balance edits) marked to be changed in two passes through the data with and without the Draper-Winkler heuristic.

Table 5: Number of Times Fields in Balance Edits are Marked to be Changed After Two Passes

ASM fields	Number of times field was marked to be changed if using Draper-Winkler heuristic	Number of times field was marked to be changed if not using Draper-Winkler heuristic
SW = WW + OW	2508	249
WW	2307	2334
OW	483	531
TE = PW + OE	1081	375
PW	1053	1062
OE	490	543

31. With this change, the edit system successfully corrects 99% of the records in two passes through the data while reducing the percentage number of times the reported value of item SW is marked to be changed from 39% to only 4% as desired. Therefore this study shows the heuristics used in the 1997 version of SPEER are not needed if a moderately large, easily generated, subset of the implied edits is available prior to error localization.

VI. DISCUSSION

32. In this paper we described a new implicit edit generation algorithm for the SPEER edit system based on the Fourier-Motzkin methodology for finding solutions to a system of linear inequality edits. The system takes as input the complete set of ratio edits and the balance equations. The set of ratio edits and balance equations are then represented as linear inequality edits. These linear inequality edits are then used to generate a subset of the implicit edits. The implicit edits that are generated are checked and any redundant edits are discarded. The software has an option for choosing the maximum number of passes through the system.

33. This paper presented theory, algorithms and results from testing the new version of SPEER algorithms on a subset of edit failing records from the Annual Survey of Manufactures production data. The new version of SPEER is exceptionally fast Bthe system error localized and successfully imputed 99% of the records (all edit failing records) in two passes through the data in 90 seconds (clock time, about 66 records per second.) Using this methodology has several potential advantages for the U. S. Census Bureau's SPEER editing system. First, the logic needed to implement the algorithm for the edit generation system and SPEER editing is simple, easy to understand and can be used with any survey under ratio edits and single level balancing. Using this new algorithm has the added advantage that the implicit edits are generated once, prior to SPEER editing, and are available to be used repeatedly during error localization for every edit failing record. This greatly simplifies the code in the error localization module since there is no need to generate failing implicit edits for every edit failing record. This approach is not however without its disadvantage: generating a large subset of implicit edits for some surveys could take considerable computer time and the size of the set of implicit edits can become very large having prohibitive storage requirements.

References

- DeWaal, T., (1996), "CherryPi: A computer program for automatic edit and imputation," *UN Work Session on Statistical Data Editing*, November 1996, Voorburg.
- Draper, L., and Winkler, W., (1997), "Balancing and Ratio Editing with the New SPEER System," *American Statistical Association, Proceedings of the 1997 Section on Survey Research Methods*, 582-587.
- Duffin, R. J., (1974), "On Fourier's Analysis of Linear Inequality Systems," *Mathematical Programming Study*, North-Holland Publishing Company, 71-93.
- Federal Committee on Statistical Methodology, 1990, Data Editing in Federal Statistical Agencies. Statistical Policy Working Paper # 18, Washington, D.C.: US Office of Management and Budget.
- Fellegi, I. P. and D. Holt, (1976), "A Systematic Approach to Automatic Edit and Imputation," *Journal of the American Statistical Association*, 71, 17-35.
- Garcia, M. and R. Goodwin, (2002), "Developing SAS Software for Generating a Complete Set of Ratio Edits," US Census Bureau, Statistical Research Division, RR-Statistics # 2002-6.
- Greenberg, B. and Surdi, R., (1984), "A Flexible and Interactive Edit and Imputation System for Ratio Edits," SRD report RR-84/18, US Bureau of the Census, Washington, D.C.
- Greenberg, B. and Petkunas, T., (1990), "SPEER (Structured Programs for Economic Editing and Referrals)," *American Statistical Association, Proceedings of the 1990 Section on Survey Research Methods*.
- Nemhauser, G. L. and Wolsey, L. A., (1988), *Integer and Combinatorial Optimization*, John Wiley: NY.
- Quere, R., (2000), "Automatic Editing of Numerical Data," *Report, Statistics Netherlands*, Voorburg.
- Rubin, D. S., (1975), "Vertex Generation in cardinality Constrained Linear Programs," *Operations Research*, No. 23, 555-565.
- Sande, G., (1978), "An Algorithm for the fields to Impute Problems of Numerical and Coded Data," Technical Report, Statistics Canada.
- Schiopu-Kratina, I. and Kovar, J. (1989), "Use of Chernikova's Algorithm in the Generalized Edit and Imputation System," Statistics Canada, Methodology Branch Working Paper BSMD 89-001E.
- Thompson, K. J. and Sigman, R. (1996), "Statistical Methods for Developing Ratio Edits Tolerances for Economic Censuses," *American Statistical Association, Proceedings of the Section on Survey Research Methods*.
- Todaro, T. (1999). "Evaluation of the AGGIES Automated Edit and Imputation System," National Agricultural Statistics Service, USDA, Washington, D.C., RD Research Report No. RD-99-01.
- Winkler, W., (1997) "Set Covering and Editing Discrete Data," *American Statistical Association, Proceedings of the Section on Survey Research Methods*.
- Winkler, W. and Chen, B. C. (2002), "Extending the Fellegi-Holt Model of Statistical Data Editing," *Research Report Series Statistics RRS2002/02*, Statistical Research Division, US Census Bureau, Washington, D.C.