

# Economic and Social Council

Distr. GENERAL

TRADE/WP.7/2000/11/Add.17 14 December 2000

ORIGINAL : ENGLISH AND

FRENCH

# ECONOMIC COMMISSION FOR EUROPE

COMMITTEE FOR TRADE, INDUSTRY AND ENTERPRISE DEVELOPMENT

Working Party on Standardization of Perishable Produce and Quality Development Fifty-sixth session, Geneva, 6 to 8 November 2000

# REPORT OF THE FIFTY SIXTH SESSION

Addendum 17

Note by the secretariat

This document contains the revised UN/ECE Standard for Inshell Hazelnuts (DF-03), as adopted by the Working Party.

GE.00-

DF-03: Inshell Hazelnuts

#### **UN/ECE STANDARD DF-03**

concerning the marketing and commercial quality control of

INSHELL HAZELNUTS moving in international trade between and to UN/ECE member countries

#### I. DEFINITION OF PRODUCE

This standard applies to inshell hazelnuts from varieties (cultivars) grown from *Corylus avellana L*. and *Corylus maxima Mill* and their hybrids without involucre or husk and which are intended for direct consumption.

#### II. PROVISIONS CONCERNING QUALITY

The purpose of the standard is to define the quality requirements for inshell hazelnuts at the export control stage, after preparation and packaging.

#### **A. Minimum requirements**<sup>1</sup>

1

- (i) In all classes subject to the special provisions for each class and the tolerances allowed, the inshell hazelnuts must be:
  - (a) Characteristics of the shell
    - well formed; shell is not noticeably misshapen
    - intact; a slight superficial damage is not considered as a defect
    - sound; free from defects likely to affect the natural keeping quality of the fruit
    - free from damage caused by pests
    - clean; practically free of any visible foreign matter
    - dry; free of abnormal external moisture
    - free of adhering husk (not more than 5% of individual shell surface in aggregate, may have adhering husk).
  - (b) Characteristics of the kernel
    - intact; slight superficial damage is not considered as a defect
    - sound; produce affected by rotting or deterioration such as to make it unfit for consumption is excluded
    - sufficiently developed; empty, shrunken or shrivelled fruit are to be excluded
      - clean; practically free of any visible foreign matter

The definition of defects is given in Annex II to this document.

DF-03: Inshell Hazelnuts

- free from living or dead insects whatever their stage of development
- free from damage caused by pests
- free from mould filaments visible to the naked eye
- free from rancidity
- free of abnormal external moisture
- free from foreign smell and/or taste
- free from blemishes (including the presence of black colour) or deterioration rendering them unfit for consumption.<sup>2</sup>

Inshell hazelnuts must be harvested when fully ripe.

The condition of the hazelnuts must be such as to enable them

- to withstand normal transport and handling, and
- to arrive in a satisfactory condition at the place of destination.
- (ii) Moisture Content

Inshell hazelnuts shall have a moisture content of not exceeding 12 per cent for the whole hazelnut and 7 per cent for the kernel. <sup>3</sup>

#### B. Classification

Inshell hazelnuts are classified in three classes defined below:

#### (i) "Extra" Class

The inshell hazelnuts in this class must be of superior quality. They must be characteristic of the variety and/or commercial type.<sup>4</sup>

They must be practically free from defects with the exception of very slight superficial defects provided that these do not affect the general appearance of the produce, the quality, the keeping quality and presentation in the package.

<sup>&</sup>lt;sup>2</sup> The presence of hazelnuts with a brown or dark brown core, normally accompanied by a slight separation of the cotyledons that does not entail an alteration of odour or taste of the kernels, is not considered a defect.

<sup>&</sup>lt;sup>3</sup> The moisture content is determined by one of the methods given in Annex I to this document.

DF-03: Inshell Hazelnuts

#### (ii) Class I

Inshell hazelnuts in this class must be of good quality. They must be characteristic of the variety and/or commercial type.<sup>4</sup>

Slight defects may be allowed provided these do not affect the general appearance of the produce, the quality, the keeping quality and presentation in the package.

(iii) Class II

This class includes inshell hazelnuts which do not qualify for inclusion in the higher classes, but satisfy the minimum requirements specified above.

Defects may be allowed provided the inshell hazelnuts retain their essential characteristics as regards the quality, keeping quality and presentation.

#### III. PROVISIONS CONCERNING SIZING

Sizing or Screening is determined by the maximum diameter of the equatorial section. It is expressed either by an interval determined by a maximum size and a minimum size (sizing), or by mentioning the minimum size following by the words "and over", or the maximum size followed by the words "and less" (screening). Sizing is compulsory for produce in classes "Extra" and "I" but optional for produce in Class "II". The following classification is laid down:

Size <sup>a</sup>	Screening <sup>a</sup>
22 and above	22 mm and above (or and less)
20 to 22 mm	20 mm and above (or and less)
18 to 20 mm	18 mm and above (or and less)
16 to 18 mm	16 mm and above (or and less)
14 to 16 mm	14 mm and above (or and less)
12 to 14 mm	

<sup>a</sup> In addition to this size table, provided that the size or screen in millimetres is also expressed in the marking, any size including larger sizes may be used with option size names.

Only inshell hazelnuts with a diameter equal to or above 16 mm may be included in the "Extra" class, and in Class "I" only those with a diameter equal to or above 14 mm. For produce presented to the final consumer under the classification screened, the size "and less" is not allowed.

<sup>&</sup>lt;sup>4</sup> Commercial Type: Means that the hazelnuts in each container are of the similar general type and appearance or belong to a mix of varieties officially defined by the producing country.

# IV. PROVISIONS CONCERNING TOLERANCES

Tolerances in respect of quality and size are allowed in each package for produce not satisfying the requirements of the class indicated.

# A. Quality tolerances

Permitted defects	Tolerances allowed (per cent of defective fruit by weight)		
	EXTRA	Class I	Class II
Total tolerance for defects of shell (calculated on the total inshell weight basis)	3 <sup>a</sup>	5	7
Total tolerances for defects of the kernel (calculated on the kernel weight basis)	5 <sup>b</sup>	8 °	12°
of which mouldy, rotten, rancid $^{\rm d}$ or damaged by insects $^{\rm e}$ (calculated on the kernel weight basis)	3 <sup>bf</sup>	5 f	6 <sup>f</sup>
Foreign matter (calculated on the total inshell weight basis)	0.25	0.25	0.25
Empty nuts (calculated by count)	4	6	8

<sup>a</sup> *Reservation by the US delegation requesting 4% for Extra Class.* 

<sup>b</sup> Reservation by Romania requesting a 1% tolerance for mouldy in Extra Class. Romania agrees with the 3% total tolerance in Extra Class for mouldy, rotten, rancid or damaged by insects or animal pests.

<sup>c</sup> In calculating these percentages, a slight deformation of the kernel is not considered to be a defect.

<sup>d</sup> An oily appearance of the flesh does not necessarily indicate a rancid condition.

<sup>e</sup> Living insects or animals are inadmissible in any class whatsoever.

<sup>f</sup> Reservation by Poland requesting 0.5% tolerance for mouldy. Any trace of damage by rodents is a disqualifying defect.

For Extra Class and Class I, there may be a maximum of 12 per cent by number or weight of inshell hazelnuts belonging to different varieties or commercial types. These allowances are also applicable to Class II in case the variety or commercial type is indicated.

DF-03: Inshell Hazelnuts

#### **B.** Mineral impurities

Ashes insoluble in acid must not exceed 1g/kg.

#### C. Size tolerances

For all classes, a maximum of 10 per cent by number or weight of inshell hazelnuts not conforming to the size indicated is tolerated provided:

- the nuts correspond to the sizes immediately below or above when the size is designated by an interval determined by the minimum diameter and the maximum diameter (sizing);
- the nuts correspond to the size immediately below when the size is designated by an indication of the minimum diameter followed by "and above" or "and +" (screening);
- the nuts correspond to the size immediately above when the size is designated by an indication of the maximum size followed by the words "and less" or " and " (screening).

# V. PROVISIONS CONCERNING PRESENTATION

#### A. Uniformity

The contents of each package must be uniform and contain only inshell hazelnuts of the same origin, quality, variety or commercial type and size (if sized).

The visible part of the contents of the package must be representative of the entire contents.

#### B. Packaging

Inshell hazelnuts must be packed in such a way as to protect the produce properly.

The materials used inside the package must be new, clean and of a quality such as to avoid causing any external or internal damage to the produce. The use of materials, particularly of paper or stamps bearing trade specifications is allowed provided the printing or labelling has been done with non-toxic ink or glue.

Packages must be free of all foreign matter.

#### C. Presentation

Inshell hazelnuts must be presented in bags and/or solid containers. All pre-packages within each package must be of the same weight.

# VI. PROVISIONS CONCERNING MARKING

Each package must bear the following particulars in letters grouped on the same side, legibly and indelibly marked and visible from the outside:

#### A. Identification

Packer	)	Name and address or
and/or	)	officially issued or
Dispatcher	)	accepted code mark 5

Shipping mark (where applicable). The shipping mark must correspond with the shipping mark on the Bill of Lading.

#### **B.** Nature of produce

- "Inshell Hazelnuts"
- Name of the variety or commercial type for classes "Extra" and I (optional for Class II)

#### C. Origin of produce

Country of origin and, optionally, area where grown, or national, regional or local place name.

#### **D.** Commercial specifications

- Class
- Size expressed by:
  - the minimum and maximum diameters (sizing), or
  - the minimum diameter followed by the words "and above" or "and +" or the maximum diameter followed by the words "and less" or "and " (screening)
  - in addition, size name (optional)
- Best before followed by the date (optional);

<sup>&</sup>lt;sup>5</sup> The national legislation of a number of European countries requires the explicit declaration of the name and address. However, in the case where a code mark is used, the reference "packer and/or dispatcher (or equivalent abbreviations)" has to be indicated in close connection with the code mark.

DF-03: Inshell Hazelnuts

- Weight (gross or net).<sup>6</sup> If the gross weight is indicated, the tare must not exceed 2.5 per cent for sacks of 50 kg and above, and 3.0 per cent for sacks of lesser weight. If the nuts are presented in double sacks other than paper or polyethylene, the net weight must be indicated. Net weight, or number of pre-packages followed by net unit weight for packages containing pre-packages.
- Crop year (optional).<sup>7</sup>

### E. Official control mark (optional)

This standard was first published in 1970 as UN/ECE Standard for Unshelled Hazel Nuts Revised 1991, 2000 The UN/ECE Standard for Unshelled Hazel Nuts has led to the development of an explanatory brochure published by the OECD Scheme

country.

<sup>&</sup>lt;sup>6</sup> Net weight has to be indicated at the request of the importer or the importing

<sup>7</sup> 

Mandatory, at the request of the importing country.

DF-03: Inshell Hazelnuts

### ANNEX I

### DETERMINATION OF THE MOISTURE CONTENT OF INSHELL HAZELNUTS

### **METHOD I - LABORATORY REFERENCE METHOD**

#### 1. Principle

Determination of the moisture content of dried fruits by loss of mass after drying at a temperature of  $103^{\circ}C$  ( $\pm 2^{\circ}C$ ) in a temperature-controlled oven at ambient pressure for 6 hours.

#### 2. Apparatus

- 2.1 Ceramic mortar with appropriate pestle or food chopper.
- 2.2 Analytical balance assensitive to 1 mg.
- 2.3 Cylindrical, flat-bottomed glass or metal containers, 12cm in diameter and 5cm in depth, provided with well-fitting lids.
- 2.4 Electrically heated temperature-controlled oven with good natural ventilation, regulated so that the temperature is maintained at  $103^{\circ}C$  ( $\pm 2^{\circ}C$ ).
- 2.5 Dessicator containing an effective dessicant (e.g. calcium chloride) and provided with a metal plate which allows the containers to cool rapidly.

#### **3. Preparation of the sample**

Shell the sample if required and crush the kernels in the mortar, or chop them finely, to obtain fragments of 2-4mm across.

#### 4. Test portion and determination

- 4.1 Dry the containers and their lids in the oven for at least 2 hours and transfer to the dessicator. Allow the containers and lids to cool to room temperature.
- 4.2 Carry out the determination on 4 test portions of approximately 50g each.
- 4.3 Weigh the empty container and lid to the nearest 0.001g (M<sub>0</sub>).
- 4.4 Weigh approximately 50g of the test material into the container to the nearest 0.001g. Spread the material all over the base of the container, seal the container quickly with the lid and weigh the whole  $(M_1)$ . Perform these operations as quickly as possible.

DF-03: Inshell Hazelnuts

- 4.5 Place the open containers, with their lids beside them, in the oven. Close the oven and allow to dry for 6 hours. Open the oven, quickly cover the containers with their individual lids, and place them in the dessicator to cool. After cooling to ambient temperature, weigh the covered dish to the nearest 0.01g (M<sub>2</sub>).
- 4.6 The moisture content of the sample, as percentage by mass is given by the expression:

Moisture content ' 
$$\frac{M_1 \& M_2}{M_1 \& M_0} \times 100$$

4.7 Report the average value obtained from the four determinations.

## **METHOD II - RAPID METHOD**

#### 1. Principle

Determination of the moisture content using a measuring instrument based on the principle of electrical conductivity. The measuring instrument must be calibrated against the laboratory method.

#### 2. Apparatus

- 2.1 Ceramic mortar with appropriate pestle or food chopper.
- 2.2 Measuring instrument based on the principle of electrical conductivity.

#### 3. Determination

- 3.1 Fill the glass with the substance to be examined (previously ground in the mortar) and tighten the press until a constant pressure is obtained.
- 3.2 Read the values of the scale.
- 3.3 After each determination, clean the glass thoroughly with a spatula, stiff bristled brush paper napkin, or compressed air pump.

DF-03: Inshell Hazelnuts

#### ANNEX II

#### DEFINITIONS OF TERMS AND DEFECTS FOR INSHELL HAZELNUTS

Cracks or splitting : Any crack which is open and conspicuous, and larger than one-fourth the circumference of the shell. Defects of shell : Any defect affecting the shell but not the kernel. Means that the shell is free from surface moisture, and that the shells and kernels Dry : combined do not contain more than 12 per cent moisture. Empty : Means a hazelnut containing no kernel. Foreign matter : Any matter not normally associated with the product. Insect damage : Visible damage caused by insects or animal parasites or the presence of dead insects or insect debris. Intact : Means that the shell is not broken, split or mechanically damaged; a slight crack is not considered as a defect provided the kernel is still protected. Mould : Mould filaments visible to the naked eye either on the outside or on the inside of the kernel. Rancidity : Oxidation of lipids or free fatty acids producing a disagreeable flavour. An oily appearance of the flesh does not necessarily indicate a rancid condition. Rotten/Decay : Significant decomposition caused by the action of micro-organisms. Shrivelled : The wrinkling of more than 50% of the skin surface of the compact fruit, usually occurring in seasons when there are high crop yields, or when there is stress from drought or poor nutrition, or as an inherited trait. Shrunken : A condition yielding undeveloped firm fruit obtained after fertilization during rapid kernel growth in extremely high temperatures. Well formed : Means that the shell is not noticeably misshapen and that its shape concords with the characteristic varietal or commercial type.