

CORRIGENDUM

Ref. Sales No.: E.98-VIII.3
(ECE/TRANS/130, Vol. I and II)

November 1998
New York and Geneva

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR)

(as amended on 1 January 1999)

Corrigendum

<p>NOTE: Corrigenda to this edition, as well as any new amendments to Annex A and B of ADR which might enter into force before the next edition is published, will be made available via the INTERNET at the following address: http://www.unece.org/trans/danger/danger.htm</p>
--

Volume I

Page	Marginal	
1	2000(1)	Amend "International Civil Air Organization" to read "International Civil Aviation Organization".
50, 51, 60, 61	2103	Amend "2102(16)" to read "2102(17)".
100	2215(1)(c)	Amend (c) to read: "(c) The design type of the receptacles shall be approved by a testing and certifying body approved by the competent authority of the country of approval. The compliance of any receptacle with the approved design shall be declared in writing by the manufacturer and shall be tested under the supervision of a testing and certifying body approved by the competent authority of the country of approval ⁸ ."
127, 128, 136	2301, items 2°(b), 3°(b) and 31°(c)	Amend " <u>1987</u> alcohols, flammable, n.o.s." to read " <u>1987</u> alcohols, n.o.s."
216	2501 18°(c)	Delete the Note.
238	2551 9°(b)	The footnote for <u>Di-tert-butyl peroxide</u> should be <u>20/</u> , not <u>21/</u> .
241 Type A	2551 15°(b)	Insert footnote <u>26/</u> at the bottom of the page, to read: " <u>26/</u> Only diluent shall be used".
		Amend "cumly peroxyvalate" to read "Cumyl peroxyvalate".

(PTO)

ENGLISH ONLY
(Corrigendum 1 applies to the French version only)

Page	Marginal	
254	2600(3)2	In the 4th column of the Table, the reference should be to footnote <u>4</u> .
292	2654(3)	Insert "of an inner packaging" after "[see marginal 2653(1)(a)]". (See UN Recommendations, paragraph 6.3.2.4).
366	2800(3)(g)	Amend "may be considered" to read "shall be considered".
487	3551(6)	At thirteenth line, replace "190° C/21.6 kg" with "190°C/2.16 kg".
502	Annex to APP. A.5	Class 3, A, 3°(b), amend the end to read as follows: "- Ketones Mixture of hydrocarbons - Esters Normal butyl acetate where the swelling effect is up to 4% (mass): other cases, mixture of hydrocarbons."

Volume II

1	10 000(1)(c)	Insert after "Appendix B.1d": "- Appendix B.1e concerning vacuum-operated waste tanks." At the end of the title for Appendix B.2, delete "including provisions for their type approval where appropriate".
14	10 251(b)	Amend "11 204(3)" to read "11 204(2)".
15	10 282(1)	In the Note, add "10 606 and 10 607."
30	11 204(2)(c)	Amend "inertia breaking system" to read "inertia braking system".
72	71 321(a)	At the end, amend "and" to read "or".
93	211 131	Add at the end of the first paragraph: "The internal shut-off device shall continue to be effective in the event of damage to the external control."
94	211 131	Delete the last sentence.
191	212 610	Insert "(1)" before the first paragraph.
209	212 934	Insert marginal 212 934 as follows: "Shells intended for the carriage of substances filled at a temperature higher than 190°C shall be equipped with deflectors placed at right angles to the upper filling openings, so as to avoid a sudden localized increase in wall temperature during filling." Amend "212 934 - 212 939" to read "212 935 - 212 939".

Page	Marginal	
210		After marginal 212 960, insert "212 961 - 212 969". Delete "(No special requirements)".
231		Amend "219 999" to read "214 999".
233 et seq.		Insert in the appropriate places the following reserved marginal numbers: "215 104 - 215 109", "215 111 - 119", "215 120", "215 123 - 215 129", "215 139", "215 140 - 215 149", "215 151 - 215 159", "215 160 - 215 169" and "215 171 - 219 999".
237	220 301	Amend "type II" and "type III" to read "EX/II" and "EX/III" respectively.
239	220 500 (Table)	Delete "(2)" after " MARGINAL 220 301 ".
244	220 522(3)	Amend the reference to the footnote to read " <u>2</u> ".
260	250 000 (Table)	In column (d) after "Alkaline earth metal amalgam", delete "+3 [*] ". Insert "+3 ^{*/} " after "Alkaline earth metal dispersion".
294	250 000 (Table)	In column (e) after "Sodium cuprocyanide, solid" amend "6" to read "6.1".
333	250 000 (Table)	In column (d) after "8", insert "+ 05".
372	260 000	After the text, insert "260 001-260 999".
