

UN/SCEGHS/15/INF.10

COMMITTEE OF EXPERTS ON THE TRANSPORT OF DANGEROUS GOODS AND ON THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

Sub-Committee of Experts on the Globally
Harmonized System of Classification
and Labelling of Chemicals

Fifteenth session,
Geneva, 9-11 July 2008
Item 4 of the provisional agenda

DEVELOPMENT OF GUIDANCE ON THE APPLICATION OF GHS CRITERIA

Application of GHS criteria to UVCBs¹, in specific petroleum substances

Transmitted by the International Petroleum Industry Environmental Conservation Association
(IPIECA)

Background

1. IPIECA has been working on guidance on the application of GHS criteria to petroleum substances according to the work plan presented at the thirteenth session of the Sub-Committee (UN/SCEGHS/13/INF.4). At the fourteenth session IPIECA listed issues that could result in divergent classification of petroleum substances (UN/SCEGHS/14/INF.10). These issues have been informally discussed at the fourteenth session, which resulted in useful feedback from the Sub-Committee.

Development of draft guidance

2. Using the feedback IPIECA started drafting guidance on the application of GHS criteria to petroleum substances. Draft guidance has been developed with input from experienced technical experts on the field of petroleum substance toxicology.

3. The basis for the guidance is formed by the GHS text and available, current science on petroleum substance toxicology. The guidance aims to classify these substances consistently and in a transparent, scientifically accurate manner. This ensures that the appropriate hazards are identified and communicated consistently on a global basis.

4. The draft guidance may be found in the annex to this document.

Domain of applicability

5. The draft guidance addresses crude oil and petroleum substances produced from oil and gas operations and the process streams derived from them in refinery operations.

¹ Substances of unknown or variable composition, complex reaction products or biological materials

Review of draft guidance

6. IPIECA invites the Sub-Committee to review the draft guidance. Feedback can be communicated to Rob.Cox@ipieca.org. To facilitate the discussion on the comments received, IPIECA will organize two webcasts before the sixteenth session of the Sub-Committee to accommodate all participants in different time zones.

7. The planned dates are July 29 (8.00 am United Kingdom time; Europe 9.00 am / 10.00 am; Middle East 10.00 am / noon; Australasia 3.00 pm / 5pm) and August 13 (5.00 pm United Kingdom time; Americas 9.00 am PCT / noon EST), 2008. All those who have interest in participating can communicate this to Rob.Cox@ipieca.org. Details on the webcast will be sent out to interested participants.

Next steps

8. IPIECA aims to provide revised draft guidance by December 2008 for consideration by the Sub-Committee.

9. It is believed that the guidance developed by the IPIECA GHS Task Force, if adopted, will have benefits in the following areas:

- (a) greater global harmonization on products broadly traded in international commerce;
- (b) enhanced credibility of the GHS framework with regard to petroleum; and
- (c) improved certainty of classification, less complexity and lower cost for industry and country authorities.

We acknowledge that achieving these benefits is dependent on the pursuit of a credible approach, which is well communicated and understood by the affected parties.

Annex

DRAFT GUIDANCE

APPLICATION OF GHS CRITERIA TO UVCBS, IN SPECIFIC PETROLEUM SUBSTANCES

Background

1. This document provides supplemental guidance for the classification and labelling of petroleum substances, a class of UVCBs.

2. The consistent classification and labelling of petroleum substances is not straightforward due to the complex nature and chemistry of the substances. Hence, whilst the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) provides a well structured approach that is readily applicable to most substances and mixtures, for certain substances, such as UVCBs and in particular petroleum substances, application of GHS principles may be subject to interpretation and therefore not be consistent. Potential inconsistencies in classification and labelling may result as GHS is being implemented due to:

- (a) the complex nature (composition) of petroleum substances;
- (b) differences in interpretation of the experimental data, and
- (c) divergent application of the GHS criteria.

GHS would benefit from more detailed guidance on classification of petroleum substances, based on the industry's experience in characterizing their hazards.

3. The purpose of this document is to provide supplemental guidance to facilitate a consistent approach to the classification and labelling of petroleum substances. The approach identified has been developed independent of specific regulatory approaches that exist or may be proposed and represents the global oil industry's recommended approach under GHS.

The nature of petroleum substances

4. Petroleum substances are chemicals derived from crude oil by physical separation (distillation), which may be followed by chemical modification (e.g. hydrogenation, cracking, etc). There are many different types of crude oil and each consists of many thousands of chemicals, predominantly hydrocarbons. Furthermore, no two crude oils are compositionally the same. Thus, since the composition of any distillation fractions derived from crude oil will be dependent on the source crude oil itself, and the distillate fractions may be subject to a variety of chemical modifications, it follows that petroleum substances will be of variable chemical composition. Petroleum substances are, therefore, classed as "Unknown or Variable composition, Complex reaction products and Biological substances" (UVCB substances). For this reason petroleum substances cannot be produced to meet specific chemical specifications. Rather, specifications for petroleum substances are normally related to several physical chemical specifications (such as boiling range, flash point, viscosity) that establish specification limits related to the intended use of the material.

CAS descriptions of petroleum substances

5. In view of the unknown or variable chemical composition of petroleum substances, they can only be described in general terms.

6. Although petroleum substances are of complex composition they are defined as substances and each has a CAS number and associated CAS definition. The CAS definition typically identifies the starting material and the last process step that a substance will have undergone during its production. In many cases an indication of important physico-chemical parameters such as either a boiling range or a carbon number range or both will be included in the CAS definition. An example of a typical CAS definition for a petroleum substance follows:

Gas oils (petroleum), straight run

A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (410 °F to 752 °F).

7. Although the CAS definition is imprecise, it nevertheless does limit wide variation of composition for a given petroleum substance.

8. Regulatory authorities have included petroleum substances and other UVCBs on their chemical control inventories despite their complex and variable composition. Chemical inventories that include petroleum substances exist in Australia, Canada, China, the European Union, Japan, Korea, New Zealand, Philippines and the United States of America.

Grouping of petroleum substances for classification purposes

9. Petroleum substances are usually described in terms of starting material, production process and ranges of e.g. boiling point or carbon number. In order to maximise the use of available information and minimise animal testing, petroleum substances can be arranged into groups of “similar” substances.

10. The rationale for such groupings is that since they are all derived from similar starting materials and have similar physico-chemical properties and broadly similar chemical composition, they exhibit broadly similar hazard properties. Classification may then be addressed on a group rather than single substance basis.

11. Such grouping schemes have been devised by CONCAWE (Conservation of Clean Air and Water in Europe, the oil companies’ European association for environment, health and safety in refining and distribution) and subsequently adopted in the EU in the Existing Substances Regulation (1993) and the Dangerous Substances Directive (1993) and also by the American Petroleum Institute in their activities to fulfil the requirements of the United States High Production Volume (HPV) Challenge program of the United States Environmental Protection Agency (2007).

12. Toxicity and environmental information is available on some members of each of the groups of petroleum substances and these data can be ‘read-across’ to all members of the petroleum substance group. These data have been summarized by the American Petroleum Institute (Ref to API Robust summaries) and CONCAWE (Ref to HEDSETs and Product dossiers; Classification guidance report; Environmental data report) and should be used as the prime sources of information.

13. The petroleum substance groups for which data exist and/or for which read-across is possible are:

- (a) Crude oil
- (b) Petroleum gases
- (c) Naphthas/gasolines
- (d) Kerosines
- (e) Gas oils

- (f) Heavy Fuel oils
- (g) Residual aromatic extracts
- (h) Distillate aromatic extracts
- (i) Treated distillate aromatic extracts
- (j) Lubricant base oils
- (k) Petroleum waxes
- (l) Petrolatums
- (m) Foots oils
- (n) Slack waxes
- (o) Bitumens (Asphalts) and Vacuum residues
- (p) Petroleum cokes

14. By using the grouping system of petroleum substances and a tiered approach to the classification of petroleum substances, the potential hazards of petroleum substances can be accurately identified and communicated on a consistent basis.

15. Some petroleum substances may contain specific constituents which may be classified as hazardous, e.g., as acutely toxic or as carcinogens, mutagens, specific target organ toxicants (e.g. neurotoxicants), or reproductive toxicants. However, tests may show that the full petroleum substance may not in itself be hazardous. In addition, hazardous constituents may not be present in toxicologically significant amounts. In some regions of the world, there are lists of hazardous substances with mandatory classifications. These lists and mandatory classifications vary however by region. By considering data available on the petroleum substance as a whole and not simply as a mixture of its constituents, the actual hazard of the petroleum substance should globally be similar regardless of regional differences in the classification of individual constituents.

Classifying petroleum substances under GHS

16. GHS establishes the principle (section 1.3.2.3) that where test data are available for a complete substance or mixture, then the classification of the substance or mixture should be based on these data. Such a principle is generally applied to petroleum substances. In the absence of test data on the specific petroleum substance itself, read-across from a similar petroleum substance should be applied.

17. The petroleum substances in each of the groups have similar physico-chemical properties (i.e. a similar boiling point range and similar carbon number range) and have therefore a comparable composition and similar hazard properties. In certain specific cases read-across between groups is also possible provided the groups have a similarity of composition. This may occur because the manufacturing processes may result in some overlap in chemical composition between groups.

18. In some cases data may not be available for the petroleum substance per-se and reliable read-across may not be possible. As stated, petroleum substances are of a complex nature and may contain specific constituents which may themselves be classified as hazardous. Consideration of the amount and significance of such hazardous constituents may be then of assistance for the classification of the whole petroleum substance.

19. This concept is described within GHS as “bridging” where there are data on ingredients and similar substances that can be used to adequately characterize the hazards. Each toxicological endpoint has its own specific rules on bridging, as to the concentration limits that impact the final hazard classification. This provides a logical approach to enable consistent classification in the absence of test data or reliable read across data.

20. The first principle (i.e., Tier 1) is that data derived from actual testing on the substance or from read-across from similar substances (petroleum substances from the same group) that have been

tested, should inform the classification of any petroleum substance on an endpoint by endpoint basis. This principle is laid out in section 1.3.2.3 of the GHS (second revised edition). Information that is used as the basis for the classification decision should be of an adequate standard so that it is fit for purpose, or in the case where there is a sufficient weight of evidence to underpin the decision made. This is in line with the GHS principle that data can override decisions on classification based on the concentrations of constituents. For physico-chemical endpoints, use of data is the only acceptable approach to classification.

21. For health and environmental endpoints, in the absence of actual data derived from testing or read-across, the next tier (i.e. Tier 2) is classification based on the presence of specific hazardous constituents. If the concentration of suspected hazardous constituents is less than the thresholds defined by GHS for classification for specific hazards, then classification of the full petroleum substance is not required. However, if there are no data or read-across for the petroleum substance (Tier 1 is not fulfilled) and the concentration of suspected hazardous constituents is greater than the thresholds defined by GHS, then the final tier (Tier 3) is to recommend classification.

Table 1: Tiered approach

| Tier | Information available | Category classification |
|-------------|--|---|
| 1 | Data available on petroleum substance or there is read-across from similar substances (petroleum substances from the same group) that have been tested | Based on the results of the specific study(ies) |
| 2 | Content of individual component is below specified concentration limits ^a | No classification |
| 3 | Content of individual constituent is above specified concentration limits ^a | Classification recommendation |

^a *Limits specified by GHS for specific endpoints*

22. Some petroleum substances may contain specific constituents which may be classified as hazardous. The presence of these constituents in the different groups of petroleum substances depends on the average boiling point range of the group and of the specific constituent. Potential presence of specific (potentially hazardous) constituents in the different groups of petroleum substances is indicated in Table 2.

Table 2: Petroleum substance groups and their specific (potentially hazardous) constituents

| Petroleum substance groups | Toxicity/Classification concerns | Components |
|---|---|--|
| Crude oil | Carcinogenicity, mutagenicity, acute toxicity | H ₂ S ^a , Benzene ^b , PAH ^c |
| Petroleum Gases | Carcinogenicity/mutagenicity, acute toxicity | 1,3-Butadiene ^d , H ₂ S ^a |
| Naphtha's/Gasoline's | Carcinogenicity/mutagenicity | Benzene ^b |
| | Specific target organ toxicity | May contain specific components which may be classified for this endpoint in some regions (e.g. n-hexane, toluene, benzene). |
| | Reproductive effects | May contain specific components which may be classified for this endpoint in some regions (e.g. n-hexane, toluene, xylenes). |
| Kerosines | ----- | ----- |
| Gas oils | Carcinogenicity | PAH ^c |
| Heavy fuel oil | Carcinogenicity, acute toxicity | PAH ^c , H ₂ S ^a |
| Residual aromatic extracts | ----- | ----- |
| Distillate aromatic extracts | Carcinogenicity | PAH ^c |
| Treated distillate aromatic extracts | Carcinogenicity | PAH ^c |
| Lubricant base oils | Carcinogenicity | PAH ^c |
| Petroleum waxes | ----- | ----- |
| Petrolatums | Carcinogenicity | PAH ^c |
| Foots oils | Carcinogenicity | PAH ^c |
| Slack waxes | Carcinogenicity | PAH ^c |
| Bitumens (asphalts) and vacuum residues | ----- | ----- |
| Petroleum cokes | ----- | ----- |

^a Hydrogen sulphide is an acutely toxic gas, commonly found in some groups of petroleum substances. Hydrogen sulphide may collect in the headspace during storage and transport and may therefore present an acute inhalation hazard.

^b Benzene is classified by IARC as a Group 1 carcinogen ("Carcinogenic to humans").

^c Individual polycyclic aromatic hydrocarbons (PAH) are assessed by IARC. Several 3-7 fused-ring PAH are classified to be Group 1 or 2 carcinogens ('Carcinogenic to humans' or 'Probably/possibly carcinogenic to humans').

^d 1,3-Butadiene is classified by IARC as a Group 1 carcinogen ('Carcinogenic to humans').

Classification approach per endpoint

Acute toxicity

23. For the classification for the acute toxicity endpoint, the general principles laid out in Chapter 3.1 of the GHS can be followed. Note that some groups of petroleum substances may contain hydrogen sulphide (for example crude oil, petroleum gases, heavy fuel oil streams, etc.). The levels of hydrogen sulphide are generally below the specified concentration limits that warrant classification. However, hydrogen sulphide may collect in the headspace during storage and transport and adequate warning for this should be in place (see transport regulations).

24. For good product stewardship, if headspace accumulation of hydrogen sulphide is possible, regardless of measured concentrations of hydrogen sulphide in the petroleum substance, it is advised to include appropriate warnings on the Safety Data Sheet (SDS).

Skin irritation

25. For skin irritation the principles laid out in Chapter 3.2 of the GHS can be applied to petroleum substances.

26. Note that petroleum substances (hydrocarbons in general) may cause defatting of the skin, leading to skin dryness and cracking. Although GHS currently does not provide guidance on this specific endpoint, it is advised to include appropriate warnings on the SDS.

Eye irritation

27. For eye irritation the principles laid out in Chapter 3.3 of the GHS can be applied to petroleum substances.

Sensitization

28. For sensitization the principles laid out in Chapter 3.4 of the GHS can be applied to petroleum substances.

Germ cell mutagenicity

29. The first Tier is that data derived from actual testing on the substance or from read-across from similar substances that have been tested, should inform the classification of any substance for germ cell mutagenicity.

30. In the absence of actual data derived from testing or read-across, the next tier (Tier 2) is classification based on specific constituents. Constituents generally accepted as mutagenic in petroleum substances are 1,3-butadiene and benzene. Thus, under Tier 2, if 1,3-butadiene or benzene is present at < 0.1%, no classification for mutagenicity is warranted. However, if 1,3-butadiene or benzene is present at $\geq 0.1\%$, under Tier 3 classification for mutagenicity is advised.

31. Classification as mutagen category 1B is recommended, since:

- (a) this is consistent with the GHS bridging principles for Category 1 mutagens (such as benzene and 1,3-butadiene) as laid out in section 3.5.3.3 of the GHS;
- (b) there is no evidence from human epidemiology studies that warrant classification as a Category 1A mutagen

Table 3: Germ cell mutagenicity

| Tier | Information available | Germ cell mutagenicity Category classification |
|-------------|---|--|
| 1 | Genotoxicity data available on stream or there is appropriate read across | Based on the results of the specific study(ies) or read-across |
| 2a | Content of individual Category 1 genotoxicant is < 0.1% ^a and | No classification |
| 2b | Content of individual Category 2 genotoxicant is < 1% | No classification |
| 3a | Content of individual Category 1 genotoxicant is ≥ 0.1% ^a | Category 1B |
| 3b | Content of individual Category 2 genotoxicant is ≥ 1% | Category 2 |

^a For components benzene and butadiene.

Carcinogenicity

32. The first Tier is that data derived from actual testing on the substance or from read-across from similar substances that have been tested, should inform the classification of any substance for carcinogenicity.

33. In the absence of actual data derived from testing or read-across, the next tier (Tier 2) is classification based on specific constituents. Constituents generally accepted as carcinogenic in petroleum substances are 1,3-butadiene, benzene and 3-7 ring PAHs. For 1,3-butadiene and benzene the bridging principle as laid out in section 3.6.3.3 should be applied. Thus, under Tier 2 if 1,3-butadiene or benzene is present at < 0.1%, no classification for carcinogenicity is warranted. However, if 1,3-butadiene or benzene is present at ≥ 0.1%, under Tier 3 classification for carcinogenicity is advised.

34. For petroleum substances containing PAHs, the carcinogenic potential has been thoroughly investigated. The carcinogenic potential is directly related to the level of 3-7 fused-ring PAHs. There are three tests which are widely accepted to determine the carcinogenic potential of petroleum substances containing 3-7 fused-ring PAHs:

- (a) skin painting studies in mice (Freeman and McKee, 1993)
- (b) modified Ames test E-1687 (Blackburn et al., 1986; ASTM, 2004)
- (c) DMSO extractables as determined by IP 346 (Energy Institute, 1992)

35. Note that these tests are limited in their applicability: they should only be used within their domain of validity. For example, IP 346 specifies the determination of polycyclic aromatics (PCA) over the concentration range 1-15 mass% in unused additive free lubricating base oils having an atmospheric boiling point of 300 °C minimum at 5% recovered sample. ASTM E-1687 is applicable to virgin base oils with viscosities of 18 cSt (90 SUS) or greater at 40°C.

36. For an overview of the approach to classify petroleum substances for carcinogenicity, see Table 4.

37. If there are no data or read-across for the petroleum substance (first Tier is not fulfilled) and the concentration of suspected hazardous constituents is greater than the thresholds defined by GHS, then the final tier (Tier 3) is the recommend classification.

38. Classification as carcinogen category 1B is recommended, since:

- (a) this is consistent with the GHS bridging principles for Category 1 carcinogens as laid out in section 3.6.3.3 of the GHS, and
- (b) there is no evidence from human epidemiology studies that warrant classification as a Category 1A mutagen.

Table 4: Carcinogenicity

| Tier | Information available | Carcinogen category classification |
|-------------|---|--|
| 1 | Carcinogenicity study available on stream or there is appropriate read-across | Based on the results of the specific study(ies) or read-across |
| 2a | Content of individual Category 1 carcinogens is < 0.1% ^a and/or DMSO extractables < 3% w/w as measured by IP 346 and/or modified Ames test negative | No classification |
| 2b | Content of individual Category 2 carcinogens is < 1% | No classification |
| 3a | Content of individual carcinogens is $\geq 0.1\%$ ¹ and/or DMSO extractables (PAHs) $\geq 3\%$ w/w measured by IP 346 and/or modified Ames test positive | Category 1B |
| 3b | Content of individual Category 2 carcinogens is $\geq 1\%$ | Category 2 |

^a For components benzene and butadiene

Reprotoxicity

39. The first Tier is that data derived from actual testing on the substance or from read-across from similar substances that have been tested, should inform the classification of any substance for reprotoxicity.

40. In the absence of actual data derived from testing or read-across, the next tier is classification based on the presence of specific constituents. Constituents that may be present in some groups of petroleum substances that are classified as reprotoxicant Category 2 by some regions are for example n-hexane, toluene, and xylenes. Bridging principles as laid out in section 3.7.3.3 apply.

41. If there are no data or read-across for the petroleum substance (first Tier is not fulfilled) and the concentration of suspected hazardous constituents is greater than the thresholds defined by GHS, then the final tier (Tier 3) is to recommend classification.

42. Classification as reprotoxicant Category 2 is recommended, since this is consistent with the GHS bridging principles for Category 2 reprotoxicants as laid out in section 3.7.3.3. of the GHS

Table 5: Toxic to reproduction

| Tier | Information available | Reprotoxicity category classification |
|-------------|---|---|
| 1 | Reproductive toxicity study available on stream or there is appropriate read across | Based on the results of the specific study (ies) or read across |
| 2a | Category 1 reprotoxicant content is < 0.1 % | No classification |
| 2b | Category 2 reprotoxicant content is < 3 % | No classification |
| 3a | Category 1 reprotoxicant content is ≥ 0.1 % | Category 1 |
| 3b | Category 2 reprotoxicant content is ≥ 3 % | Category 2 |

Specific target organ toxicity following single exposure

43. For specific target organ toxicity (STOT) following single exposure the principles as laid out in Chapter 3.8 of the GHS can be applied to petroleum substances. It should be noted that exposure to high levels of certain low boiling point hydrocarbons may cause narcotic effects (included in Category 3: Transient target organ effects). These narcotic effects may occur when exposed to high concentrations of petroleum substances with a relatively low boiling point, for example petroleum gases and naphthas/gasolines.

Specific target organ toxicity following repeated exposure

44. The first Tier is that data derived from actual testing on the substance or from read-across from similar substances that have been tested, should inform the classification of any substance for specific target organ toxicity following repeated exposure.

45. In the absence of actual data derived from testing or read-across, the next tier is classification based on the presence of specific constituents. Constituents that may be present in some groups of petroleum substances that are classified as STOT by some regions are for example n-hexane, toluene, and benzene.

46. The bridging principles are stated in section 3.9.3.3. Based on data for several petroleum substance groups and considering the constituents potentially classified for STOT, it should be noted that the levels at which the STOT effects occur are usually above the levels in which they are found in gasoline. Based on experience the 10% cut-off applies.

47. If there are no data or read-across for the petroleum substance and the concentration of suspected hazardous constituents is greater than the 10% threshold, then Tier 3 is to recommend classification.

48. Classification as specific target organ toxicity following repeated exposure Category 2 is recommended, since this is consistent with the GHS bridging principles for Category 2 STOT following repeated exposure as laid out in section 3.9.3.4 of the GHS

Table 6: Specific target organ toxicity following repeated exposure

| Tier | Information available | STOT Category classification |
|-------------|--|---|
| 1 | Repeat dose toxicity study available on stream or there is appropriate read-across | Based on the results of the specific study (ies) or read across |
| 2 | Target organ toxicant content is < 10 % | No classification |
| 3 | Target organ toxicant content is ≥ 10 % | Category 2 |

Aspiration

49. Petroleum substances may present an aspiration hazard, depending on their viscosity. Clear guidance on classification for this endpoint is laid out in chapter 3.10 of GHS.

Environmental hazards

50. For environmental classification, the principles laid out in section 4.1.2 of GHS can be applied using either test data for the overall substance or read-across to a similar substance. Unlike the approach for classification of several health endpoints, the use of data on constituents is not appropriate to derive the environmental classification of a petroleum substance. As petroleum substances are complex substances, specific test methods may be required. Specific guidance on environmental tests with complex substances is laid out in Annex 9 of the GHS (A9.1.10 (d) and A9.3.5.10).

Information requirements

51. To be able to use the above schemes it requires that the person making the classification has access to the required data for each tier.

52. It is recommended that they also:

- (a) Maintain records on the level of substance drivers – when they are used as a basis for classification.
- (b) Ensure that the studies used to derive a classification are of a consistent and reliable quality
- (c) Have access to the documentation that provides the read across argumentation.

Advantages of the proposed approach

- (a) Allows full GHS criteria to be explored.
- (b) Full use of available data
- (c) Consistent with bridging principles.
- (d) Consistent with GHS and represents a consistent industry view
- (e) By considering the petroleum substance as a whole and not as a mixture of its constituents, the actual hazard of the petroleum substance should globally be similar regardless of regional differences in the classification of the constituents

References

American Society for Testing and Materials, ASTM Standard E-1687-04, Standard Test Method for Determining Carcinogenic Potential of VirginBase Oils in Metalworking Fluids, ASTM International, West Conshohocken, PA, www.astm.org

Blackburn GR; Deitch RA; Schreiner CA; Mackerer CR (1986) Predicting carcinogenicity of petroleum distillation fractions using a modified Salmonella mutagenicity assay. *Cell Biol Toxicol.* 2(1):63-84.

EEC (1993), Council Regulation (EEC) No. 793/93 of 23 March 1993 on the evaluation and control of the risks of existing substances. *Official Journal of the European Communities OJ No. L84/1*, 5 April, 1993

EU (1993), Commission Directive 93/21/EEC of 27 April 1993 adapting to technical progress for the 18th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. *Official Journal of the European Communities OJ No. L110*, 04.05.1993

Freeman, James J. and McKee, Richard H. (1993). *The Objectives and Goals of Dermal Carcinogenicity Testing of Petroleum Liquids*. In, *Health Risk Assessment: Dermal and Inhalation Exposure and Absorption of Toxicants*, Wang, R. G. M., Knaack, J. B., and Maibach, H. I., eds., CRC Press, Boca Raton, pp. 283-289.

Institute of Petroleum, Test Standard IP 346, Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method, Energy Institute, London, 1992

United Nations (2007), *Globally Harmonized System of Classification and Labelling of Chemicals (GHS)*, Second revised edition, Publ. United Nations – New York and Geneva, http://www.unece.org/trans/danger/publi/ghs/ghs_rev02/02files_e.html

US Environmental Protection Agency (2007), <http://www.epa.gov/hpv>
