

23 January 2013

English only

Agreement

Concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be fitted and/or be used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions*

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 42 – Regulation No. 43

Revision 3 - Corrigendum 1

Corrigendum 1 to Revision 3 of the Regulation

Uniform provisions concerning the approval of safety glazing materials and their installation on vehicles



* Former title of the Agreement: Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

Page 8, paragraph 2.36., the definition, correct to read:

"2.36. "Central driving position" is ..."

Page 12, paragraph 5.5.7., subparagraph /L, correct to read:

"L for glazing with a light scatter not exceeding 2 per cent after 1,000 cycles on the outer surface and 4 per cent after 100 cycles on the inner surface (see Annex 16, paragraph 6.1.3.1.)"

Page 17, paragraph 8.2.1.1., the table, rows 3 and 5, correct the figures in columns 10 and 11 to read:

" ...

| | | | | | | | | | | |
|----------------------------|------|------|--------|--------|--------|--------|--------|--------|------|-------|
| - 227 g ball | - | - | A6/4.3 | A6/4.3 | A6/4.3 | A6/4.3 | A6/4.3 | A5/3.1 | A7/3 | A11/3 |
| - 2,260 g ball | - | - | A6/4.2 | A6/4.2 | A6/4.2 | A6/4.2 | A6/4.2 | - | - | - |
| Headform test ¹ | A4/3 | A4/3 | A6/3 | A6/3 | A6/3 | A6/3 | A10/3 | - | - | - |

..."

Page 18, paragraph 8.2.1.2., row 6, correct the figure in column 2 to read:

" ...

| | | | | | |
|---------------------|-----------|-----------|-----------|-----------|-----------|
| Chemical resistance | A3/11.2.1 | A3/11.2.1 | A3/11.2.1 | A3/11.2.1 | A3/11.2.1 |
|---------------------|-----------|-----------|-----------|-----------|-----------|

..."

Annex 2,

Page 40, the second example of approval mark XI with the number (43R-002439) shall be deleted.

Annex 3,

Page 76, Figure 16, for OSO 2768 read ISO 2768.

Annex 14,

Page 116, paragraph 5.2., correct to read:

"5.2. Number of test pieces

Ten flat square pieces 300 mm +10/-0 mm or ten substantially flat finished parts shall be subjected to testing."

Annex 15,

Page 121, paragraph 4.2.1., correct to read:

"4.2.1. Number of test pieces

Ten flat square pieces 300 mm +10/-0 mm shall be subjected to testing."

Annex 20,

Page 144, paragraphs 2.8.1. to 2.10.3., correct to read:

"2.8.1. 227g ball drop test in accordance with the requirements of Annex 14, paragraph 5.

2.8.2. Light transmission measurement in accordance with the requirements of Annex 3, paragraph 9.1.

- 2.8.3. The abrasion test in accordance with the requirements of Annex 14, paragraph 6.1.
- 2.8.4. Cross-cut test in accordance with the requirements of Annex 14, paragraph 6.3.
NB: The above test of paragraph 2.8.2. only applies if the glazing is to be used in a location requisite for driving visibility.
The above test of paragraph 2.8.4. will be carried out on samples that have not been subjected to test in accordance with paragraph 6.2. of Annex 14.
- 2.8.5. Test of resistance to chemicals in accordance with the requirements of Annex 3, paragraph 11.2.1.
- 2.9. Flexible plastic glazing other than windscreens
- 2.9.1. 227 g ball drop test in accordance with the requirements of Annex 15, paragraph 4.
- 2.9.2. Light transmission measurement in accordance with the requirements of Annex 3, paragraph 9.1.
NB: The above test of paragraph 2.9.2. only applies if the glazing is to be used in a location requisite for driving visibility.
- 2.9.3. Test of resistance to chemicals in accordance with the requirements of Annex 3, paragraph 11.2.1.
- 2.10. Rigid plastic double glazed units
- 2.10.1. 227 g ball drop test in accordance with the requirements of Annex 16, paragraph 5.
- 2.10.2. Light transmission measurement in accordance with the requirements of Annex 3, paragraph 9.1.
NB: The above test of paragraph 2.10.2. only applies if the glazing is to be used in a location requisite for driving visibility.
- 2.10.3. Test of resistance to chemicals in accordance with the requirements of Annex 3, paragraph 11.2.1."
-