

7 July 2011

---

## Agreement

### **Concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions\***

(Revision 2, including the amendments which entered into force on 16 October 1995)

---

## Addendum 52: Regulation No. 53

### **Revision 2 – Amendment 4**

Supplement 12 to the 01 series of amendments - Date of entry into force: 23 June 2011

### **Uniform provisions concerning the approval of category L<sub>3</sub> vehicles with regard to the installation of lighting and light-signalling devices**



UNITED NATIONS

---

\* Former title of the Agreement: Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

*Insert new paragraphs 5.6.1.1. and 5.6.1.2., to read:*

"5.6.1.1. The photometric and colorimetric requirements of a lamp shall be fulfilled when all other functions with which this lamp is grouped, combined or reciprocally incorporated are switched OFF.

However, when a front or rear position lamp is reciprocally incorporated with one or more other function(s) which can be activated together with them, the requirements regarding colour of each of these other functions shall be fulfilled when the reciprocally incorporated function(s) and the front or rear position lamps are switched ON.

5.6.1.2. Stop lamps and direction indicator lamps are not permitted to be reciprocally incorporated."

*Paragraph 5.6.1.1. (former), renumber as paragraph 5.6.1.3.*

*Paragraph 5.10., amend to read:*

"5.10. The electrical connections shall be such that the front position lamp or the passing beam headlamp, if there is no front position lamp, the rear position lamp and the rear-registration-plate illuminating device cannot be switched ON or OFF otherwise than simultaneously, unless otherwise specified."

*Paragraph 5.11.1., amend to read:*

"5.11.1. If installed, the daytime running lamp shall automatically be ON when the engine is running. If the headlamp is switched on, the daytime running lamp shall not come on when the engine is running.

If no daytime running lamp is installed, the headlamp shall automatically be on when the engine is running."

*Paragraph 6.1.6., shall be deleted.*

*Paragraphs 6.1.7. to 6.1.9.2., renumber as paragraphs 6.1.6. to 6.1.8.2.*

*Paragraph 6.2.6., shall be deleted:*

*Paragraphs 6.2.7. to 6.2.9., renumber as paragraphs 6.2.6. to 6.2.8.*

*Paragraphs 6.3.6. and 6.3.7., shall be deleted*

*Paragraphs 6.3.8. to 6.3.10.4., renumber as paragraphs 6.3.6. to 6.3.8.4.*

*Paragraph 6.6.7., amend to read:*

"6.6.7. Other requirements

If a front position lamp is reciprocally incorporated with a direction indicator the electrical connection of the front position lamp on the relevant side of the vehicle or the reciprocally incorporated part of it may be such that it is switched off during the entire period (both ON and OFF cycle) of activation of the direction indicator lamp."

*Paragraph 6.7.7., amend to read:*

"6.7.7. Other requirements

If a rear position lamp is reciprocally incorporated with a direction indicator, the electrical connection of the rear position lamp on the relevant side of the vehicle or the reciprocally incorporated part of it may be such that it is switched OFF during the entire period (both ON and OFF cycle) of activation of the direction indicator lamp."

*Paragraph 6.13.7.1.*, amend to read:

"6.13.7.1. The daytime running lamp shall switch OFF automatically when the headlamps are switched ON, except when the latter are used to give intermittent luminous warnings at short intervals.

The rear position lamp shall be switched ON when the daytime running lamp(s) is/are switched ON. The front position lamp(s) and the rear-registration-plate illuminating device may be switched ON individually or together, when the daytime running lamp(s) is/are switched ON."

*Paragraph 6.13.8.*, amend to read:

"6.13.8. Tell-tale  
Closed-circuit green tell-tale, optional"

*Insert a new paragraph 6.13.9.*, to read:

"6.13.9. Other requirements  
The DRL symbol in ISO 2575:2004 - Road vehicles. Symbols for controls, indicators and tell-tales, may be used to inform the driver that the daytime running lamp is on."

---