

ECONOMIC COMMISSION FOR EUROPE

**INVENTORY OF MAIN
STANDARDS AND PARAMETERS
OF THE E WATERWAY NETWORK**

“BLUE BOOK”

Third Revised Edition



UNITED NATIONS
New York and Geneva, 2017

NOTE

Symbols of United Nations documents are composed of capital letters combined with figures. Mention of such a symbol indicates a reference to a United Nations document.

*

*

*

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations concerning the legal status of any country, territory, city or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

ECE/TRANS/SC.3/144/Rev.3

UNITED NATIONS PUBLICATION

ISBN 978-92-1-117133-4

eISBN 978-92-1-060707-0

Sales No. E.17.II.E.12

UNITED NATIONS ECONOMIC COMMISSION FOR EUROPE (UNECE)

The United Nations Economic Commission for Europe (UNECE) is one of the five United Nations regional commissions, administered by the Economic and Social Council (ECOSOC). It was established in 1947 with the mandate to help rebuild post-war Europe, develop economic activity and strengthen economic relations among European countries, and between Europe and the rest of the world. During the Cold War, UNECE served as a unique forum for economic dialogue and cooperation between East and West. Despite the complexity of this period, significant achievements were made, with consensus reached on numerous harmonization and standardization agreements.

In the post-Cold War era, UNECE acquired not only many new member States, but also new functions. Since the early 1990s the organization has focused on analyses of the transition process, using its harmonization experience to facilitate the integration of Central and Eastern European countries into the global markets.

UNECE is the forum where the countries of western, central and eastern Europe, central Asia and North America — 56 countries in all — come together to forge the tools of their economic cooperation. That cooperation concerns economics, statistics, environment, transport, trade, sustainable energy, timber and habitat. The Commission offers a regional framework for the elaboration and harmonization of conventions, norms and standards. The Commission's experts provide technical assistance to the countries of South-East Europe and the Commonwealth of Independent States. This assistance takes the form of advisory services, training seminars and workshops where countries can share their experiences and best practices.

TRANSPORT IN UNECE

The UNECE Inland Transport Committee (ITC) facilitates the international movement of persons and goods by inland transport modes. It aims to improve competitiveness, safety, energy efficiency and security in the transport sector. At the same time it focuses on reducing the adverse effects of transport activities on the environment and contributing effectively to sustainable development. The ITC is a:

- Centre for multilateral transport standards and agreements in Europe and beyond, e.g. regulations for dangerous goods transport and road vehicle construction at the global level
- Gateway for technical assistance and exchange of best practices
- Promoter of multi-country investment planning
- Substantive partner for transport and trade facilitation initiatives
- Historic centre for transport statistics.

For more than six decades, ITC has provided a platform for intergovernmental cooperation to facilitate and develop international transport while improving its safety and environmental performance. The main results of this persevering and important work are reflected in more than 50 international agreements and conventions which provide an international legal framework and technical regulations for the development of international road, rail, inland water and intermodal transport, as well as dangerous goods transport and vehicle construction. Considering the needs of transport sector and its regulators, UNECE offers a balanced approach to and treatment of facilitation and security issues alike.

PREFACE

At its fortieth session in 1996, the UNECE Working Party on Inland Water Transport (SC.3) agreed to proceed with the drafting of the so-called "Blue Book" which would contain technical characteristics of European inland waterways and ports of international importance (E waterways and ports) identified in the European Agreement on Main Inland Waterways of International Importance (AGN).

The objective of the Blue Book is to establish an inventory of existing and envisaged standards and parameters of E waterways and ports in Europe and to show, on an internationally comparable basis, the current inland navigation infrastructure parameters in Europe as compared to the minimum standards and parameters prescribed in the AGN Agreement. This would enable member Governments and intergovernmental organizations concerned to use the Blue Book as a basic instrument for monitoring the progress made in implementing AGN. A consolidated non-official text of the AGN Agreement, as amended, may be found in ECE/TRANS/120/Rev.3 (see www.unece.org/fileadmin/DAM/trans/doc/2014/sc3wp3/ECE-TRANS-120r3efr.pdf).

The first edition of the Blue Book was published in 1998 as TRANS/SC.3/144, the first revised edition in 2006 and the second revised edition in 2012. This third revised edition of the Blue Book has been prepared on the basis of the information received by the secretariat from member States and River Commissions as of 15 December 2016 and was adopted by SC.3 at its sixtieth session.

The Blue Book data is also available in an online database at www.unece.org/trans/main/sc3/bluebook_database.html. This database allows to search, filter and export the E Waterways and E Ports data. An online map showing the data combined with different basemaps (topographical map, satellite map) gives an overview of the E network at the pan-European level.

INVENTORY OF MAIN STANDARDS AND PARAMETERS OF THE E WATERWAY NETWORK ("BLUE BOOK")

CONTENTS

I.	Inland Waterways of International Importance	1
II.	Definition of bottlenecks and missing links in the network of main inland waterways of international importance	2
III.	List of bottlenecks and missing links in the e waterway network by country	3
IV.	Coastal routes	15
V.	Tables 1, 2 and 3	15
	Explanations	15
	Table 1: Navigational Characteristics of Main European Inland Waterways of International Importance	17
	Table 2: Parameters of locks of inland waterways of international importance.....	66
	Table 3: Technical characteristics of inland navigation ports of international importance	79
VI.	Scheme of the Network of Inland Waterways of International Importance	107

INVENTORY OF MAIN STANDARDS AND PARAMETERS OF THE E WATERWAY NETWORK (“BLUE BOOK”)

I. Inland waterways of international importance

The European Agreement on Main Inland Waterways of International Importance (AGN) in its Annex I lays down the network of E waterways. In total, 29,238 km of European inland waterways have been earmarked by Governments as E waterways. This Annex also includes a number of sections that do not exist at present and are considered as missing links. The above length excludes the double counting of sections on which two or more E waterways overlap. In its Annex III, the Agreement stipulates the requirements for the classification of E waterways.


For the purpose of calculating in the Blue Book the total length and structure of the E waterway network, the following portions of E waterways have been considered as overlapping: E 01/E 05 of 46 km, class Va; E 03/E 04 of 38 km, class VIb; E 04/E 05 of 16 km, class VIb; E 10/E 12 of 19 km, class VIc; E 10/E 80 of 96 km (24 km — class VIa, 40 km — class VIb and 32 km — class VIc); E 12/E 70 of 38 km, class Va; E 13/E 15 of 93 km (68 km — class VIb and 25 km — class IV); E 20/E 30 of 173 km, class Vb (missing link); E 30/E 70 of 49 km, class IV; E 40/E 70 of 114 km (41 km — class IV; 73 km — class VIa); E 41/E 70 of 39 km, class IV; E 50/E 60 of 503 km, class Vb and E 50/E 90 of 453 km, class VIc.

The following portions of E waterways have been considered as missing links in accordance with the network laid down in the AGN Agreement and as listed in section 2 below: Canal Seine — Nord Europe E 05 of 106 km; Maldegem — Zeebrugge E 07 of 26 km; Saône — Rhine Link E 10 of 206 km; Saône — Moselle Link E 10-02 of 304 km; Danube — Oder — Elbe Connection E 20/E 30 of 479 km; Gdansk — Brest Connection E 40 of 430 km, excluding its existing navigable sections; Twente-Mittellandkanal E 70 of 55 km; Seine — Moselle Link E 80 of 250 km; Olt E 80-03 of 135 km; Danube — Bucuresti Canal E 80-05 of 73 km; Danube — Sava Canal E 80-10 of 61 km; Vah — Oder Link E 81 of 80 km; Milano — Po Canal E 91 of 60 km and Padova — Venezia Canal E 91-05 of 27 km excluding the completed sections.

As a result, the breakdown by classes of European inland waterways of international importance may be summarized as in the table below.

Structure of E waterways

	Missing links	Less than class IV	Class IV	Class Va	Class Vb	Class VIa	Class VIb	Class VIc	Class VII	Total
Length (km)	1 988	2 968	4 775	4 646	4 566	630	3 578	4 341	1 746	29 238
%	6.8	10.2	16.3	15.9	15.6	2.2	12.2	14.8	6.0	100



In accordance with the AGN Agreement, only waterways meeting the basic minimum requirements of class IV (minimum dimensions of vessels: 80.00 m x 9.50 m) can be considered as E waterways. The Agreement recommends that the new E waterways to be built (for the completion of missing links) should meet, at least, the requirements of class Vb, while the waterways to be modernized should meet the requirements of at least class Va.

II. Definition of bottlenecks and missing links in the network of main inland waterways of international importance

In the course of its work on the draft AGN the Working Party on Inland Water Transport endorsed the following definitions of "bottlenecks" and "missing links" in the inland navigation network, elaborated by the ad hoc Group of Experts on Inland Waterway Infrastructure (TRANS/SC.3/133, para. 18 and TRANS/SC.3/WP.3/AC.1/4, para. 18):

"Those sections of the European waterway network of international importance that have parameter values being

substantially lower than target requirements are called bottlenecks.

There are two kinds of bottlenecks:

“Basic bottlenecks” are the sections of E waterways whose parameters, at the present time, are not in conformity with the requirements applicable to inland waterways of international importance in accordance with the new classification of European inland waterways (class IV).

“Strategic bottlenecks” are other sections satisfying the basic requirements of the class IV but which, nevertheless, ought to be modernized in order to improve the structure of the network or to increase the economic capacity of inland navigation traffic.

“Missing links” are such parts of the future network of inland waterways of international importance which do not exist at present.

The basic condition for the elimination of bottlenecks and completion of missing links is the positive result of economic evaluation.”

In accordance with the above definition the following list of bottlenecks and missing links, by country, has been established.

III. List of bottlenecks and missing links in the E waterway network by country

Austria

Missing links: Danube — Oder — Elbe Connection (E 20).

Basic bottlenecks: none.

Strategic bottlenecks: Danube (E 80) from 2,037.0 km to 2,005.0 km and from 1,921.0 km to 1,873.0 km — low fairway depth (in some locations down to 2.20 m).

Belarus

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Mukhavets (E 40) from Brest to Kobrin — low maximum draught (1.70 m).

- Dneprovsko-Buzkiy Canal (E 40) from Kobrin to Pererub — low maximum draught (1.70 m); upgrading of locks to class Va is envisaged.ⁱ
- Pina (E 40) from Pererub to Pinsk — low maximum draught (1.70 m).
- Pripyat (E 40) from Stakhovo to Pkhov — low maximum draught (1.40 m).
- Pripyat (E 40) from Pkhov to Belarus/Ukraine border — low maximum draught (1.50 m).

Belgium

Missing links:

- Meuse — Rhine link.ⁱⁱ
- Maldegem — Zeebrugge (E 07).

Basic bottlenecks:

- Bocholt — Herentals Canal (E 01-01), Bocholt — Dessel section.
- Zuid — Willemsvaart (E 01-01), section Bocholt — Belgium/Netherlands border.
- Gent — Oostende Canal (E 02), Brugge — Beernem section.
- Plassendale — Nieuwpoort Canal (E 02-02-01).
- Charleroi-Bruxelles Canal (E 04), Lembeek — Bruxelles section — upgrading the height under bridges up to 7 m and improvement of the waterway is required. Project is under study.
- Bossuit — Kortrijk Canal (E 05-01), Zwevegem — Kortrijk section — upgrading from class I to class Va. Project is under study.
- Dender (E 05-04), Aalst — Dendermonde section — upgrading from class II to class IV. Project is under study.
- Beneden-Nete (E 05-06) upgrading the height under bridges. Project is under way.

Strategic bottlenecks:

- Condé-Pommeroeul Canal (E 01) — re-opening of a section currently not in service.
- Nimy-Blaton — Peronnes Canal (E 01) — upgrading from class IV to class Va is envisaged.

ⁱ Upgrading of lock No. 3 Ragodosch was started in 2015, the startup is planned for 2019; upgrading of lock No. 4 Ovzichi is planned for 2019-2020.

ⁱⁱ This link is not mentioned in the AGN Agreement and its inclusion into the Inventory has been suggested by the Government of Belgium.

- Canal du Centre (E 01), Obourg Lock — construction of a new class Va lock is envisaged.
- Charleroi-Bruxelles Canal (E 01), Marchienne, Viesville and Gosselies Locks — construction of new class Va locks is envisaged.
- Meuse (E 01) — construction of class VIb locks is envisaged at Ivoz-Ramet and Ampsin-Neuville.
- Meuse (E 01) from Pont d'Ougrée to Liège — upgrading from class Vb to class VIb is envisaged.
- Canal de Lanaye (E 01) — construction of a class VIb lock is under way.
- Lys Mitoyenne — Lys (Menin — Deinze section) and Lys Derivation Canal up to Schipdonk (E 02) — upgrading from class IV to class Vb is envisaged within the Seine — Escaut link project. Project is under way.
- Roeselare — Leie Canal (E 02-04), Roeselare — Ooigem section — improvement of waterway for class Va. Project is under study.
- Sea Canal Bruxelles — Schelde (E 04) — improvement of section Wintam — Willebroek to class Vb. Project is under way.
- Haut Escaut (E 05) on section Bléharies-Hérinnes — Tournai passage — upgrading to class Va.
- Bovenschelde (E 05), Kerkhove — Asper section — renewal of weirs and upgrading lock capacity to class Vb. Project is under study.
- Boven Zeeschelde (E 05) on section Gent circular canal — Baasrode — upgrading from class IV to class Va. Project is under study.
- Albertkanaal (E 05), Wijnegem passage and Kanne — Liège section — upgrading from class Vb to class VIb is envisaged.
- Charleroi — Bruxelles Canal (E 04), Lembeek — Bruxelles section — upgrading the waterway and the locks to class Va. Project is under study.

Bosnia and Herzegovina

Missing links: none.

Basic bottlenecks: Sava (E 80-12) from 515.2 to 178.0 km — upgrading from classes III/IV to classes IV/Va.

Strategic bottlenecks: none.

Bulgaria

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: Danube (E 80) from 845.5 to 375.0 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) at several critical sections i.e.:

- from 845.5 to 610.0 km, with fairway depth limited to 2.10-2.20 m for 10-15 days a year, and
- from 610.0 to 375.0 km, with fairway depth limited to 1.80-2.00 m for 20-40 days a year.

Croatia

Missing links: Danube — Sava Canal (E 80-10) from Vukovar to Samac.

Basic bottlenecks:

- Sava (E 80-12) section between Sisak and Brčko — upgrading from class III to class IV.
- Drava (E 80-08) from 0 km to 14 km — 3 critical sections with inadequate fairway parameters.

Strategic bottlenecks:

- Sava (E 80-12) section between Brčko and Serbia/Croatia border — upgrading from class IV to class Va.
- Danube (E 80) from 1,433.1 km to 1,295.5 km — 17 critical sections with inadequate fairway parameters.

Czech Republic

Missing links: Danube — Oder — Elbe Connection (E 20 and E 30).

Basic bottlenecks: Elbe (E 20) from State border to Ústí nad Labem — extremely low fairway depth during dry seasons (0.9-2.0 m), in the years 1997-2004, the draught was less than 1.40 m during 160-262 days a year making the section commercially non-navigable; the construction of two locks is necessary.

Strategic bottlenecks:

- Elbe (E 20) from Mělník to Chvaletice — narrow width of lock gates (12.00 m); from Chvaletice to Pardubice the construction of a lock at Přelouč is necessary.
- Vltava (E 20-06) — From Mělník to Praha — low height under bridges (4.50 m) and narrow width of lock gates (11.00 m).

Finland

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: Saimaa Canal (E 60-11) from Vyborg (Russian Federation) to Kuopio/Joensuu — upgrading to class Va is envisaged.

France

Missing links:

- Seine — Moselle Link (E 80).ⁱⁱⁱ
- Seine — Nord Europe Link (E 05).^{iv}
- Saône — Moselle Link (E 10-02)/Saône — Rhine Link (E 10).^v

Basic bottlenecks:

- Seine (E 80-04) between Bray-sur-Seine and Nogent — upgrading is envisaged.

Strategic bottlenecks:

- Condé — Pommeroeul Canal (E 01) — increasing the water depth up to 3.50 m is under consideration in the framework of the project on reopening this canal for navigation.
- Dunkerque — Escaut link and Escaut (E 01) up to Condé — lifting of bridges up to 5.25 m is completed, lifting up to 7.00 m is envisaged.
- Deûle and Deûle Canal (E 02) from Quesnoy/Deûle to Lille — upgrading to class Va is under way, increasing the water depth up to 3.50 m is envisaged, from Lille to Bauvin — lifting of bridges up to 5.25 m is completed, lifting up to 7.00 m is envisaged.
- Lys Mitoyenne (E 02) — increasing the water depth to 4.50 m is considered.
- Network Nord Pas-de-Calais (E 02 and E 05) — lifting of bridges and upgrading of links with Belgium to class Va. Lifting of bridges up to 5.25 m is being finalized (summer 2012), lifting up to 7.00 m is envisaged.
- Rhône — Sète Canal (E 10-04) — works on upgrading to class Va are under way.
- Oise (E 80) from Conflans to Creil — low draught and height under bridges (3.40 m and 5.18 m, respectively) — increasing the water depth up to 4.00 m is under way.
- Oise (E 80) from Creil to Compiègne — low draught (3.00 m), increasing the water depth up to 4.00 m is considered.

ⁱⁱⁱ The secretariat was informed by the Government of France that the project concerning the Seine — Moselle link has been abandoned.

^{iv} The secretariat was informed by the Government of France that the Seine — Schelde connection project had been modified.

^v The secretariat was informed by the Government of France that the project concerning the Saône — Moselle Link/Saône — Rhine Link has been abandoned.

Germany

Missing links: none.

Basic bottlenecks:

- Mittellandkanal (E 70) — sections which have not yet been modernized are being upgraded to class Vb. The project is under way.
- Elbe — Havel — Kanal (E 70) — upgrading from class IV to class Vb is under way.
- Untere Havel — Wasserstraße (E 70) from Plauen to Spree — upgrading from class IV to class Vb is under way.
- Berlin region waterways (connection to Westhafen Berlin) upgrading to classes IV and Vb is under way.
- Havel — Oder — Wasserstraße (E 70) — upgrading from class IV to class Va is under way.

Strategic bottlenecks:

- Rhine (E 10) — low fairway depth during dry seasons: from St. Goar to Mainz (1.90 m) and low height under bridges at Kehl/Strasbourg.
- Rhine — Herne Kanal (E 10-03) — upgrading to class Vb is under way.
- Dortmund — Ems Kanal (E 13) from 108.3 km to 21.5 km — upgrading to class Vb is under way.
- Weser (E 14) from 360.7 km to Minden — upgrade to Va under way.
- Elbe (E 20): middle Elbe from Lauenburg upstream to the Germany/Czech Republic border — low fairway depth during dry seasons (1.20 m).
- Main (E 80) upstream from Würzburg — low fairway depth (2.50 m); project is under way.
- Danube (E 80) from Straubing to Vilshofen — low fairway depth (2.00 m at LNWL).^{vi}
- Danube (E 80) — low height under bridges at Bogen (2,311.27 km) — 5.00 m; at Passau (2,225.75 km) — 5.15 m — upgrading to 7.00 m is required.
- Weser (E 14) — upgrading of Minden and Dörverden Locks is under way.

^{vi} Low Navigable Water Level; see the explanations to Table 1.

Other bottlenecks, the elimination of which is anticipated to become economically viable only in the framework of a replacement programme supported by a particular investment scheme:

- Dortmund — Ems Kanal (E 13) to the north of the Mittellandkanal.
- Datteln — Hamm Kanal (E 10-01) — to the east of the Hamm harbour.
- Neckar (E 10-07) — adaptation of fairway width and lock dimensions.
- Canals branching off from the Mittellandkanal (E 70-02, E 70-04 and E 70-06) — low fairway depth and height under bridges, insufficient dimensions of locks.

Hungary

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Danube (E 80), joint Slovak — Hungarian section from Sap (1,811.0 km) to 1,708.2 km — low maximum draught during dry seasons (1.50 m as registered in the course of years up to November 2011) and at HNWL^{vii} — low height under bridges: road bridge Medved'ov (1,806.35 km) — 8.85 m between pillars^{viii} II — III and 9.19 m between pillars I and II; railway bridge Komárno (1,770.4 km) — 8.65 m between pillars IV — V and 8.68 m between pillars III — IV; road bridge Komárno (1,767.8 km) — 9.08 m at centre point of the arches between pillars II — III and III — IV, respectively. Upgrading of the draught to 2.50 m and the height under bridges to 9.10 m is required.
- Danube (E 80), the section from 1,708.2 km to 1,433.0 km — low maximum draught (1.50 m — as registered in the course of years up to November 2011).
- Danube (E 80), at HNWL — low height under the road/rail bridge at Dunaföldvár (1,560.55 km) — 8.73 m between pillars II — III and III — IV, respectively. Upgrading to 9.10 m is required.
- Danube (E 80), at HNWL — low height under the road/rail bridge at Baja (1,480.22 km) — 8.09 m between pillars III — IV and 8.40 m between pillars II — III. Upgrading to 9.10 m is required.

^{vii} High Navigable Water Level; see the explanations to Table 1.

^{viii} Numbering of pillars of bridges starts from the left bank on the Danube.

- Danube (E 80), from 1,811.0 to 1,433.0 km the draught of 2.5 m is assured during 180-260 days a year depending on the water level. The project aimed at the elimination of bottlenecks is under way.

Italy

Missing links:

- Milano — Po Canal (E 91) from Milano to Pizzighettone.
- Padova — Venezia Canal (E 91-05) from Romea lock to Padova.

Basic bottlenecks:

- Piacenza — Casale Monferrato (E 91-02) — upgrading from class III to class IV is envisaged.

Strategic bottlenecks:

- Mantova — Adriatic Sea Canal (E 91-03) from Ostiglia to Baricetta lock — adaptation to class Va is envisaged.
- Veneta Lateral Waterway (E 91) from Marghera to Porto Nogaro — upgrading from class IV to class Va is envisaged.
- Ferrara waterway (E 91-04) from Ferrara to Porto Garibaldi — upgrading to class Va is under way.

Lithuania

Missing links: none.

Basic bottlenecks: Nemunas (E 41) from Kaunas to Jurbarkas and from Jurbarkas to Klaipeda — insufficient depth of the fairway (1.20 m and 1.50 m, respectively; the depth of 12.5 km fairway stretch in Kaunas is less than 1.20 m).^{ix}

Strategic bottlenecks: none.

Luxembourg

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: none.

Netherlands

Missing links: none.

Basic bottlenecks: none.

^{ix} Nemunas (E 41): insufficient depth of the fairway stretch along 100 km of the Nemunas river stretch in the border area and on the territory of the Russian Federation.

Strategic bottlenecks:

- IJssel (E 70) from Arnhem to Zutphen — upgrading to class Va is envisaged.
- Upgrading of the Zwartsluis at Meppel — Ramspol (E 12-02) is under way.
- Upgrading of the Lemmer — Delfzijl section (E 15) to class Va enabling 4-layer container transport is under way.
- Twente Canal (E 70) — upgrading to class Va is under way and an increase of the capacity of the Eefde lock to be carried out.
- Lekkanaal (E 11-02) — upgrading of the Beatrix lock.
- Maasroute (E 01) — upgrading to class Vb enabling 4-layer container transport is under way.
- E 06 waterway — increasing the capacity of the Kreekrak locks.
- E 03 waterway — increasing the capacity of the Volkerak locks and Terneuzen locks is under study.
- IJsselmeer — Meppel (E 12) — insufficient fairway depth and/or width, the project is under study.
- Zaan (E 11-01) — adaptation to class Va with regard to fairway depth and/or width — height under the bridges and lock capacity is under way.
- Noordzeekanaal (E 11) — upgrading of sea locks at IJmuiden to class VIc is being studied.

Poland**Missing links:**

- Danube — Oder — Elbe Connection (E 30).
- Gdansk — Brest Connection (E 40), excluding its existing navigable sections.

Basic bottlenecks:

- Oder (E 30) from Widuchova to Kozle — upgrading from classes II and III to class Va is required.
- Glivice Canal (E 30-01) — upgrading from class III to class Va is required.
- Wisla (E 40) from Biala Gora to Wloclawek and from Plock to Warszawa — upgrading from classes I and II to class Va is required.
- Zeran Canal (E 40) from Zeran to Zegrze Lake — upgrading from class III to class Va is required.
- Bug (E 40) from Zegrze Lake to Brest — upgrading to class Va is required. The depth is limited to 0.80 m for 210 days a year.

- Warta — Notec — Bydgoski Canal (E 70) from Kostrzyn to Bydgoszcz — upgrading from class II to class Va is required.
- Wisla (E 70) from Bydgoszcz to Biala Gora — upgrading from class II to class Va is required.
- Szkarpada (E 70) from Gdanska Glova to Elblag — upgrading from class III to class Va is required.

Strategic bottlenecks: Oder (E 30) from Szczecin to Widuchowa — upgrading from class IV to class Vb is expected.

Republic of Moldova

Missing links: none.

Basic bottlenecks:

- Prut (E 80-07) from the mouth to Branest — upgrading from class II to class Va is required.
- Nistru (E 90-03) from Ukraine/Republic of Moldova border to Bender — upgrading from class III to class Va is required.

Strategic bottlenecks: none.

Romania

Missing links:

- Danube — Bucuresti Canal (E 80-05).
- Olt (E 80-03) up to Slatina.

Basic bottlenecks:

- Prut (E 80-07) from the mouth to Ungheni.
- Bega Canal (E 80-01-02) up to Timisoara.

Strategic bottlenecks:

Danube (E 80) from 845.5 to 175 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) at several critical sections, i.e.:

- from 845.5 to 610 km, with fairway depth limited to 1.90-2.50 m for 12-46 days a year;
- from 610 to 375 km, with fairway depth limited to 1.60-2.00 m for 20-40 days a year;
- from 375 to 300 km, with fairway depth limited to 1.40-2.50 m for 61-126 days a year; navigation on the sector km 346-km 240 is diverted via Bala — Borcea branch when the depths in Cernavodă are 1.50 m with decreasing tendency;
- from 300 to 175 km, with fairway depth limited to 2.00-2.50 m for 5-32 days a year.

Danube (E 80) from 170 km to the Black Sea — low fairway depth during dry seasons (below 7.30 m — value recommended by the Danube Commission) at several critical points, i.e. at 73, 57, 47, 41 and 37 nautical miles and at the Sulina bar at the mouth of the Sulina Canal where it meets the Black Sea, where the fairway depth is limited to 7.01 m for 2-16 days a year.

Russian Federation

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Don (E 90) from Kalach to Aksay — insufficient depth downstream of the Kochetovski lock (of 116.3 km long).^x
- Volga (E 50) — low water depth from the Gorkovsky hydroelectric complex to Nizhny Novgorod.^{xi}
- Volgo-Baltiyskiy waterway (E 50) — the Nizhne-Svirski hydro-electrical complex.

Serbia

Missing links: none.

Basic bottlenecks: Begej (E 80-01-02) from its mouth to the Serbia/Romania border — upgrading from class III to at least class Va is required.

Strategic bottlenecks:

- Danube (E 80) from 1,405.6 to 1,227.9 km — narrow fairway conditions.
- Danube (E 80) — low height under the railway bridge at Bogojevo (1,366.5 km) — 8.15 m — upgrading to 9.10 m is required.
- Danube (E 80) at Novi Sad (1,254.25 km) — low height under a temporary road/railway bridge (6.82 m).
- Danube (E 80) from 863 to 845.5 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) with fairway depth limited to 2.20-2.30 m for 7-15 days a year.

^x To eliminate the insufficient draught downstream the Kochetovsky hydraulic complex, the construction of a low-head hydraulic complex near the village of Arpachin is foreseen; the startup is planned for 2021.

^{xi} Due to the fact that the Tcheboksary Reservoir is not filled up to the project level and that the water level of the Volga River at the Nizhny Novgorod — Gorodets section went down, the depth of 3.50 m at sill of the Gorodetski Lock is only ensured for 2-3 hours a day. To eliminate the insufficient draught, design works were started in 2014 to build a low-head hydraulic complex in the area of Bolshoye Kozino, the startup is planned for 2021.

- Sava (E 80-12) from its mouth to the State border — upgrading to at least class Va is required.
- Tisza (E 80-01) — upgrading from class IV to class Va is under study.

Slovakia

Missing links:

- Danube — Oder — Elbe Connection (E 20 and E 30).
- Váh — Oder Link (E 81).

Basic bottlenecks: none.

Strategic bottlenecks:

- Danube (E 80) from Devín (1,880.26 km) to Bratislava (1,867.0 km) — insufficient depth at low water level and insufficient height under bridges at locks of Gabčíkovo Hydro Electrical Complex (1,819.3 km) — 8.90 m. Upgrading is required to 9.10 m.
- Danube (E 80) from Sap (1,811.0 km) to the mouth of the Ipeľ River (1,708.2 km) — insufficient depth at low water level and insufficient height under the bridges.
- Váh (E 81), from Komárno (0.0 km) to Žilina (240.0 km) — insufficient fairway depth. Canalization of the river and its upgrading to class VIa (Komarno — Hlohovec) and Va (Hlohovec — Žilina) in conjunction with the construction of new locks, and reconstruction of existing locks, are required.

Switzerland

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: none.

Ukraine

Missing links: none.

Basic bottlenecks:

- Desna (E 40-01) from the mouth to Chernihiv — upgrading from class III to class IV is required.
- Danube, Kiliiske Mouth (E 80-09) — upgrading the fairway depth and/or width.
- Dnister (E 90-03) from Bilhorod Dnistrovskiy to the Ukraine/Republic of Moldova border — upgrading from class III to class Va is required.

Strategic bottlenecks: none.

IV. Coastal routes

Coastal routes mentioned in Annex I to AGN are intended to ensure the continuity of the E waterway network throughout Europe and, in principle, do not impose any restrictions on vessels using them. However, in the event that these coastal shipping vessels are supposed to regularly use inland waterways (mixed river-sea navigation) their dimensions should, where possible and economically viable, meet the requirements for self-propelled units suitable for navigation on inland waterways of classes Va and VIb as indicated in Annex III of the Agreement.

V. Tables 1, 2 and 3

Explanations

The three tables reproduced below reflect data on existing and target parameters of inland waterways, locks and ports of international importance as of 15 December 2016.

Table 1 Navigational Characteristics of Main Inland Waterways of International Importance

Data for each section of E waterways are given in two lines: the upper line represents target values to be achieved as a result of the envisaged modernization of existing waterways or construction of a new water link, while the lower one shows existing parameters. The maximum admissible length and width of vessels/convoys are separated by a forward slash.

The draught (d) and the minimum height under bridges (H) indicated in Table 1 are given in relation to LNWL for the draught and HNWL for the height under bridges. LNWL corresponds to a long-term mean water level reached or exceeded on all but 20 ice-free days per year (approximately between 5 per cent and 6 per cent of the ice-free period). HNWL corresponds to a level existing for not less than 1 per cent of the navigation period, established on the basis of observations over a substantial number of years (30 to 40 years), excluding periods when there was ice.

The suitability of a particular waterway for combined transport is marked as follows:

- A — Waterways suitable for combined transport. This means that inland navigation vessels with a width of 11.40 or 11.45 m and a length of approximately 110,0 m are able to operate on such waterways carrying three or more layers of containers, 50 per cent of containers being empty. Otherwise a permissible length of pushed convoys of 185,0 m should be possible, in which case they could operate with two layers of containers, 50 per cent of containers being empty;

- B — Waterways suitable for combined transport but restrictions apply. This is mainly interpreted by Governments as inland waterways allowing the transport of at least two layers of containers, 50 per cent or less of them being empty, sometimes with the use of ballasting;
- C — Waterways not suitable for combined transport. These are the waterways where the transport of even two layers of containers is impossible.

Table 2
Parameters of locks of inland waterways of international importance

The table contains detailed data on some 640 locks or lock complexes, ship lifts and inclined planes situated on E waterways. This also includes data on locks which are under construction or planned.

Table 3
Technical characteristics of inland navigation ports of international importance

This table provides data on 438 European inland navigation ports of international importance, at least 17 of which are at the stage of planning. E ports are classified in the table in accordance with their annual cargo-handling capacity (0.5-3 million tons, 3-10 million tons and more than 10 million tons). The annual cargo-handling capacity should be interpreted as the potential of a particular port with regard to its existing equipment.

Table 1
 Navigational Characteristics of Main European Inland Waterways of International Importance

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES****	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 01	DUNKERQUE — VALENCIENNES CANAL	148.0	143.0/143.0	11.40/11.40	3.00	5.25	Va	B	
	Dunkerque — Bouchain		143.0/143.0	11.40/11.40	3.00	5.25	Va	B	
	ESCAUT	13.0	143.0/143.0	11.40/11.40	2.50	5.25	Va	B	Canalized
	Bouchain — Condé		143.0/143.0	11.40/11.40	2.50	5.25	Va	B	
	CONDÉ — POMMEROEUL CANAL	5.9	143.0/143.0	11.40/11.40	2.50	5.30	IV	B	
	Condé — Hensies ¹		143.0/143.0	11.40/11.40	-	5.30	IV	B	
	CONDÉ — POMMEROEUL CANAL	6.1	145.0/145.0	11.40/11.40	3.00	7.10	Va	A	
	Hensies — Pommeroeul ¹		145.0/145.0	11.40/11.40	3.00	7.10	Va	A	
	NIMY-BLATON — PERONNES CANAL	16.8	145.0/145.0	11.40/11.40	2.50	5.25	Va	A	
	Pommeroeul — Nimy		145.0/145.0	11.40/11.40	2.50	5.25	Va	A	
	CANAL DU CENTRE	24.8	110.0/110.0	11.40/11.40	2.50	5.25	Va	A	
	Nimy — Seneffe		110.0/110.0	11.40/11.40	2.50	5.25	Va	A	
	CHARLEROI — BRUXELLES CANAL	26.2	110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
	Seneffe — Charleroi		110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
SAMBRE	48.8	110.0/110.0	11.40/11.40	2.50	6.05	Va	A		
Charleroi — Namur		110.0/110.0	11.40/11.40	2.50	6.05	Va	A		

* Upper line — target value
 Lower line — present value



** A — Suitable for combined transport
 B — Suitable, but restrictions apply
 C — Not suitable for combined transport

*** Values applicable to single units/convoys.
 **** In the middle of the bridge with due regard of the fairway and the shape of the bridge; it takes into account the security clearance of about 30 cm between the uppermost point of the vessel's structure or its load and a bridge.

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 01 (continued)	MEUSE Namur – Ivoz-Ramet	50.6	196.0/196.0	12.50/12.50	3.00	6.60	Vb	A	
			196.0/196.0	12.50/12.50	3.00	6.60	Vb	A	
	MEUSE Ivoz-Ramet – Liège	16.6	196.0/196.0	12.50/12.50	3.40	7.00	Vb	A	
			196.0/196.0	12.50/12.50	3.40	7.00	Vb	A	
	ALBERTKANAAL Liège – Lanaye	17.0	196.0/196.0	23.00/23.00	3.40	7.50	VIb	A	
			196.0/196.0	23.00/23.00	3.40	7.50	VIb	A	
	CANAL DE LANAYE Lanaye	1.9	196.0/196.0	23.00/23.00	3.20	8.50	VIb	A	
			135.0/135.0	15.00/15.00	3.20	8.50	Va	A	
	MAAS Lanaye – Maastricht	12.3	137.5/185.0	14.00/12.50	3.00	6.70	Vb	A	
			137.5/100.0	14.00/12.00	3.00	6.70	Va	A	
	MAAS Maastricht – Heumen	119.6	125.0/185.0	13.50/13.50	3.00	7.00	Vb	A	
			110.0/137.5	12.00/11.50	3.00	7.00	Va	A	
MAAS Heumen – Moerdijk	84.9	137.5/185.0	13.50/13.50	3.00	7.00	Vb	A		
		137.5/113.5	13.50/13.50	3.00	7.00	Va	A		
DORDTSCH KIL AND NOORD Moerdijk – Rotterdam	22.0	225.0/229.5	23.50/22.90	5.00	42.50 ²	VIc	A	Sea vessel route	
		225.0/153.0	23.50/34.35 ³						
		225.0/229.5	23.50/22.90	5.00	42.50 ²	VIc	A		
E 01-02	MEUSE Namur – Givet (site of 3 fontains)	46.4	98.0/99.70	11.80/11.80	2.50	5.63	IV	B	
			98.0/99.70	11.80/11.80	2.50	5.63	IV	B	
E 01-04	BASSE MEUSE Liège – Visé	13.8	135.0/135.0	15.00/15.00	2.80	7.90	Va	A	
			135.0/135.0	15.00/15.00	2.80	7.90	Va	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 01-04-01	MONSIN CANAL	0.7	135.0/135.0	15.00/15.00	3.40	9.20	Va	A	
			135.0/135.0	15.00/15.00	3.40	9.20	Va	A	
E 01-01	KANAAL DESSEL — KWAADMECHELEN	15.8	110.0/110.0	11.50/11.50	2.80	5.50	Va	B	
	Kwaadmechelen — Kom van Dessel		110.0/110.0	11.50/11.50	2.80	5.20	Va	C	
	KANAAL BOCHOLT — HERENTALS	4.1	85.0/85.0	9.50/9.50	2.80	5.50	IV	B	
	Kom Dessel — sluis 1 Lommel		55.0/55.0	7.30/7.30	2.10	4.93	II	C	
	KANAAL BOCHOLT — HERENTALS	27.1	85.0/85.0	9.50/9.50	2.80	5.50	IV	B	
	Sluis 1 Lommel — Bocholt		85.0/85.0	8.30/8.30	2.50	5.50	II	C	
	ZUID — WILLEMSVAART	4.9	85.0/85.0	9.50/9.50	2.80	5.50	IV	B	
	Bocholt — up to the Belgium/ Netherlands border		52.0/52.0	6.70/6.70	1.90	5.15	II	C	
	ZUID — WILLEMSVAART	14.2	85.0/85.0	9.50/9.50	2.50	5.30	IV	B	
	From the Belgium/Netherlands border to Nederweert		65.0/65.0	7.25/7.25	2.10	5.30	II	C	
WESSEM — NEDERWEERT KANAAL	16.3	85.0/85.0	9.50/9.50	2.50	5.20	IV	B		
		65.0/65.0	7.25/7.25	2.10	5.20	II	C		
		95.0/95.0	9.60/9.60						
E 01-06	KANAAL VAN ST. ANDRIES	1.9	110.0/110.0	13.50/13.50	3.50	11.90	Va	A	
			110.0/110.0	13.50/13.50	3.50	11.90	Va	A	
E 01-03	MAXIMAKANAAL	9.0	105.0/105.0	9.50/9.50	3.00	7.00	IV	B	
			110.0/110.0	6.70/6.70					
			105.0/105.0	9.50/9.50	3.00	7.00	IV	B	
			110.0/110.0	6.70/6.70					

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 01-03 (continued)	ZUID — WILLEMSVAART	13.7	85.0/85.0	9.50/9.50	3.00	7.00	IV	B	
	Maximakanaal — Lock No. 4		105.0/105.0	9.60/9.60	3.00	7.00	IV	B	
			110.0/110.0 ⁴	7.25/7.25 ⁴					
E 02	BOUDEWIJN CANAL	12.0	.../...	.../...	Vib	A	Sea vessel route
	Zeebrugge — Brugge		125.0/125.0	12.00/12.00	4.75	...	Va	A	
	GENT — OOSTENDE CANAL	13.8	86.0/86.0	10.20/10.20	2.50	7.50	IV	A	
	Brugge — Beernem		86.0/86.0	10.20/10.20	2.50	7.29	IV	A	
	GENT — OOSTENDE CANAL	18.4	100.0/100.0	10.20/10.20	2.70	7.00	IV	A	
	Beernem — Schipdonk		100.0/100.0	10.20/10.20	2.70	7.26	IV	A	
	LEIE BYPASS CANAL	14.9	185.0/185.0	11.50/11.50	3.50	7.50	Vb	A	Seine — Escaut link
	Schipdonk — Deinze		110.0/110.0	11.50/11.50	2.80	7.60	Va	A	
	LEIE	15.5	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine — Escaut link
	Deinze — Ooigem		110.0/110.0	11.50/11.50	2.80	7.08	Va	A	
	LEIE	5.6	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine — Escaut link
	Ooigem — Harelbeke lock		110.0/110.0	11.50/11.50	2.80	5.63	Va	C	
	LEIE	17.1	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	Seine — Escaut link
	Harelbeke lock — Halluin		110.0	9.60/9.60	2.50	5.06	IV	C	
	LYS MITOYENNE	9.1	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	Seine — Escaut link
Halluin — Wervik	110.0		9.60	2.40	4.75	IV	C		
LYS MITOYENNE	8.7	185.0/185.0	11.40/11.40	2.50	7.00	Vb	A		
Belgian Commune of Comines		110.0/110.0	9.60/9.60	2.40	4.73	IV	C		
DEÛLE AND DEÛLE CANAL	6.0	185.0/185.0	11.40/11.40	3.00	6.50	Vb	A	Upgrading to class Vb is under way	
Deûlémont — Quesnoy		110.0/110.0	5.05/7.00	2.30	5.55	II	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 02 (continued)	DEÛLE AND DEÛLE CANAL Quesnoy/Deûle – Lille (Grand Carré)	8.7	185.0/185.0	11.40/11.40	3.00	6.50	Vb	A	Upgrading to class Vb is under way
			110.0/110.0	11.40/11.40	2.30	5.25	Va	C	
	DEÛLE AND DEÛLE CANAL Lille (Grand Carré) – Bauvin	19.2	143.0/143.0	11.40/11.40	3.00	6.50	Va	A	
			143.0/143.0	11.40/11.40	3.00	5.25	Va	B	
E 02-02	GENT – OOSTENDE CANAL Brugge – Oostende	17.0	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
			110.0/110.0	11.50/11.50	2.50	5.50	Va	B	
E 02-02-01	PLASSEDALE – NIEUWPOORT CANAL Plassendale – Gistelbrug	21.0	85.0/85.0	9.50/9.50	2.50	7.00	IV	B	
			38.5/38.5	5.10/5.10	2.00	5.28	I	C	
	PLASSEDALE – NIEUWPOORT CANAL Gistelbrug – Snaaskerke		85.0/85.0	9.50/9.50	2.50	7.00	IV	B	
			38.5/38.5	5.10/5.10	2.00	5.17	I	C	
	PLASSEDALE – NIEUWPOORT CANAL Snaaskerke – Nieuwpoort		85.0/85.0	9.50/9.50	2.50	7.00	IV	B	
38.5/38.5	5.10/5.10	2.00	5.17	I	C				
E 02-04	ROESELARE – LEIE CANAL Downstream Bruanebrug	15.4	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
			110.0/110.0	11.50/11.50	2.80	5.07	Va	B	
	ROESELARE – LEIE CANAL Upstream Bruanebrug	1.1	86.0/86.0	9.60/9.60	2.80	6.14	IV		
			86.0/86.0	9.60/9.60	2.80	6.14	IV		
E 03	NIEUWE MERWEDE Gorinchem – Moerdijk	22.5	225.0/229.5	23.50/22.90	4.00	7.80	VIb	A	
			225.0/153.0	23.50/34.35 ³					
			225.0/229.5	23.50/22.90	4.00	7.80	VIb	A	
			225.0/153.0	23.50/34.35 ³					
	SCHELDE – RIJN CONNECTION Moerdijk – Terneuzen	101.7	150.0/200.0	23.50/23.50	4.00	9.10	VIb	A	
150.0/200.0			23.50/23.50	4.00	9.10	VIb	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 03 (continued)	GENT – TERNEUZEN CANAL	32.6	140.0/193.0	22.80/22.80	5.50-12.50	51.00	VIb	A	Sea vessel route
			140.0/193.0	22.80/22.80	5.50-12.50	51.00	VIb	A	
	GENT CIRCULAR CANAL Gent – Terneuzen – Evergem (Noordervak)	5.3	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine – Escaut link
			135.0/135.0	11.50/11.50	3.50	7.00	Va	A	
	GENT CIRCULAR CANAL Evergem lock – Bovenschelde (Westervak)	11.9	110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
110.0/110.0			11.50/11.50	3.00	7.00	Va	A		
E 04	WESTERSCHELDE Vlissingen – Terneuzen – Hansweert – Antwerpen	65.0	135.0/195.0	15.00/22.80	4.50	No restrictions	VIb	A	Sea vessel route
			135.0/195.0	15.00/22.80	4.50	No restrictions	VIb	A	
	BENEDEN ZEESCHELDE Antwerpen	30.8	135.0/195.0	15.00/22.80	4.50	No restrictions	VIb	A	Sea vessel route
			135.0/195.0	15.00/22.80	4.50	No restrictions	VIb	A	
	BOVEN ZEESCHELDE Antwerpen – Wintam	8.7	135.0/195.0	15.00/22.80	4.50	49.00	VIb	A	Sea vessel route
			135.0/195.0	15.00/22.80	4.50	49.00	VIb	A	
	BRUXELLES – SCHELDE CANAL Wintam – Sauvegarde	6.3	220.0/220.0	23.00/23.00	9.00	45.00	VIb	A	
			180.0/180.0	24.00/24.00	8.80	45.00	VIb	A	
	BRUXELLES – SCHELDE CANAL Sauvegarde – Willebroek	2.4	205.0/205.0	22.80/22.80	9.00	32.00	VIb	A	
			140.0/140.0	24.00/24.00	6.00	32.00	VIa	A	
	BRUXELLES – SCHELDE CANAL Willebroek – Bruxelles	18.3	205.0/205.0	22.80/22.80	5.80	32.00	VIb	A	
			140.0/140.0	19.00/19.00	5.80	32.00	Va	A	
	CHARLEROI – BRUXELLES CANAL Bruxelles – Clabecq	21.6	81.3/81.3	10.30/10.30	3.00	7.00	IV	B	Canal
			81.3	10.30	2.50	4.60	IV	C	
	CHARLEROI – BRUXELLES CANAL Clabecq – Seneffe	19.7	85.0/85.0	10.30/10.30	2.50	4.75	IV	B	Dredging in progress
85.0/85.0			10.30/10.30	2.50	4.75	IV	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 05	CANAL SEINE-NORD EUROPE Compiègne — Aubencheul au Bac	106.0	185.0/185.0	11.40/11.40	4.50	7.00	Vb	A	Project of a new link
		
	HAUT ESCAUT Condé — Bléharies	15.0	110.0/110.0	11.40/11.40	2.50	5.80	Va	B	
	110.0/110.0		11.40/11.40	2.50	5.80	Va	B		
	HAUT ESCAUT Bléharies — Herinnes	32.8	110.0/110.0	11.40/11.40	2.60	6.18	Va	A	
	110.0/110.0		11.40/11.40	2.60	6.18	Va	A		
	BOVENSCHELDE Herinnes — Bossuit	5.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
	110.0/110.0		11.50/11.50	2.60	7.57	Va	B		
	BOVENSCHELDE Bossuit — Asper Lock	30.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
	110.0/110.0		11.50/11.50	2.60	7.11	Va	B		
	BOVENSCHELDE Asper Lock — Gent Circular Canal	14.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
	110.0/110.0		11.50/11.50	3.00	7.42	Va	A		
	GENT CIRCULAR CANAL Bovenshelde — Merelbeke lock — Westervak	1.0	110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
	110.0/110.0		11.50/11.50	3.00	6.98	Va	A		
	GENT CIRCULAR CANAL Merelbeke lock — Boven Zeeschelde — Zuidervak	3.7	110.0/110.0	11.40/11.40	5	5	Va	A	The water level depends on the tide
	85.0/85.0		9.50/9.50	5	5	IV	B		
	BOVEN ZEESCHELDE Gent Circular Canal — Dender	28.2	110.0/110.0	11.40/11.40	5	5	Va	A	The water level depends on the tide
	85.0/85.0		9.50/9.50	5	5	IV	B		
BOVEN ZEESCHELDE Dender — Baasrode	10.9	110.0/110.0	12.00/12.00	5	5	Va	A	The water level depends on the tide	
85.0/85.0		12.00/12.00	5	5	IV	B			
BOVEN ZEESCHELDE Baasrode — Durme	10.5	110.0/110.0	12.00/12.00	5	45.00	Va	A	The water level depends on the tide	
95.0/95.0		12.00/12.00	5	45.00	Va	A			

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 05 (continued)	BOVEN ZEESCHELDE	10.9	135.0/195.0	15.00/24.00	5	45.00	VIb	A	The water level depends on the tide
	Durme – Wintam		135.0/195.0	15.00/24.00	5	45.00	VIb	A	
	ALBERTKANAAL	9.7	134.0/200.0	12.50/22.80	3.40	9.10	VIb	A	
	Antwerpen – Wijnegem		134.0/200.0	12.50/12.50	3.40	6.70	Vb	A	
	ALBERTKANAAL	90.0	134.0/196.0	12.50/23.00	3.40	9.10	VIb	A	
	Wijnegem – Lanaken		134.0/196.0	12.50/23.00	3.40	6.90	VIb	A	
	ALBERTKANAAL	1.0	134.0/196.0	12.50/23.00	3.40	9.10	VIb	A	
	Lanaken		134.0/134.0	12.50/12.50	3.40	7.00	Va	A	
ALBERTKANAAL	10.0	134.0/196.0	12.50/23.00	3.40	9.10	VIb	A		
Lanaken – Kanne		134.0/196.0	12.50/23.00	3.40	6.90	VIb	A		
ALBERTKANAAL	1.7	196.0/196.0	23.00/23.00	3.40	7.50	VIb	A		
Eben – Emael – Lanaye		196.0/196.0	23.00/23.00	3.40	7.50	VIb	A		
E 05-02	NIMY – BLATON – PERONNES CANAL	22.1	85.0/85.0	10.50/10.50	2.50	5.20	IV	B	
	Peronnes – Pommeroeul		85.0/85.0	10.50/10.50	2.50	5.20	IV	B	
E 05-01	BOSSUIT – KORTRIJK CANAL	12.7	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
	Bossuit – Zwevegem		110.0/110.0	11.50/11.50	2.60	5.26	Va	C	
	BOSSUIT – KORTRIJK CANAL	2.5	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
	Zwevegem – Kortrijk		38.5/38.5	5.10/5.10	1.80	3.91	I	C	
E 05-04	DENDER	11.7	110.0/110.0	9.50/9.50	3.00	7.00	IV	B	
	Aalst Lock – calibrated section of Dendermonde		55.0/55.0	7.50/7.50	2.50	3.97	II	C	
	DENDER Calibrated section of	2.0	110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
	Dendermonde – Dendermonde Lock (incl.)		110.0/110.0	11.50/11.50	2.50	8.11	Va	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 05-06	NETEKANAAL	9.5	81.3/81.3	10.30/10.30	2.50	7.00	IV	B	
	Albertkanaal – Lier		81.3/81.3	10.30/10.30	2.50	5.43	IV	C	
	NETEKANAAL	5.7	95.0/95.0	11.40/11.40	2.50	7.00	Va	A	
	Lier – Duffelsluis		95.0/95.0	11.30/11.30	2.50	6.94	IV	B	
	BENEDEN – NETE	14.4	110.0/110.0	11.40/11.40	5	5	Va	A	The water level depends on the tide
			85.0/85.0	9.50/9.50	5	5	IV	C	
RUPEL	11.8	110.0/110.0	11.50/11.50	5	31.00	Va	A	The water level depends on the tide	
		110.0/110.0	11.50/11.50	5	31.00	Va	A		
E 06	SHELDE – RIJN CONNECTION	37.8	150.0/200.0	23.00/23.00	4.00	9.10	Vic	A	
	Antwerpen – Moerdijk		150.0/200.0	23.00/23.00	4.00	9.10	Vic	A	
E 07	GENT – OOSTENDE CANAL	1.7	185.0/185.0	11.50/11.50	3.50	7.50	Vb	A	Seine – Escaut link
	Gent Circular Canal – Lovendegem (Bierstalkade)		110.0/110.0	11.50/11.50	3.00	No restrictions	Va	A	
	GENT – OOSTENDE CANAL	5.2	185.0/185.0	11.50/11.50	3.50	7.50	Vb	A	Seine – Escaut link
	Lovendegem (Bierstalkade) – Schipdonk		110.0/110.0	11.50/11.50	2.80	9.07	Va	A	
	LEIE BYPASS CANAL	13.4	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	
	Schipdonk – Maldegem		38.5/38.5	5.10/5.10	1.60	4,36	I	C	
LEIE BYPASS CANAL	25.6 ⁶	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	New link to be built	
Maldegem – Zeebrugge		.../...	.../...		
E 10	HARTELKANAAL	23.7	125.0/269.5	22.80/22.80	4.00	4.00 ⁷	Vic	A	
	Rotterdam/Europoort – Hartelmond		125.0/193.0	22.80/34.20					
			110.0/269.5	22.80/22.80	4.00	4.00 ⁷	Vic	A	
			110.0/193.0	22.80/34.20					

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 10 (continued)	OUDE MAAS 976.2 km – 1 007.0 km	30.8	225.0/229.5 ⁸	23.50/22.90 ⁸	5.00 ⁸	42.50 ²	VIc	A	
			225.0/153.0	23.50/34.35					
		14.9	225.0/229.5 ⁸	23.50/22.90 ⁸	5.00 ⁸	42.50 ²	VIc	A	
				225.0/153.0					
	BENEDEN MERWEDE 961.3 km – 976.2 km	14.9	225.0/229.5	23.50/22.90	3.80 ⁹	No restrictions ¹⁰	VIc	A	
				225.0/153.0					
		8.8	225.0/229.5	23.50/22.90	3.80 ⁹	No restrictions ¹⁰	VIc	A	
				225.0/153.0					
	BOVEN MERWEDE 952.5 km – 961.3 km	8.8	225.0/229.5	23.50/22.90	4.15 ¹¹	No restrictions ¹²	VIc	A	
				225.0/153.0 ⁸					
		10.4	135.0/269.5	22.80/22.90	3.50 ¹³	9.00 ¹⁴	VIc	A	
				135.0/193.0					
	WAAL 867.4 km – 952.5 km	85.1	135.0/269.5	22.80/22.90	2.50 ¹³	9.00 ¹⁴	VIc	A	
				135.0/193.0					
	10.4	135.0/269.5	22.80/22.90	3.50 ¹³	9.00 ¹⁴	VIc	A		
			135.0/193.0					22.80/34.35 ³	
BOVEN-RIJN 857.0 km – 867.4 km	10.4	135.0/269.5	22.80/22.90	3.50 ¹³	9.00 ¹⁴	VIc	A		
			135.0/193.0					22.80/34.35 ³	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS	
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)					
1	2	3	4	5	6	7	8	9	10	
E 10 (continued)	RHINE Lobith — Köln (863.0 km — 688.0 km)	175.0	135.0/193.0	22.80/34.35	2.50 ¹⁵	9.10	VIc	A		
			/269.5	/22.90						
		175.0	175.0	135.0/193.0	22.80/34.35 ¹⁶	2.50 ¹⁷	9.10	VIc	A	
				/269.5	/22.90					
	RHINE Köln (688.0 km) — 564.3 km	123.7	123.7	135.0/193.0	22.80/34.35	2.50 ¹⁷	9.10	VIc	A	
				/269.5	/22.90					
		123.7	123.7	135.0/193.0	22.80/34.35 ¹⁶	2.50 ¹⁷	9.10	VIc	A	
				/269.5	/22.90					
	RHINE 564.3 km — 540.2 km	24.1	24.1	135.0 ¹⁸ /116.5	22.80/22.90	2.10 ¹⁷	9.10	VIa	A	When going downstream
				135.0 ¹⁸ /116.5	22.80/22.90	2.10 ¹⁹				
				135.0 ¹⁸ /186.5	22.80/22.90	2.10 ¹⁷				When going upstream
				135.0 ¹⁸ /186.5	22.80/22.90	2.10 ¹⁹				
	RHINE 540.2 km — 359.8 km	180.4	180.4	135.0/193.0	22.80/22.90	2.10 ¹⁷	9.10	VIb	A	
				/153.0	/34.35					
	180.4	180.4	135.0/193.0	22.80/22.90	2.10 ¹⁹	9.10	VIb	A		
			/153.0	/34.35						
RHINE 359.8 km — Iffezheim (334.0 km)	25.8	25.8	135.0/193.0	22.80/22.90	2.10 ¹⁷	9.10	VIb	A		
			135.0/193.0	22.80/22.90	2.10 ¹⁷					
RHINE Iffezheim (334.0 km) — 287.4 km	46.6	46.6	135.0/270.0	22.80/22.90	3.00	7.00	VIc	A		
			135.0/270.0	22.80/22.90	3.00					7.00 ²⁰
RHINE 287.4 km — Niffer (186.0 km)	101.4	101.4	135.0/183.0	22.80 ²¹ /22.80 ²¹	3.00	7.00	VIb	A		
			135.0/183.0	22.80 ²¹ /22.80 ²¹	3.00					7.00

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 10 (continued)	CANAL NIFFER — MULHOUSE	15.5	110.0/190.0	11.45/11.45	4.00	6.75	Vb	A	
			110.0/190.0	11.45/11.45	4.00	6.75	Vb	A	
	SAÔNE — RHINE CONNECTION ²²	206.0 ⁶	.../...	.../...	Project of a new link
			-	-	-	-	-	-	
	SAÔNE St. Symphorien — Chalon-sur-Saône	81.0	185.0/185.0	11.40/11.40	3.50	4.80	Vb	B	
			110.0/110.0	11.40/11.40	3.50	4.80	Va	B	
	SAÔNE From Chalon to the confluence with the Rhône	138.0	185.0/185.0	11.40/11.40	3.50	4.40	Vb	C	
			185.0/185.0	11.40/11.40	3.50	4.40	Vb	C	
	RHÔNE Lyon (0.00 km) — Avignon (244.0 km)	244.0	190.0/190.0	11.40/11.40	3.00	6.30 ²³	Vb	A	
			190.0/190.0	11.40/11.40	3.00	6.30 ²³	Vb	A	
	RHÔNE Avignon (244.0 km) — Tarascon (268.0 km)	22.0	190.0/190.0	11.40/11.40	3.00	7.40 ²³	Vb	A	
			190.0/190.0	11.40/11.40	3.00	7.40 ²³	Vb	A	
RHÔNE Tarascon (268.0 km) — Arles (283.0 km)	15.0	190.0/190.0	11.40/11.40	3.00	7.88 ²³	Vb	A		
		190.0/190.0	11.40/11.40	3.00	7.88 ²³	Vb	A		
RHÔNE Arles (283.0 km) — Fos ²⁴ via the Rhône — Fos Canal	43.0	190.0/190.0	11.40/11.40	3.20	No restrictions	Vb	A		
		190.0/190.0	11.40/11.40	3.20	No restrictions	Vb	A		
E 10-01	WESEL-DATTELN-KANAL	60.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			110.0/185.0	11.45/11.45	2.80	4.50	Vb ²⁵	C	
	DORTMUND-EMS-KANAL	2.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			110.0/185.0	11.45/11.45	2.80	4.25	Vb ²⁵	C	
	DATTELN-HAMM-KANAL To the West of Hamm Harbour	36.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			86.0/86.0	9.60/9.60	2.50	4.00	IV ^{25, 26}	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 10-01 (continued)	DATTELN-HAMM-KANAL	11.0	85.0/85.0	9.50/9.50	2.50	4.00	IV ^{25, 26}	C	
	To the East of Hamm Harbour		82.0/82.0	9.50/9.50	2.50	4.00	IV ^{25, 26}	C	
E 10-03	RHEIN-HERNE-KANAL	39.8	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
	0.16 km (Duisburg) — 39.97 km		110.0/185.0	11.45/11.45	2.50 ²⁷	4.50	Vb ^{25, 26}	C	
	RHEIN-HERNE-KANAL	5.6	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
			39.97 km — Henrichenburg	105.0/160.0	9.60/9.50	2.50	4.50	IV ²⁵	
E 10-05	RUHR	4.5	110.0/185.0	12.00/12.00	2.80	6.50	Vb	B	
	0.01 km — 4.51 km		110.0/185.0	12.00/12.00	2.80	6.50	Vb	B	
	RUHR	7.2	110.0/110.0	12.00/12.00	2.80	6.50	Va	B	
			4.51 km — 11.65 km	110.0/110.0	12.00/12.00	2.80	6.50	Va	
E 10-07	NECKAR	136.1	105.0/105.0	11.45/11.45	2.60	6.00 ²⁸	Va	B	
	0.0 km — 136.1 km		105.0/105.0	11.45/11.45	2.60	6.00 ²⁸	Va	B	
	NECKAR	65.4	105.0/105.0	11.45/11.45	2.60	5.50	Va	B	
			136.1 km — 201.5 km	105.0/105.0	11.45/11.45	2.60	5.50	Va	
E 10-09	RHINE	9.1	110.0/183.0	11.40/22.80	3.00 ²⁹	8.00	VIb	A	
	Niffer (Kembs) — Huningue		110.0/183.0	11.40/22.80	3.00 ²⁹	8.00	VIb	A	
	RHINE	3.4	135.0/180.0	11.40/22.90	3.00	7.00	VIb	A	
			Huningue — Bâle (Mittlere Brücke)	135.0/180.0	11.40/22.90	3.00	7.00	VIb	
	RHINE	17.4	110.0/110.0	11.45/11.45	2.25 ³⁰	5.10 ³¹	Va	A	
			Bâle (Mittlere Brücke) — Rheinfelden	110.0/110.0	11.45/11.45	2.25 ³⁰	5.10 ³¹	Va	
E 10-02	SAÔNE — MOSELLE LINK	304.0	.../185.0	11.40/11.40	3.00	7.00	Vb	A	Project of a new link
			38.5/38.5	5.00/5.00	1.80	3.50	I	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 10-04	PETIT RHÔNE Fourques — Saint-Gilles	21.0	190.0/190.0	11.40/11.40	2.20	5.24	Vb	B	
	RHÔNE — SÈTE CANAL Saint-Gilles — Sète		70.0	190.0/190.0	11.40/11.40	2.50	5.94	Va	
E 10-06	RHÔNE AND SAINT-LOUIS CANAL Barcarin — Fos	45.0	135.0/135.0	19.00/19.00	4.25	No restrictions	Va	A	Sea vessel route
			135.0/135.0	19.00/19.00	4.25	No restrictions	Va	A	
E 11	NOORDZEEKANAAL AND AMSTERDAM — RIJNKANAAL Ijmuiden — Zeeburg (Amsterdam) 5.9 km — 31.7 km	25.8	125.0/195.0 ³²	22.80/22.80	4.00 ³²	No restrictions	VIb	A	Noordzeekanaal and Binnen-IJ
	AMSTERDAM — RIJNKANAAL Zeeburg — Tiel	70.8	200.0/200.0	23.50/23.50	4.00	9.05	VIb	A	
			200.0/200.0	23.50/23.50	4.00	9.05	VIb	A	
				200.0/200.0	23.50/23.50	4.00	9.05	VIb	A
E 11-01	ZAAN Noordzeekanaal — Noord Hollands Kanaal	20.3	110.0/110.0	11.50/11.50	2.80	2.353 ⁷	Va	A	
			110.0/110.0	11.50/11.50	2.80	2.353 ⁷	Va	A	
E 11-02	LEKKANAAL	4.2	200.0/200.0	17.70/17.70	3.50	9.05	Vb	A	
			200.0/200.0	17.70/17.70	3.50	9.05	Vb	A	
E 12	MAAS — WAAL KANAAL Maas — Nijmegen Haven	10.72	137.5/193.0	15.50/13.50	3.20	9.79	Vb	A	
			137.5/193.0	15.50/13.50	3.20	9.79	Vb	A	
	MAAS — WAAL KANAAL Nijmegen Haven — Waal	2.65	193.0/193.0	15.50/15.50	3.70	12.30	Vb	A	
			193.0/193.0	15.50/15.50	3.70	12.30	Vb	A	
	WAAL Maas — Waal Kanaal — Pannerdense Kop	19.36	125.0/269.5	22.80/22.80	2.50 ¹³	9.00 ¹⁴	VIc	A	
			125.0/193.0	22.80/34.20 ³	2.50 ¹³	9.00 ¹⁴	VIc	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 12 (continued)	NEDER-RIJN	11.0	110.0/185.0	17.00/17.00	2.80	9.10	Va	A	
	Pannerdensche Kop — IJsselkop		110.0/110.0	17.00/17.00	2.50 ¹³	9.10	Va	A	
	IJSSEL	118.5	110.0/110.0	12.00/12.00	3.00	9.10	Va	A	
	IJsselkop — Ketelmeer		110.0/110.0	12.00/12.00	3.00	9.10	Va	A	
	IJSSELMEER	62.5	120.0/190.0	13.00/23.00	3.90	12.70	Vb	A	
	Ketelmeer — Lorentzsluis		120.0/120.0	13.00/13.00	3.50	12.70	Vb	A	
E 12-02	ZWARTE WATER AND MEPPERLIEDIEP	22.7	110.0/110.0	12.00/12.00	3.25	5.00 ³	Va	A	Via Meppelerdiep lock
	Zwolle — Meppel		110.0/110.0	12.00/12.00	3.25	5.00 ³	Va	A	
E 12-04	RAMSDIEP	23.8	110.0/110.0	11.50/11.50	3.00	5.00	Va	A	
	Ketelmeer — Zwartsluis		110.0/110.0	11.50/11.50	3.00	5.00	Va	A	
E 13	EMS	68.0					Vb	A	Sea vessel route
	North Sea — Papenburg						Vb	A	
	DORTMUND — EMS KANAL	117.5	95.0/95.0	9.50/9.50	2.50	4.50	IV ²⁵	C	
	225.82 km (Papenburg) — 108.35 km		95.0/95.0	9.50/9.50	2.50	4.25	IV ^{25, 26}	C	
	DORTMUND — EMS KANAL	86.9	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
	108.35 km — 21.50 km		110.0/185.0	11.45/11.45	2.50/2.00	4.25	IV ²⁵	C	
DORTMUND — EMS KANAL	20.1	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B		
21.50 km — 1.44 km		110.0/185.0	11.45/11.45	2.80	4.50	Vb ^{25, 26}	C		
E 14	WESER	84.0					VIb	A	Sea vessel route
	North Sea — Bremen (railway bridge)						VIb	A	
	WESER	7.0	220.0/220.0	12.00/12.00	3.00	4.50	Vb	A	
Bremen (railway bridge) — 360.7 km	110.0/172.0		11.45/11.45	3.00	4.50	Vb ^{25, 26}	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 14 (continued)	WESER	136.0	110.0/110.0	11.45/11.45	2.50	4.50	Va ^{25, 26}	C	
	360.7 km — Mittellandkanal		85.0/85.0	9.50/9.50	2.20	4.50	IV ^{25, 33}	C	
E 15	IJSSELMEER	77.5	190.0/190.0	17.50/17.50	3.50	No restrictions	Vb	A	
	Oranjesluizen — Prinses Margrietsluis		190.0/190.0	17.50/17.50	3.50	No restrictions	Vb	A	
	PRINSES MARGRIET KANAAL	65.0	110.5/110.5	11.50/11.50	3.50	7.30 ³	Va	A	
			110.5/110.5	11.50/11.50	3.20	7.30 ³	Va	A	
	VAN STARKENBORGH KANAAL	27.3	110.5/110.5	11.54/11.54	3.50	9.10	Va	A	
			110.5/110.5	11.50/11.50	3.20	6.80	Va	A	
	EEMSKANAAL Groningen — Woldbrug	19.7	144.0/144.0	13.00/13.00	4.50	No restrictions	Va	A	
			144.0/144.0	13.00/13.00	4.50	No restrictions	Va	A	
	EEMSKANAAL Woldbrug — Delfzijl	7.0	144.0/144.0	13.00/13.00	5.00	No restrictions	Va	A	
			144.0/144.0	13.00/13.00	5.00	No restrictions	Va	A	
	EMS Ems Kanal — Papenburg	53.0					Vb	A	Sea vessel route
							Vb	A	
	DORTMUND — EMS KANAAL 225.8 km (Papenburg) — 200.0 km	25.8	86.0/86.0	9.60/9.60	2.50	4.50	IV ²⁵	C	
			86.0/86.0	9.60/9.60	2.50	4.25	IV ^{25, 26}	C	
KÜSTENKANAL 69.6 km — 0.0 km	69.6	86.0/86.0	9.60/9.60	2.50	4.50	IV ^{25, 26}	C		
		86.0/86.0	9.60/9.60	2.50	4.50	IV ^{25, 26}	C		
HUNTE	24.0					Va	A	Sea vessel route	
						IV	B		
E 15-01	VAN HARINXMA CANAL	37.8	90.0/90.0	10.50/10.50	2.75	5.45 ³	IV	B	
	Fonejacht — Harlingen		90.0/90.0	10.50/10.50	2.75	5.45 ³	IV	B	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 20	ELBE Lower Elbe	89.0					VIb	A	Sea vessel route
						VIb	A		
	ELBE Hamburg – Lauenburg	38.0	110.0/190.0	11.45/24.00	2.70	5.50/9.50 ³⁴	VIb ³³	A	
			110.0/190.0	11.40/24.00	2.70	5.50/9.50 ³⁴	VIb ³³	A	
	ELBE Lauenburg – Wittenberge	113.0	110.0/190.0	11.45/24.00	1.60 ³⁵	6.50	VIb ³³	B	
			110.0/190.0	11.45/24.00	1.40 ³⁵	5.29/8.49 ³⁴	VIb ³³	B	
	ELBE Wittenberge – Germany/Czech Republic border	455.0	110.0/137.0	11.45/11.45	1.60 ³⁵	6.50	Va ³³	B	
			110.0/137.0	11.45/11.45	1.40 ³⁵	4.33/6.93 ³⁴	Va ³³	B	
	ELBE Germany/Czech Republic border – Ústí nad Labem	40.0	110.0/137.0	11.50/23.00	2.80	7.00	VIa	A	Regularized, canalization necessary
			110.0/137.0	11.50/23.00	0.90-2.80 ³⁶	6.50	Va	B	
ELBE Ústí nad Labem – Mělník	69.0	110.0/185.0 ³⁷	11.50/22.80 ³⁷	2.80	7.00	VIb	A	Canalized	
		110.0/170.0	11.50/23.00	2.00-2.20 ³⁶	5.66	Va	A		
ELBE Mělník – Chvaletice	102.2	110.0/185.0	12.00/12.00	2.80	7.00	Vb	A	Canalized	
		85.0/85.0	12.00/12.00	2.10	4.70	IV	C		
ELBE Chvaletice – Pardubice	24.8	110.0/185.0	12.00/12.00	2.80	7.00	Vb	A	Canalized. Přelouč II lock in project	
		.../...	.../...	IV ⁶	...		
ELBE – DANUBE CONNECTION Pardubice – Přerov – Bratislava	325.0	110.0/185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built	
		-	-	-	-	-	-		
E 20-02	ELBE – SEITENKANAL Lauenburg – Mittellandkanal	115.0	100.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			100.0/185.0	11.45/11.45	2.80	5.25	Vb ³⁸	B	
E 20-04	SAALE 0.0 km – 88.0 km	88.0	90.0/100.0	9.50/9.50	2.00	5.25	IV ^{26, 33}	B	
			85.0/110.0	9.50/9.50	1.00	4.10	IV ²⁶	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 20-04 (continued)	SAALE ³⁹	36.2	.../...	.../...	
	88.0 km — 124.2 km		.../...	.../...	I ⁶	...	
E 20-06	VLTAVA	91.0	110.0/110.0	11.40/11.40	2.50	5.25	Va	B	
	Mělník — Praha — (Slapy)		110.0/110.0	10.50/10.50	(1.20) 1.80 ⁴⁰	4.50	IV	C	
E 21	TRAVE	21.0					VIb	A	Sea vessel route
						VIb	A		
	KANALTRAVE, ELBE — LÜBECK KANAL	68.0	80.0/80.0	9.50/9.50	2.00	4.40	IV ^{25, 33, 41}	C	
	Lübeck — Lauenburg		80.0/80.0	9.50/9.50	2.00	4.40	IV ^{25, 33, 41}	C	
E 30	ODER	67.0	110.0/185.0	22.80/22.80	4.00	11.00	VIb	A	Sea vessel route
	Swinoujście — Szczecin		110.0/185.0	22.80/22.80	4.00	11.00	VIb	A	
	ODER	37.5	82.0/156.0	11.45/11.45	3.50	5.25	Va	B	Free-flowing
	Szczecin — Widuchova (741.6 km — 704.1 km)		82.0/156.0	11.45/11.45	2.50	5.17	IV	B	
	ODER	86.5	82.0/125.0	11.45/11.45	2.50	5.25	Va ⁴²	B	When going downstream
	Widuchova — Mouth of the Warta River		82.0/125.0	11.45/18.00	1.80 ³⁶	4.54	IV	C	
	704.1 km — 617.6 km		/137.0	/11.45					
			82.0/125.0	11.45/11.45	2.50	5.25	Va ⁴²	B	When going upstream
	/137.0	/11.45							
	/156.0	/9.50							

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 30 (continued)	ODER	75.2	82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴²	B	When going downstream
	Mouth of the Warta River – Mouth of the Nysa Luzycka River		82.0/125.0	11.45/11.45	1.40 ³⁶	4.47	III	C	
	617.6 km – 542.4 km		82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴²	B	When going upstream
			82.0/125.0	11.45/11.45	1.30 ³⁶	4.47	III	C	
			/137.0	/11.45	1.30				
		/156.0	/9.50	1.30					
	ODER, Mouth of the Nysa Luzycka River – Brzeg Dolny (542.4 km – 282.6 km)	259.8	70.0/118.0	9.00/9.00	1.60 ³⁶	4.00	III	C	Free-flowing
			70.0/118.0	9.00/9.00	1.20 ³⁶	3.72	II	C	
	ODER Brzeg Dolny – Kozle (282.6 km – 95.6 km)	187.0	70.0/118.0	9.00/9.00	1.70	5.25	IV	B	Canalized
			70.0/118.0	9.00/9.00	1.60	3.72	III	C	
ODER – DANUBE CONNECTION Kozle – Přerov	154.4	.../185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built	
		-	-	-	-	-	-		
ODER – DANUBE CONNECTION Přerov – Bratislava	173.0	.../185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built	
		-	-	-	-	-	-		
E 30-01	GLIWICE CANAL	41.2	70.0/118.0	11.40/11.40	2.50	4.04	IV	C	Canal
			70.0/118.0	11.40/11.40	1.70	4.04	III	C	
E 31	WESTODER	33.35	110.0/156.0	11.45/11.45	3.50	5.25	Va ³³	B	
			82.0/156.0	11.45/11.45	2.50	4.25	IV ^{25, 33}	C	
	HOHNSAATEN-FRIEDRICHSTHALER WASSERSTRAÙE	43.0	110.0/156.0	11.45/9.50	2.20	5.25	Va ³³	B	
			82.0/135.0	9.50/8.25	2.00	4.25	IV ^{25, 33}	C	
E 40	WISLA Gdansk – Mouth of the Wda River (813.5 km)	141.1	110.0/125.0	11.40/25.00	2.50	5.28	VIa	B	Free-flowing
			110.0/125.0	11.40/25.00	2.50	5.28	VIa	B	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 40 (continued)	WISLA	41.1	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Free-flowing
	Mouth of the Wda River — Bydgoszcz (813.5 km — 772.4 km)		85.0/110.0	11.40/11.40	1.40 ³⁶	5.13	IV	B	
	WISLA	97.6	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Practically non-navigable free-flowing section
	Bydgoszcz — Wloclawek (772.4 km — 674.8 km)		85.0/110.0	11.40/11.40	0.80 ³⁶	4.90	II	C	
	WISLA	42.0	110.0/110.0	11.40/11.40	2.50	7.00	Va	B	Canalized
	Wloclawek — Plock (674.8 km — 632.8 km)		110.0/110.0	11.40/11.40	2.50	7.00	Va	B	
	WISLA	112.8	.../...	.../...	Practically non-navigable free-flowing section
	Plock — Warszawa (632.8 km — 520.0 km)		85.0/-	11.40/-	0.80 ³⁶	5.80	-	B	
	ZERAN CANAL	25.0	83.0/83.0	11.40/11.40	2.50	5.90	IV	B	
	Zeran — Zegrze Lake		83.0/83.0	11.40/11.40	2.00	5.90	IV	B	
	BUG	220.0	.../...	.../...	Free-flowing. Canalization necessary
	Zegrze Lake — Brest ⁴³		-	-	0.80 ³⁶	-	< I	C	
	MUKHAVETS	62.6	.../...	.../...	Va	...	Canalized
	Brest — Kobrin		100.0/100.0 ⁴⁴	10.20/10.20	1.70	8.70	Va ³³	B	
DNEPROVSKO — BUZKIY CANAL	91.4	.../...	.../...	Va	...		
Kobrin — Pererub		100.0/100.0 ⁴⁴	10.20/10.20	1.70	10.00	IV ³³	B		
PINA	40.0	.../...	.../...	Va	...	Canalized	
Pererub — Pinsk		100.0/100.0 ⁴⁴	10.20/10.20	1.70	10.10	IV ³³	B		
PRIPYAT	49.2	.../...	.../...	Va	...	Canalized	
Pinsk — Stakhovo		100.0/100.0	10.20/10.20	2.10	No restrictions	Va ³³	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 40 (continued)	PRIPYAT	64.9	.../...	.../...	
	Stakhovo — Mouth of the Mikashevichi Canal		100.0/100.0	10.20/10.20	2.00	10.00	IV ³³	B	
	PRIPYAT	216.6	.../...	.../...	
	Mouth of the Mikashevichi Canal — Mozyr (PKhov)		100.0/100.0	20.00/20.00	2.00	10.20	IV ³³	B	
	PRIPYAT	107.0	.../...	.../...	
	Mozyr — Belarus/Ukraine border		100.0/100.0	20.00/20.00	1.45/1.50	No restrictions	IV ³³	B	
	PRIPYAT	62.5	.../...	.../...	
	Belarus/Ukraine border — mouth of the Pripyat River		100.0/100.0	20.00/20.00	1.50	No restrictions	IV ³³	B	
	DNIPRO	83.0	150.0/150.0	18.00/18.00	2.65	No restrictions	Va	A	Canalized
	Mouth of the Prypiat River — Kyiv		85.2/114.8	15.30/15.20	2.65	No restrictions	Va	A	
	DNIPRO Kyiv — Kanivska Hydroelectric Power Station (HPS) (856.0 km — 722.0 km)	134.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized
			114.1/170.0	13.23/15.20	3.65	No restrictions	Vb	A	
	DNIPRO, Kanivska HPS — Kremenchutska HPS 722.0 km — 556.0 km	166.0	270.0/270.0	18.00/18.00	3.65	13.20	Vb	A	Canalized
			114.0/170.0	13.23/15.20	3.65	13.20	Vb	A	
	DNIPRO Kremenchutska HPS — Seredniodniprovska HPS (556.0 km — 433.0 km)	123.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized
			138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A	
DNIPRO, Seredniodniprovska HPS — Dniproges (433.0 km — 305.0 km)	128.0	270.0/270.0	18.00/18.00	3.65	14.70	Vb	A	Canalized	
		138.3/170.0	16.70/15.20	3.65 ⁴⁵	14.70	Vb	A		
DNIPRO Dniproproges — Kakhovska HPS (305.0 km — 93.0 km)	212.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized	
		138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 40 (continued)	DNIPRO	65.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Free-flowing
	Kakhovska HPS — Kherson (93.0 km — 28.0 km)		138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A	
	DNIPRO	28.0	200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	Sea vessel route
	Kherson — Entry to Rvach Arm		200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	
	KHERSONSKYI SEA CHANNEL, entry to Rvach Arm — leading line of Adzhyholska Beak	40.0	200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	Sea vessel route
	200.0/200.0		32.50/32.50	7.60	No restrictions	VII	A		
E 40-01	DESNA	198.0	.../...	.../...	1.60	...	IV	...	Free-flowing
	From the mouth to Chernihiv (0.0 km — 198.0 km)		.../...	.../...	1.30	...	III	...	
E 40-02	PIVDENNYI BUH	81.4	215.0/215.0	32.50/32.50	10.30	No restrictions	VII	A	Sea vessel route
	Buzsko-Dniprovsko-Lymanskyi Channel (BDLC), sections 1-13		215.0/215.0	32.50/32.50	10.30	No restrictions	VII	A	
E 41	KURSHSKIY ZALIV AND NEMUNAS	65.3	110.0/110.0	12.00/12.00	1.80	No restrictions	IV	A	Free-flowing
	Klaipeda seaport — Nida — Nemunas mouth		100.0/100.0	10.00/10.00	1.30	No restrictions	IV	A	
	NEMUNAS	13.0	110.0/110.0	12.00/12.00	1.80	7.50	IV	B	Free-flowing
	Nemunas mouth — Rusnė		100.0/100.0	10.00/10.00	1.30	7.50	IV	B	
	NEMUNAS	100.0	110.0/110.0	12.00/12.00	1.80	2.50	IV	C	Free-flowing
	Rusnė — Smalininkai (Lithuania/Russian Federation border)		100.0/100.0	10.00/10.00	1.30	2.50	IV	C	
	NEMUNAS	13.0	110.0/110.0	12.00/12.00	1.80	10.80	IV	A	Free-flowing
	Smalininkai — Jurbarkas		100.0/100.0	10.00/10.00	1.30	10.80	IV	A	
	NEMUNAS	99.9	110.0/110.0	12.00/12.00	1.80	3.40	IV	C	Free-flowing
	Jurbarkas — Kaunas		100.0/100.0	10.00/10.00	1.00	3.40	IV	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 50	VOLGO-BALTIYSKIY WATERWAY AND RYBINSK RESERVOIR	947.0	170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	Canalized
	St. Petersburg — Rybinsk Lock		170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	
	VOLGA	2 158.0	280.0/280.0	28.50/28.50	3.10	11.70	Vic	A	
	Rybinsk Lock — Krasnoarmeysk		280.0/280.0	28.50/28.50	3.10 ⁴⁶	11.70	Vic	A	
	VOLGA	445.0	269.0/269.0	28.50/28.50	3.50	11.70	Vic	A	
	Krasnoarmeysk — Streletskoye		269.0/269.0	28.50/28.50	3.50	11.70	Vic	A	
E 50-02	VOLGA	257.0	280.0/280.0	29.00/29.00	3.60	13.60	Vic	A	Canalized
	Rybinsk — Dubna		280.0/280.0	29.00/29.00	3.60	13.60	Vic	A	
	KANAL IMENI MOSKVI	126.0	290.0/290.0	29.00/29.00	3.60	13.60	Vic	A	
	Dubna — Moscow Northern Port		290.0/290.0	29.00/29.00	3.60	13.60	Vic	A	
	KANAL IMENI MOSKVI AND MOSKVA	45.6	290.0/290.0	29.00/29.00	2.80	8.60 ⁴⁷	Vic	A	
	Moscow Northern Port — Moscow Southern Port		290.0/290.0	29.00/29.00	2.80	8.60 ⁴⁷	Vic	A	
E 50-02-02	VOLGA	115.0	135.0/135.0	29.00/29.00	3.70	No restrictions	VIa	A	Canalized
	Dubna — Tver		135.0/135.0	29.00/29.00	3.70	No restrictions	VIa	A	
E 50-01	KAMA	1 112.0	230.0/230.0	27.90/27.90	2.90 ⁴⁸	11.00	VIb	A	Canalized
	Mouth of the Kama River — Solikamsk		230.0/230.0	27.90/27.90	2.90 ⁴⁸	11.00	VIb	A	
E 50-01-01	BELAYA	34.0	166.0	27.00	3.10	11.00	VIb	A	Free-flowing
	Mouth of the Belaya River — mouth of Agidel canal — oil loading terminal		166.0	27.00	3.10	11.00	VIb	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 60	KIEL CANAL Brunsbüttel — Kiel — Holtenau	99.0					VIb	A	Sea vessel route
						VIb	A		
	VOLGO-BALTIYSKIY WATERWAY St. Petersburg — Vytegra	503.0	170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	Canalized
			170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	
	ONEGA LAKE Vytegra — Povenets	217.0	250.0/250.0	23.00/23.00	3.70	No restrictions	VIb	A	
			250.0/250.0	23.00/23.00	3.70	No restrictions	VIb	A	
BELOMORSKO-BALTIYSKIY CANAL Povenets — Belomorsk	221.0	126.0/126.0	13.20/13.20	3.60	No restrictions	Va	A		
		126.0/126.0	13.20/13.20	3.60	No restrictions	Va	A		
E 60-02	GUADALQUIVIR From the mouth to Sevilla	80.0	.../220.0	.../24.36	7.00	42.00	VIb	A	Sea vessel route
			.../220.0	.../24.36	7.00	42.00	VIb	A	
E 60-04	DOURO Porto — Portugal/Spain border	210.0	.../...	.../...	Canalized
			83.0/83.0 ⁴⁹	11.40/11.40	3.80 ⁵⁰	7.00 ⁵¹	IV	B	
E 60-06	GIRONDE AND GARONNE From the mouth to Bec d'Ambès/le Verdon	70.0					VII	A	Sea vessel route
						VII	A		
	GIRONDE AND GARONNE Bec d'Ambès/le Verdon — Cadillac	49.0	100.0/100.0	15.00/15.00	3.50	6.50	Va	A	
			100.0/100.0	15.00/15.00	3.50	6.50	Va	A	
GIRONDE AND GARONNE From Cadillac to Castets-en-Dorthe	19.0	90.0/90.0	15.00/15.00	2.50	7.00	IV	A		
		90.0/90.0	15.00/15.00	2.50	7.00	IV	A		
E 60-08	LOIRE From Saint-Nazaire to Nantes	52.0					VII	A	Sea vessel route
						VII	A		
E 60-10	WADDENZEE From Outer Buoy to Harlingen	44.6	140.0/140.0	No restrictions	6.00	No restrictions	VIc	A	Sea vessel route
			140.0/140.0	No restrictions	6.00	No restrictions	VIc	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 60-12	WADDENZEE	60.0	260.0/260.0	40.00/40.00	10.60	No restrictions	VIc	A	Sea vessel route
	From Outer Buoy to Delfzijl		260.0/260.0	40.00/40.00	10.60	No restrictions	VIc	A	
E 60-01	MERSEY	17.0			10.00		VIa	A	Sea vessel route
	Waterway Limit – Eastham Locks				10.00		VIa	A	
	MANCHESTER SHIP CANAL	8.0	170.7/170.7	21.94/21.94	8.78	No restrictions	VIa	A	Sea vessel route
	Eastham Locks – Ince		170.7/170.7	21.94/21.94	8.78	No restrictions	VIa	A	
	MANCHESTER SHIP CANAL	10.0	161.5/161.5	19.35/19.35	8.07	No restrictions	VIa	A	Sea vessel route
	Ince – Runcom		161.5/161.5	19.35/19.35	8.07	No restrictions	VIa	A	
	MANCHESTER SHIP CANAL	36.0	161.5/161.5	19.35/19.35	7.31	21.33	VIa	A	Sea vessel route
	Runcom – Mode Wheel Locks		161.5/161.5	19.35/19.35	7.31	21.33	VIa	A	
MANCHESTER SHIP CANAL	2.0	161.5/161.5	19.35/19.35	5.48	21.33	VIa	A	Sea vessel route	
Mode Wheel Locks – Trafford Road Bridge		161.5/161.5	19.35/19.35	5.48	21.33	VIa	A		
E 60-03	HUMBER	18.0					VIb	A	Sea vessel route
	Up to Hull						VIb	A	
	HUMBER	27.0				30.00	VIb	A	Sea vessel route
	Hull – Trent Falls					30.00	VIb	A	
OUSE (YORKSHIRE)	4.5	88.0/88.0	14.00/14.00	5.00	No restrictions	Va	A	Sea vessel route	
Goole – Howdendyke		88.0/88.0	14.00/14.00	5.00	No restrictions	Va	A		
E 60-03-01	MEDWAY/SWALE	10.0	102.0/102.0	17.00/17.00	6.20	No restrictions	Va	A	Sea vessel route
	Sheerness – Ridham		102.0/102.0	17.00/17.00	6.20	No restrictions	Va	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 60-03-03	MEDWAY	11.0			13.00	No restrictions	VIb	A	Sea vessel route
	Sheerness — Kings North				13.00	No restrictions	VIb	A	
	MEDWAY	11.0	118.8/118.8	No restrictions	8.00	No restrictions	VIa	A	Sea vessel route
	Kings North — Rochester		118.8/118.8	No restrictions	8.00	No restrictions	VIa	A	
E 60-03-05	THAMES	50.0			13.00 ⁵	54.00	VIb	A	Sea vessel route
	Canvey Point — Thames Barrier				13.00 ⁵	54.00	VIb	A	
	THAMES	14.0	160.0/160.0	30.00/30.00	4.20 ⁵	42.00	VIa	A	Sea vessel route
	Thames Barrier — London Bridge		160.0/160.0	30.00/30.00	4.20 ⁵	42.00	VIa	A	
	THAMES	15.0	90.0/90.0	20.00/20.00	1.40 ⁵	4.90 ⁵²	Va	B	
	London Bridge — Hammersmith Bridge		90.0/80.0	20.00/20.00	1.40 ⁵	4.90 ⁵²	Va	B	
E 60-03-07	COLNE	12.0	96.0/96.0		4.50	No restrictions	Va	A	Sea vessel route
	Up to Rowhedge		96.0/96.0		4.50	No restrictions	Va	A	
E 60-03-09	STOUR (SUFFOLK)	15.0	75.0/75.0	18.00/18.00	4.00	No restrictions	IV	A	Sea vessel route
	Up to Mistley		75.0/75.0	18.00/18.00	4.00	No restrictions	IV	A	
E 60-03-11	ORWELL	20.0	140.0/140.0		7.40		VIa	A	Sea vessel route
	Up to Ipswich		140.0/140.0		7.40		VIa	A	
E 60-03-13	GREAT OUSE	3.0	140.0/140.0	20.00/20.00	5.52	No restrictions	VIa	A	Sea vessel route
	The Wash — Kings Lyn		140.0/140.0	20.00/20.00	5.52	No restrictions	VIa	A	
E 60-03-15	NENE	23.0	120.0/120.0	17.00/17.00	6.00	No restrictions	Va	A	Sea vessel route
	The Wash — Bevis Hill (near Wisbech)		120.0/120.0	17.00/17.00	6.00	No restrictions	Va	A	
E 60-03-17	WELLAND	8.0	90.0/90.0			No restrictions	Va	A	Sea vessel route
	The Wash — Fossdyke Bridge		90.0/90.0			No restrictions	Va	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 60-03-19	WITHAM	8.0	120.0/120.0	13.60/13.60	5.30	No restrictions	Va	A	Sea vessel route
	The Wash — Boston (i.e., the Haven)		120.0/120.0	13.60/13.60	5.30	No restrictions	Va	A	
E 60-03-21	TRENT	15.0			5.00	No restrictions	Va	A	Sea vessel route
	Trent Falls — Keadby Bridge				5.00	No restrictions	Va	A	
	TRENT	27.0			3.05	5.10	IV	C	Sea vessel route
	Keadby Bridge — Gainsborough				3.05	5.10	IV	C	
E 60-03-02	TAY	12.0	240.0/240.0	40.00/40.00	8.90	No restrictions	VIb	A	Sea vessel route
	Buddon Ness — Tay Road Bridge		240.0/240.0	40.00/40.00	8.90	No restrictions	VIb	A	
	TAY	10.0	240.0/240.0	40.00/40.00	8.90	22.00	VIb	A	Sea vessel route
	Tay Road Bridge — Balmerino		240.0/240.0	40.00/40.00	8.90	22.00	VIb	A	
	TAY	28.0	90.0/90.0	13.50/13.50	4.90	22.00	Va	A	Sea vessel route
	Belmerino — Perth		90.0/90.0	13.50/13.50	4.90	22.00	Va	A	
E 60-03-04	FORTH	21.0	183.0/183.0	26.20/26.20	11.00	No restrictions	VIb	A	Sea vessel route
	Inland Waterway Limit — Grangemouth		183.0/183.0	26.20/26.20	11.00	No restrictions	VIb	A	
E 60-03-06	TYNE	18.0			11.00	No restrictions	VIb	A	Sea vessel route
	Mouth — Newcastle				11.00	No restrictions	VIb	A	
E 60-03-08	TEES	14.0	/305.0	/48.00	17.00	87.90 ⁵³	VIb	A	Sea vessel route
	Mouth — Middlesbrough		/305.0	/48.00	17.00	87.90 ⁵³	VIb	A	
E 60-05	OSLOFJORD	100.0 ⁶	.../...	.../...	A	Sea vessel route
			.../...	.../...	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 60-07	GÖTA ÄLV	11.0 ⁶	125.0/125.0	16.50/16.50	5.40	...	Va	A	
			125.0/125.0	16.50/16.50	5.40	...	Va	A	
	TROLLHÄTTE CANAL	82.0	89.0/89.0	13.40/13.40	5.40	...	IV	B	
			89.0/89.0	13.40/13.40	5.40	...	IV	B	
E 60-09	SÖDERTÄLJE CANAL ⁵⁴	6.0	160.0 ⁵⁵	23.00 ⁵⁵	7.00 ⁵⁵	...	Va	A	
			124.0/124.0	18.00/18.00	6.50	...	Va	A	
	LAKE MÄLAREN	120.0	160.0 ⁵⁵	23.00 ⁵⁵	7.00 ⁵⁵	...	Va	A	
			.../...	.../...	Va	A	
E 60-14	Stralsund — Peenemünde — Wolgast — Szczecin	60.0 ⁶					VIb	A	Sea vessel route
							VIb	A	
E 60-11	SAIMAA CANAL	40.0	110.0/110.0	15.00/15.00	4.35	24.50	Va	A	Canalized
	Vyborg — Mälkiä Lock		82.5/82.5	12.60/12.60	4.35	24.50	IV	B	
	Mälkiä Lock — Kuopio	300.0	110.0/110.0	15.00/15.00	4.35	24.50	Va	A	
			110.0/110.0	12.60/12.60	4.35	24.50	Va	A	
	Kuopio — Iisalmi	100.0	110.0/110.0	12.60/12.60	3.60	12.00	Va	A	
			110.0/110.0	12.60/12.60	2.40	12.00	Va	A	
E 60-11-02	From E 60-11 to Joensuu	140.0	110.0/110.0	12.60/12.60	4.35	24.50	Va	A	Canalized
			110.0/110.0	12.60/12.60	4.35	24.50	Va	A	
	Joensuu — Nurmes	150.0	80.0/80.0	11.80/11.80	2.40	10.50	IV	B	Partly canalized
			80.0/80.0	11.80/11.80	2.40	10.50	IV	B	
E 61	PEENE	65.0	82.0/156.0	9.50/9.50	2.20	5.00	IV ²⁵	C	
	From Peenestrom to Demmin		82.0/156.0	9.50/9.50	2.20	5.00	IV ²⁵	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 70	NIEUWE WATERWEG	19.7	200.0/200.0	23.50/23.50	12.20	No restrictions	VIb	A	
	Europoort – Botlek		200.0/200.0	23.50/23.50	12.20	No restrictions	VIb	A	
	NIEUWE MAAS	23.8	200.0/200.0	23.50/23.50	6.00	11.50 ³	VIb	A	Sea vessel route
	Botlek – Krimpen		200.0/200.0	23.50/23.50	6.00	11.50 ³	VIb	A	
	LEK	60.7	110.0/185.0	11.50/22.80	3.00	9.10	VIb	A	
	Krimpen – Wijk bij Duurstede		110.0/185.0	11.50/22.80	3.00	9.10	VIb	A	
	NEDER-RIJN	52.7	110.0/185.0	11.50/17.00	3.00	9.10	Vb	A	Canalized
	Wijk bij Duurstede – IJsselkop		110.0/185.0	11.50/17.00	3.00	9.10	Vb	A	
	IJSSEL	43.6	110.0/110.0	11.50/11.50	3.00	9.10	Va	A	Bridge height in closed position 5.25 m
	IJsselkop – Zutphen		110.0/110.0	11.50/11.50	3.00	9.10	Va	B	
	TWENTEKANAAL	36.2	110.0/110.0	11.50/11.50	2.80 ⁵⁶	6.00	Va	B	
	Zutphen – Delden		110.0/110.0	9.50/9.50	2.50	6.00	IV	B	
	TWENTEKANAAL	14.0	110.0/110.0	9.75/9.75	2.60	6.00	Va	B	
	Delden – Enschede		110.0/110.0	11.50/11.50	2.20	6.00	IV	B	
110.0/110.0			9.50/9.50	2.50					
TWENTE – MITTELLANDKANAL ³⁹	55.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B		
Enschede – Bergeshövede		-	-	-	-	-	-		
MITTELLANDKANAL (including the Rothenseer – Verbindungskanal)	326.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B		
		110.0/185.0	11.45/11.45	2.50	4.00	IV ^{25, 33}	C		
ELBE – HAVEL KANAL	56.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B		
		80.0/125.0	9.00/8.25	2.00	4.30	IV ^{25, 33, 57}	C		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 70 (continued)	UNTERE HAVEL-WASSERSTRAÙE	68.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
	Plaue – Spree		86.0/86.0	9.50/9.50	1.90	3.55	IV ^{25, 33}	C	
	HAVEL-ODER-WASSERSTRAÙE	92.5	110.0/110.0	11.45/11.45	2.20	5.25	Va ³³	B	Spandau Lock not in operation
	0.0 km – 92.5 km		/156.0	/9.00					
	ODER	49.4	82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴²	B	When going downstream
	Mouth of the Havel – Oder WasserstraÙe – Kostrzyn		82.0/125.0	11.45/11.45	³⁶	4.54	IV	C	
			/137.0	/11.45	1.60				When going upstream
			82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴²	B	
	WARTA – NOTEC – BYDGOSKI CANAL – BRDA	294.0	.../...	.../...	Canal and free-flowing rivers
	Kostrzyn – Bydgoszcz		57.0/96.0	9.00/9.00	1.30	3.57	II	C	
	WISLA	41.1	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Free-flowing
	Mouth of Brda River – Mouth of Wda River		85.0/110.0	11.40/11.40	1.40 ³⁶	5.13	IV	B	
	WISLA	73.0	110.0/125.0	11.40/25.00	2.50	5.28	VIa	B	Free-flowing
	Mouth of Wda River – Biala Góra		110.0/125.0	11.40/25.00	2.50	5.28	VIa	B	
WISLA	44.4	110.0/125.0	11.40/25.00	2.50	5.28	VIa	B	Free-flowing	
Biala Góra – Gdanska Glova (886.6 km – 931.0 km)		110.0/125.0	11.40/25.00	2.50	5.28	VIa	B		
SZKARPAWA	25.4	85.0/118.0	11.40/11.40	2.50	7.08	Vb	A		
Gdanska Glova – Elblag		85.0/118.0	11.40/11.40	1.60	7.08	III	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 70 (continued)	NOGAT	62.0	56.0/118.0	9.00/9.00	2.00	4.60	III	C	Canalized
	Biala Góra — Elblag ⁵⁸		56.0/118.0	9.00/9.00	1.60	4.60	II	C	
	ZALEW WISLANY	96.0	110.0/185.0	11.40/11.40	2.50	No restrictions	Vb	A	
	Elblag — Kaliningrad		110.0/185.0	11.40/11.40	2.50	No restrictions	Vb	A	
	PREGEL	49.0	.../...	.../...	IV	B	Modernization and reconstruction necessary
	Kaliningrad — Gvardeysk		60.0/80.0	6.60/6.60	1.40 ⁵⁹	5.70	II	B	
	DEYMA	37.5	.../...	.../...	IV	B	
	Gvardeysk — Mouth of Deyma		60.0/80.0	5.05/5.05	1.20 ⁵⁹	7.54	I	B	
	KURSHSKIY ZALIV	77.9	.../...	.../...	...	No restrictions	IV	A	
	Mouth of Deyma — Lithuania/Russian Federation border		.../...	.../...	...	No restrictions	IV	A	
	KURSHSKIY ZALIV	4.0	.../...	.../...	1.80	No restrictions	IV	A	
	Lithuania/Russian Federation border — Nida		.../...	.../...	1.40	No restrictions	IV	A	
KURSHSKIY ZALIV	39.1	110.0/110.0	12.00/12.00	1.80	No restrictions	IV	A		
Nida — Klaipeda sea port		100.0/100.0	10.00/10.00	1.30	No restrictions	IV	A		
E 70-01	HOLLANDSCHE IJSSEL	19.7	110.0/110.0	11.50/11.50	3.60	8.50 ³	Va	A	
	Krimpen — Gouda		110.0/110.0	11.50/11.50	3.60	8.50 ³	Va	A	
E 70-03	ZIJKANAAL	17.6	110.0/110.0	9.75/9.75	2.50	6.00	Va	B	
	From Twentekanaal to Almelo		110.0/110.0	9.75/9.75	2.50	6.00	IV	B	
E 70-02	Mittellandkanal branch to Osnabrück	13.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
			82.0/82.0	9.50/9.50	2.00	4.00	IV ^{25, 26, 33}	C	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 70-04	Mittellandkanal branch to Hannover — Linden	10.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			82.0/82.0	9.50/9.50	2.20	4.00	IV ^{25, 33}	C	
E 70-06	Mittellandkanal branch to Hildesheim	15.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
			82.0/82.0	9.50/9.50	2.20	4.00	IV ^{25, 33}	C	
E 70-08	Mittellandkanal branch to Salzgitter	18.0	100.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			100.0/185.0	11.45/11.45	2.50	5.25	Vb	B	
E 70-05	HAVELKANAL	35.0	110.0/110.0	11.45/11.45	2.00	5.25	Va ^{26, 33, 60}	B	
			86.0/125.0	9.50/8.25	1.90	4.50	IV ^{25, 33}	C	
E 70-10	SPREE From km 0.0 to Westhafenkanal and Westhafenkanal	9.0	110.0/110.0	11.45/11.45	2.80	5.25	Va/Vb	B	
			110.0/185.0						
	SPREE From Westhafen Berlin to Britzer Verbindungskanal	14.0	85.0/85.0	9.50/9.50	2.00	4.00	IV ^{25, 33}	C	
			82.0/82.0	9.50/9.50	2.00	3.51	IV ^{25, 33}	C	
E 70-12	BERLIN — SPANDAUER SCHIFFFAHRTSKANAL From km 0.0 to Westhafen Berlin	8.0	110.0/110.0	11.45/11.45	2.20	4.00	Va ^{25, 33}	C	
			/156.0	/9.00					
E 71	TELTOWKANAL AND BRITZER VERBINDUNGSKANAL	31.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
			80.0/91.0	9.00/9.00	1.75	4.40	IV ^{25, 33}	C	
	SPREE-ODER-WASSERSTRAÙE From the Britzer Verbindungskanal to Oder — Spree Kanal	18.0	82.0/156.0	9.50/8.25	2.00	2.97	IV ^{25, 33}	C	
			/91.0	/9.00					
			82.0/125.0	9.50/8.25	2.00	2.97	IV ^{25, 33}	C	
			/91.0	/9.00					

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 71 (continued)	SPREE-ODER-WASSERSTRASSE	86.0	67.0/91.0	8.25/8.25	2.00	4.00	III	C	
	From Oder — Spree Kanal to Oder		67.0/91.0	8.25/8.25	1.85	4.00	III	C	
E 71-02	POTSDAMER HAVEL	30.0	86.0/86.0	9.50/9.50	2.00	3.80	IV ^{25, 33}	C	
			86.0/86.0	9.50/9.50	1.90	3.80	IV ^{25, 33}	C	
E 71-04	TELLOWKANAL — OSTSTRECKE	7.0	82.0/82.0	9.50/9.50	2.00	4.30	IV ^{25, 33}	C	
			82.0/82.0	9.50/9.50	1.75	4.30	IV ^{25, 33}	C	
E 71-06	DAHME-WASSERSTRASSE From 0.0 km to 8.65 km and Notte	10.0	82.0/82.0	9.50/9.50	2.00	3.95	IV ^{25, 33}	C	
			/156.0	/8.25					
E 80	LE HAVRE — TANCARVILLE CANAL	19.0	185.0/185.0	14.00/14.00	3.50	7.00 ⁶¹	Vb	A	
			185.0/185.0	14.00/14.00	3.50	7.00 ⁶¹	Vb	A	
E 80	SEINE Tancarville — Rouen	96.1					VII	A	Free-flowing
							VII	A	Sea vessel route
E 80	SEINE Rouen — Conflans	171.0	180.0/180.0	11.40/15.00	3.50	5.95-11.82	Vb	A	Canalized
			180.0/180.0	11.40/15.00	3.50	5.95-11.82	Vb	A	
E 80	OISE Conflans — Creil	59.0	180.0/180.0	11.40/11.40	3.00	6.50	Vb	A	Works in progress
			180.0/180.0	11.40/11.40	2.50	5.25	Vb	B	
E 80	OISE Creil — Compiègne	39.7	180.0/180.0	11.40/11.40	3.00	6.50	Vb	A	
			180.0/180.0	11.40/11.40	2.50	5.25	Vb	B	
E 80	SEINE — MOSELLE LINK ⁶² Compiègne — Neuves Maisons	250.0	.../...	.../...	Project of a new link
			-	-	-	-	-	-	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80 (continued)	MOSELLE	96.0	170.0/170.0	11.40/11.40	3.00	6.17 ⁶³	Vb	A	
	Neuves Maisons — Metz		170.0/170.0	11.40/11.40	3.00	6.17 ⁶³	Vb	A	
	MOSELLE	55.0	170.0/170.0	11.40/11.40	3.00	6.17 ⁶³	Vb	A	
	Metz — Apach		170.0/170.0	11.40/11.40	3.00	6.17 ⁶³	Vb	A	
	MOSELLE	242.4	110.0 ⁶⁴ /185.0	11.45/11.45	2.80	6.17 ⁶³	Vb	A	
	Apach — Koblenz (242.4 km — 0.0 km)		110.0 ⁶⁴ /172.1	11.45/11.45	2.80	6.17 ⁶³	Vb	A	
	RHINE	31.7	135.0/193.0	22.80/34.35 ¹⁶	2.50 ¹⁷	9.10	Vic	A	
	Koblenz (596.0 km) — 564.3 km		/269.5	/22.90					
			135.0/193.0	22.80/34.35 ¹⁶	2.50 ¹⁷	9.10	Vic	A	
		/269.5	/22.90						
	RHINE	24.1	135.0 ¹⁸ /116.5	22.80/22.90	2.10 ¹⁷	9.10	VIa	A	When going
	564.3 km — 540.2 km		135.0 ¹⁸ /116.5	22.80/22.90	2.10 ¹⁹	9.10	VIa	A	downstream
			135.0 ¹⁸ /186.5	22.80/22.90	2.10 ¹⁷	9.10	VIb	A	When going upstream
			135.0 ¹⁸ /186.5	22.80/22.90	2.10 ¹⁹	9.10	VIb	A	
RHINE	40.2	135.0/193.0	22.80/22.90	2.10 ¹⁷	9.10	VIb	A		
540.2 km — Mainz (500.0 km)		/153.0	/34.35						
		135.0/193.0	22.80/22.90	2.10 ¹⁹	9.10	VIb	A		
	/153.0	/34.35							
MAIN	37.2	110.0/190.0	14.00/14.00	2.90	6.00	Vb	B		
0.0 km — 37.2 km		110.0/190.0	14.00/14.00	2.70	6.00	Vb	B		
MAIN	46.8	110.0/190.0	11.45/11.45	2.90	6.00 ⁶⁵	Vb	B		
37.2 km — 84.0 km		110.0/190.0	11.45/11.45	2.70	6.00 ⁶⁵	Vb	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80 (continued)	MAIN 84.0 km — 260.0 km	176.0	110.0/190.0	11.45/11.45	2.70	6.00	Vb	B	
			110.0/190.0	11.45/11.45	2.70	6.00	Vb	B	
	MAIN 260.0 km — 384.0 km	124.0	110.0/190.0	11.45/11.45	2.70	6.00	Vb ²⁶	B	
			110.0 ⁶⁶ /110.0	11.45/11.45	2.30	6.00	Va ^{26, 33}	B	
	MAIN — DONAU KANAL 0.0 km — 7.4 km	7.4	110.0 ⁶⁶ /190.0	11.45/11.45	2.80	6.00 ⁶⁷	Vb ²⁶	B	
			110.0 ⁶⁶ /190.0	11.45/11.45	2.60	6.00 ⁶⁷	Vb ²⁶	B	
	MAIN — DONAU KANAL 7.4 km — 171.0 km	163.6	110.0 ⁶⁶ /190.0	11.45/11.45	2.80 ⁶⁸	6.00	Vb ²⁶	B	
			110.0 ⁶⁶ /190.0	11.45/11.45	2.70 ⁶⁸	6.00	Vb ²⁶	B	
	DANUBE 2 411.6 km — 2 376.8 km	34.8	110.0/185.0	11.45/11.45	2.70 ⁶⁹	6.00	Vb ²⁶	B	
			110.0/185.0	11.40/11.40	2.70 ⁶⁹	6.00	Vb ²⁶	B	
	DANUBE 2 376.8 km — 2 328.4 km	48.4	110.0/185.0	11.45/22.90	2.70 ⁶⁹	8.00	VIb ⁷⁰	A	
			110.0/185.0	11.40/22.80	2.70 ⁶⁹	5.75 ⁷¹	VIb ⁷⁰	A	
	DANUBE 2 328.4 km — 2 249.0 km	79.4	110.0/185.0	11.45/22.90 ⁷²	2.70 ⁶⁹	8.00	VIb ^{26, 70}	A	
			110.0/110.0	11.40/22.80 ⁷²	2.70 ⁶⁹	4.74 ^{71, 73}	VIa ^{25, 26, 33}	B	
	DANUBE 2 249.0 km — 2 201.8 km	47.2	120.0/180.0	22.90/22.90	2.70 ⁶⁹	8.00	VIb ^{25, 26, 33}	A	
			120.0/185.0	22.80/22.80	2.70 ⁶⁹	4.61 ⁷⁴	VIb ^{25, 26, 70}	B	
DANUBE 2 201.8 km — 2 038.2 km	163.6	.../230.0	23.00/23.00	3.00 ⁷⁵	8.00	VIb	A		
		.../230.0	23.00/23.00	3.00 ⁷⁵	7.96 ⁷⁶	VIb	A		
DANUBE 2 038.2 km — 2 008.0 km	30.2	.../230.0	23.00/23.00	3.00 ⁷⁷	8.00	VIb	A		
		.../230.0	23.00/23.00	3.00 ⁷⁸	8.00	VIb	A		
DANUBE 2 008.0 km — 1 949.2 km	58.8	.../230.0	23.00/23.00	3.00 ⁷⁵	8.00	VIb	A		
		.../230.0	23.00/23.00	3.00 ⁷⁵	7.67 ⁷⁹	VIb	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80 (continued)	DANUBE	28.2	.../275.0	23.00/23.00	3.00 ⁷⁵	8.00	VIc	A	
	1 949.2 km — 1 921.0 km		.../275.0	23.00/23.00	3.00 ⁷⁵	7.71 ⁸⁰	VIc	A	
	DANUBE	40.7	.../195.0	23.00/23.00	3.00 ⁷⁷	10.00	VIc	A	When going downstream Maximum
	1 921.0 km — 1 880.3 km		.../110.0	23.00/35.00					4 barges/ cargo vessels
			.../195.0	23.00/23.00	3.00 ⁷⁸	10.00	VIb	A	
			.../110.0	23.00/35.00					
			.../275.0	23.00/12.00	3.00 ⁷⁷	10.00	VIc	A	When going upstream Maximum
		.../195.0	23.00/23.00					4 barges/ cargo vessels	
	DANUBE	18.3	.../275.0	22.80/22.80	3.50	9.10	VIc	A	
	Devín — Bratislava (1 880.3 km — 1 862.0 km)		.../210.0	22.80/22.80	2.50	9.10	VIc	A	
	DANUBE DERIVATION CANAL	51.0	.../275.0	22.80/34.20	3.50	9.10	VIc	A	
	Bratislava — Sap (1 862.0 km — 1 811.0 km)		.../275.0	22.80/34.20 ⁸¹	2.50	8.90	VIc	A	
	DANUBE	27.0	.../200.0	.../34.20	3.50/2.50 ⁸²	9.10	VIc	A	When going
	1 811.0 km — 1 784.0 km ⁸³		.../160.0	.../38.00	2.50	9.09	VIb	A	downstream
			.../280.0	.../22.80	3.50/2.50 ⁸²	9.10	VIc	A	When going upstream
			.../220.0	.../24.00	2.50	9.09	VIb	A	
DANUBE	75.8	.../200.0	.../34.20	3.50/2.50 ⁸²	9.10	VIc	A	When going	
1 784.0 km — 1 708.2 km ⁸³		.../220.0	.../38.00	2.00	8.86	VIb	A	downstream	
		.../280.0	.../22.80	3.50/2.50 ⁸²	9.10	VIc	A	When going upstream	
		.../220.0	.../38.00	2.00	8.83	VIb	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80 (continued)	DANUBE Ipoly mouth – Budapest (1 708.2 km – 1 652.0 km) ⁸⁴	56.2	/225.0	/38.00	2.50	8.81	VIc	A	When going downstream
	/225.0		/38.00	2.00	8.81	VIb	A		
	225.0/285.0		38.00/27.00	2.50	8.78	VIc	A	When going upstream	
	225.0/285.0		38.00/27.00	2.00	8.78	VIb	A		
	DANUBE Budapest (1 652.0 km – 1 632.0 km) ^{85, 86}	20.0	/225.0	/38.00	2.50	8.87	VIc	A	When going downstream
	195.0/220.0		46.00/27.00	2.00	8.87	VIb-VIc (1 641 km)	A		
	225.0/285.0		38.00/27.00	2.50	8.78	VIc	A	When going upstream	
	225.0/285.0		38.00/27.00	2.00	8.78	VIb-VIc (1 641 km)	A		
	DANUBE Budapest – Mohács (1 632.0 km – 1 449.0 km) ⁸⁷	183.0	/225.0	/48.00	2.50	8.47	VIc	A	When going downstream
	/225.0		/48.00	1.90	8.47	VIc	A		
	/300.0		/38.00	2.50	8.78	VIc	A	When going upstream	
	/300.0		/38.00	1.90	8.78	VIc	A		
	DANUBE Mohács – South border (1 449.0 km – 1 433.0 km) ⁸⁸	16.0	/(300.0)	/(38.00)	2.50	-	VIc	A	
	/(300.0)		/(38.00)	2.50	-	VIc	A		
DANUBE 1 433.0 km – 1 366.0 km	67.0	110.0/280.0	11.40/34.20	2.50	9.10	VIc	A	Free-flowing	
No restrictions		No restrictions	2.50	8.15	VIc	A			
DANUBE 1 366.0 km – 1 295.5 km	70.5	110.0/280.0	11.40/34.20	2.50	9.10	VIc	A	Free-flowing	
No restrictions		No restrictions	2.50	9.70	VIc	A			
DANUBE 1 295.5 km – 1 215.0 km	80.5	110.0/285.0	11.40/22.80	...	9.10	VIc	A	Free-flowing	
110.0/285.0		11.40/22.80	2.50	6.82 ⁸⁹	VIc	B			

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80 (continued)	DANUBE 1 215.0 km — 1 175.0 km	40.0	110.0/285.0	11.40/34.20	A	Free-flowing
	No restrictions		No restrictions	2.50	No restrictions	Vic	A		
	DANUBE 1 175.0 km — 1 075.0 km	100.0	.../...	.../...	VII	A	Canalized
	No restrictions		No restrictions	3.50	9.15	VII	A		
	DANUBE 1 075.0 km — 947.0 km	128.0	140.0/300.0	15.00/33.00	3.50	23.71 ⁹⁰	VII	A	Canalized
	No restrictions		No restrictions	3.50	No restrictions	VII	A		
	DANUBE 947.0 km — 931.0 km	16.0	140.0/300.0	15.00/33.00	3.50	...	VII	A	Canalized
	No restrictions		No restrictions	3.50	10.00 ⁹¹	VII	A		
	DANUBE 931.0 km — 866.0 km	65.0	140.0/300.0	15.00/33.00	3.50	...	VII	A	Canalized
	No restrictions		No restrictions	3.50	No restrictions	VII	A		
	DANUBE 866.0 km — 860.0 km	6.0	140.0/300.0	15.00/33.00	3.50	...	VII	A	Free-flowing from 863.0 km
	No restrictions		No restrictions	3.50	13.50 ⁹²	VII	A		
	DANUBE 860.0 km — 845.0 km	15.0	140.0/300.0	15.00/33.00	3.50	...	VII	A	Free-flowing
	No restrictions		No restrictions	3.50	No restrictions	VII	A		
DANUBE 845.0 km — 375.0 km	470.0	140.0/300.0	15.00/33.00	2.50	13.91 ⁹³	VII	A	Free-flowing	
No restrictions		No restrictions	2.50	...	VII	A			
DANUBE 375.0 km — 170.0 km	205.0	140.0/300.0	15.00/33.00	VII	A	Free-flowing	
No restrictions		No restrictions	VII	A			
DANUBE 170.0 km — 0.0 km	170.0	180.0/180.0	40.00/40.00	7.01	...	VII	A	Free-flowing	
No restrictions		No restrictions	...	No restrictions	VII	A			

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80-02	SEINE	26.0					VII	A	Free-flowing
	Tancarville — Estuary						VII	A	Sea vessel route
E 80-04	SEINE	62.0	180.0/180.0	11.40/11.40	3.00-3.50	5.15 ⁹⁴	Vb	A	Canalized
	Conflans — Paris		180.0/180.0	11.40/11.40	3.00-3.50	5.15 ⁹⁴	Vb	A	
	SEINE	110.0	180.0/180.0	11.40/11.40	2.80	5.50	Vb	B	Canalized
	Paris — Montereau (178.0 km — 68.0 km)		180.0/180.0	11.40/11.40	2.80	5.50	Vb	B	
	SEINE	22.0	180.0/180.0	11.40/11.40	2.80	5.25	Vb	B	Canalized
	Montereau — Bray (68.0 km — 46.0 km)		180.0/180.0	11.40/11.40	2.20-2.80	5.20	Vb	B	
SEINE	27.0	180.0/180.0	11.40/11.40	2.80	5.25	Va	B	Link needs to be significantly improved	
Bray — Nogent (46.0 km — 19.0 km)		120.0/120.0	8.00/8.00	2.00	5.25 ⁹⁵	II	C		
E 80-06	SAAR	73.7	110.0/185.0	11.45/11.45	2.80	5.75	Vb	B	
	Moselle — Völklingen		110.0/185.0	11.45/11.45	2.80	5.75	Vb	B	
	SAAR	17.7	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
	Völklingen — Saarbrücken		110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁶	B	
E 80-08	DRAVA	14.0	85.0/85.0	9.50/9.50	2.50	No restrictions	IV	A	Free-flowing
	From the mouth of the Danube to Nemetin Port ⁹⁶		85.0/85.0	9.50/9.50	2.50	No restrictions	IV	A	
E 80-10	DANUBE — SAVA CANAL	61.0	110.0/185.0	11.40/11.40	2.50	9.60	Vb	A	New link to be built
	Vukovar — Samac		-	-	-	-	-	-	
E 80-01	TISZA	63.4	.../...	.../...	B	Free-flowing
	0.0 km — 63.4 km		85.0/172.0	8.20/11.40	2.50	No restrictions	Va	B	
	TISZA	96.6	.../...	.../...	...	7.00	...	B	Canalized
	63.4 km — 160.0 km		85.0/172.0	8.20/11.40	2.50	7.76	Va	B	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80-01 (continued)	TISZA	13.0	.../140.0	.../23.00	2.50	–	VIa	A	
	Szeged — State border (160.0 km — 173.0 km) ⁹⁷		.../140.0	.../23.00	2.50	–	IV	A	
E 80-01-02	BEGEJ	34.1	.../...	.../...	
	From the mouth to the Klek Lock		
	BEGEJ	31.5	.../...	.../...	
	From the Klek Lock to the Itebej Lock		.../...	.../...	
BEGA	45.5 ⁹⁸	.../...	.../...	Canalized	
Up to Timisoara		.../...	.../...	II	...		
E 80-12	SAVA	107.0	110.0/110.0	11.40/11.40	2.50	7.00	Va	B	Canalized
	0.0 km — 107.0 km		85.0/85.0	9.50/9.50	2.00	6.96	IV	B	
	SAVA	103.8	110.0/110.0	11.40/11.40	2.50	7.00	Va	B	Free-flowing
	107.0 km — 210.8 km		85.0/85.0	9.50/9.50	2.00	6.46	IV	B	
	SAVA	23.2	110.0/110.0	11.40/11.40	2.50	7.00	Va	A	Free-flowing
	Račinovci — Gunja (210.8 km — 234.0 km) ⁹⁹		85.0/85.0	9.50/9.50	2.50	7.60	IV	A	
	SAVA	79.7	85.0/85.0	9.50/9.50	2.50	8.14	IV	A	Free-flowing
	Gunja — Slavonski Šamac (234.0 km — 313.7 km) ¹⁰⁰		85.0/85.0	9.50/9.50	2.50	8.14	IV	A	
	SAVA	24.5	85.0/85.0	9.50/9.50	2.50	No restrictions	IV	B	Free-flowing.
	Slavonski Šamac — Oprisavci (313.7 km — 338.2 km) ¹⁰¹		70.0/85.0	9.00/9.00	1.60	No restrictions	III/II	B	
SAVA	33.0	85.0/85.0	9.50/9.50	2.50	No restrictions	IV	A	Free-flowing	
Oprisavci — Slavonski Brod (338.2 km — 371.2 km)		85.0/85.0	9.50/9.50	2.50	No restrictions	IV	A		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80-12 (continued)	SAVA	222.8	85.0/85.0	9.50/9.50	2.50	7.00	IV	A	Free-flowing. Smaller radius, in some places, one-way navigation
	Slavonski Brod — Sisak (Galdovo) (371.2 km — 594.0 km) ¹⁰²		70.0/85.0	9.00/9.00	2.00	6.16	III	A	
E 80-03	OLT	135.0 ¹⁰³	.../...	.../...	
	Up to Slatina		.../...	.../...	
E 80-05	DANUBE — BUCURESTI CANAL	73.0	.../106.6	.../11.40	3.00	11.00	Va	A	Under construction
			-	-	-	-	-	-	
E 80-14	DANUBE — BLACK SEA CANAL	64.4	138.3/296.0	16.80/23.50	5.50/3.80	16.50	VIc	A	Canalized
			138.3/296.0	16.80/23.50	5.50/3.80	16.50	VIc	A	
E 80-14-01	POARTA ALBA — MIDIA NAVODARI CANAL	27.5	110.0/120.0	11.50/11.50	3.80	12.50	Va	A	Canalized
			110.0/120.0	11.50/11.50	3.80	12.50	Va	A	
E 80-07	PRUT	85.0	.../...	.../...	Free-flowing
	From the mouth to Kakhul		42.0/60.3	7.80/7.80	1.00	9.00	II	C	
	PRUT	322.0	.../...	.../...	Free-flowing
	From Kakhul to Ungheni		42.0/60.3	7.80/7.80	1.00	8.50	II	C	
E 80-09	DANUBE — KILIISKE MOUTH	98.0	125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	Free-flowing
	Izmail Chatal Cape — Vylkove (116.0 km — 18.0 km) ¹⁰⁴		125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	
	DANUBE — KILIISKE MOUTH, Vylkove —	7.0	125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	Free-flowing
	Bystre (Starostambulske) Mouth (18.0 km — 11.0 km)		125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 80-09 (continued)	DANUBE — KILIISKE MOUTH Bystre (Starostambulske) Mouth — Sea approach channel (11.0 km — 1.57 km)	9.43	125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	Free-flowing
	125.0/300.0		17.50/40.00	5.85	No restrictions	VII	A		
	SEA APPROACH CHANNEL 1.57 km — (-1.85) km	3.42	125.0/300.0	17.50/40.00	7.20	No restrictions	VII	A	Sea vessel route
			125.0/300.0	17.50/40.00	5.85	No restrictions	VII	A	
E 80-16	DANUBE — ST. GEORGE ARM 0.0 km — 89.0 km	89.0	.../...	.../...	Free-flowing
			.../...	.../...	2.50	...	Vb	...	
	DANUBE — ST. GEORGE ARM 89.0 km — 108.0 km	19.0	.../...	.../...	Free-flowing
			.../...	.../...	2.50	...	Vib	...	
E 81	VÁH Komárno — Kolarovo (0.0 km — 27.4 km)	27.4	110.0/110.0	22.80/22.80	2.50	7.00	VIa	A	New lock planned
			110.0/110.0	22.80/22.80	1.60 ¹⁰⁵	10.20 ¹⁰⁶	VIa	...	
	VÁH Kolarovo — Selice (27.4 km — 42.1 km)	14.7	110.0/110.0	22.80/22.80	2.50	7.00	VIa	A	Modernization necessary
			110.0/110.0	22.80/22.80	VIa	...	
	VÁH Selice — Král'ová (42.1 km — 63.1 km)	21.0	110.0/110.0	22.80/22.80	2.50	7.00	VIa	A	Local navigation only
			110.0/110.0	22.80/22.80	VIa	...	
	VÁH Král'ová — Hlohovec (63.1 km — 101.9 km)	38.8	110.0/110.0	22.80/22.80	2.50	7.00	VIa	A	Partly canalized. Modernization necessary
			110.0/110.0	22.80/22.80	VIa	...	
	VÁH Hlohovec — Žilina (101.9 km — 240.0 km)	138.1	110.0/110.0	11.40/11.40	2.50	7.00	Va	A	Modernization, construction and reconstruction necessary
			110.0/110.0	11.40/11.40	Va	...	
	VÁH — ODER LINK	80.0 ⁶	110.0/110.0	11.40/11.40	Va	...	New link planned
			

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 90	KORINTHOS CANAL	6.4 ⁶	.../...	24.60/24.60	6.70	...	VIc	...	
			.../...	24.60/24.60	6.70	...	VIc	...	
	DON AND VOLGO-DONSKOY KANAL 3 121.0 km — Volgograd (Krasnoarmeysk)	545.0	141.0/141.0	16.20/16.20	3.20 ¹⁰⁷	13.50	Va	A	Canalized upstream from Oust-Donetsk
			141.0/141.0	16.20/16.20	3.20 ¹⁰⁷	13.50	Va	A	
VOLGA Volgograd (Krasnoarmeysk) — Streletskoye	453.3	280.0/280.0	28.50/28.50	3.60	12.30	VIc	A		
		280.0/280.0	28.50/28.50	3.60	12.30	VIc	A		
E 90-03	DNISTER Bilhorod-Dnistrovskiy — Ukraine/Republic of Moldova border	39.0	65.0/85.0	14.00/14.00	1.80	6.30	III	B	Free-flowing
			.../85.0	.../14.00	1.70	6.30	III	B	
	NISTRU (DNISTER) Ukraine/Republic of Moldova border — Reskeet	98.0	.../...	.../...	Free-flowing
			85.0/85.0	14.00/14.00	1.80	6.30	III	B	
	NISTRU (DNISTER) Reskeet — Bender	103.0	.../...	.../...	Free-flowing
			85.0/85.0	14.00/14.00	1.80	13.50	III	B	
E 91	MILANO — PO CANAL Milano — Pizzighettone	60.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	Project under development
			.../...	.../...	
	MILANO — PO CANAL Pizzighettone — Cremona	14.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	Canalized
			110.0/110.0	12.00/12.00	2.50 ¹⁰⁸	6.50	Va	A	
	PO Cremona — Casalmaggiore ¹⁰⁹	49.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	
			110.0/110.0	12.00/12.00	2.50 ¹⁰⁸	5.25	Va	B	
PO Casalmaggiore — mouth of the Mincio River (Mantova) ¹¹⁰	70.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A		
		110.0/110.0	12.00/12.00	2.50	5.74	Va	B		

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 91 (continued)	PO	126.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	
	Mouth of the Mincio River (Mantova) – Volta Grimana ¹¹¹		80.0/80.0	11.00/11.00	2.50	5.72	IV	B	
	PO – BRONDOLO CANAL	20.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	
	Volta Grimana (Po) – Brondolo ¹¹²		110.0/110.0	12.50/12.50	2.50	3.75	Va	B	
	NAVIGABLE WATERWAY CONNECTING	35.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	
	Brondolo – Marghera (Venezia)		110.0/110.0	12.50/12.50	2.50	...	Va	B	
	LAGUNA VENETA	120.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	
	Marghera – Porto Nogaro (Punta Sdobba)		85.0/85.0	9.50/9.50	2.50	6.50	IV	B	
LAGUNA VENETA	60.0	285.0/285.0	33.0/34.2	2.50/4.50	7.00	VII	A	Punta Sdobba – Trieste: coastal route	
Porto Nogaro (Punta Sdobba) – Monfalcone – Trieste		285.0/285.0	33.0/34.2	2.50/4.50	7.00	VII	A		
E 91-02	PO	38.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	A	
	Cremona – Piacenza		85.0/85.0	9.50/9.50	2.50 ¹¹³	6.50	IV	B	
	PO	58.5	85.0/85.0	9.50/9.50	2.50	7.00	IV	A	
	Piacenza – Pavia		80.0/80.0	9.50/9.50	1.60/2.00	6.50	III	C	
PO	85.0	85.0/85.0	9.50/9.50	2.50	7.00	IV	A		
Pavia – Casale Monferrato		80.0/80.0	9.50/9.50	1.60/2.00	6.50	III	C		
E 91-01	MINCIO	17.0	85.0/85.0	9.50/9.50	2.50	7.00	IV	A	
	Mouth – Lago Inferiore (Mantova)		85.0/85.0	9.50/9.50	2.50 ¹¹⁴	6.50	IV	B	
E 91-04	FERRARA WATERWAY	35,0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	Upgrading to class Va is under construction
	Ferrara – Porto Garibaldi ¹¹⁵		85.0/85.0	9.50/9.50	2.50	4.10	IV	B	

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 91-04 (continued)	FERRARA WATERWAY	35,0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	Upgrading to class Va is under construction. Ravenna: Coastal route
	Porto Garibaldi — Ravenna		85.0/85.0	9.50/9.50	2.50	...	IV	A	
E 91-06	PO GRANDE ¹¹⁶	33.0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	
	Volta Grimana — mouth		110.0/110.0	12.00/12.00	2.50	7.00	Va	B	
E 91-03	MANTOVA — ADRIATIC SEA CANAL	23.0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	
	Mantova — Valdaro Lock — Ostiglia		110.0/110.0	12.00/12.00	2.50	6.50	Va	A	
	MANTOVA — ADRIATIC SEA CANAL	80.0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	Limitation due to railway bridge Padova — Bologna
	Ostiglia — Baricetta Lock ¹¹⁵		110.0/110.0	12.00/12.00	2.50	4.90	Va	B	
	MANTOVA — ADRIATIC SEA CANAL	33.0	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	Upgrading is envisaged
	Baricetta Lock — Porto Levante		110.0/110.0	12.00/12.00	2.50	5.50	Va	B	
E 91-03-02	PO — MANTOVA — ADRIATIC SEA CANAL	2.2	110.0/110.0	12.00/12.00	2.80	7.00	Va	A	Canal
	Via S. Leone link		110.0/110.0	12.00/12.00	2.50	6.50	Va	...	
E 91-05	PADOVA — VENEZIA CANAL	27.0	110.0/110.0	12.00/12.00	2.50	7.00	Va	A	Completed only for some sections. Completion in the design phase
			.../...	.../...	

Notes to table 1

1. Re-opening for navigation envisaged, currently not in service.
2. When bridge is not open, air draught is 11.50 m for mean high water (MHW) at normal Amsterdam Peil (Dutch reference water level = mean sea tide level) (NAP) + 0.96 m.
3. Only permitted when proceeding downstream.
4. For the water level near Empel NAP + 2.55 m.
5. Depending on the tide water level prevailing.
6. Estimation by the secretariat.
7. All bridges are movable.
8. Sea-going vessels measuring 175.0 m x 25.0 m x 8.80 m are admitted.
9. For fixed low water level for rivers (OLW) NAP - 0.20 m.
10. When bridge is not open, air draught is 12.00 m for MHW NAP + 0.96 m.
11. For OLW NAP + 0.15 m.
12. For sea-going vessels measuring 256.0 m x 34.0 m x 12.25 m.
13. For fixed low water level (OLR) at Lobith NAP + 7.95 m.
14. For water level at high river discharge at Lobith NAP + 15.58 m (Marke II).
For mean water level at Lobith NAP + 10.10 m.
15. Fairway depth, below Gleichwertiger Wasserstand (GLW) 2002 (between Emmerich and Duisburg: 2.80 m below GLW).
16. When going downstream; reduced to 22.90 m in low water conditions.
17. Fairway depth, below GLW 2002.
18. 110.0 m at certain water levels.
19. Fairway depth, below GLW 2002 (between St. Goar and Mainz: 1.90 m below GLW).
20. The height under the railway bridge at Strasbourg Kehl is currently 6.75 m at HNWL.
21. Smaller dimensions apply in case of closure of certain lock chambers.
22. The secretariat was informed by the Government of France that the project concerning the Saône — Moselle/Saône — Rhine Link has been abandoned.
23. Bridge at Avignon — 6.30 m, Bridge at Tarascon — 7.40 m, bridge at Arles — 7.88 m.
24. Fos — Port of Marseille section is not operable because of closure of the Rove tunnel.
25. The under-bridge headroom requirement for this class cannot be met.
26. Restrictions apply with regard to two-way traffic.
27. Single units and convoys of up to 90.0 m in length and 9.60 m in width, may draw up to 2.80 m.
28. From 113.0 km to 124.0 km — 5.50 m.
29. The draught may be reduced to 2.10 m for twenty days a year at low water level downstream of Iffezheim.
30. These figures correspond to a level of 5.00 m on the scale at Bâle-Rheinhalle and take into account security clearance of 40 cm.

31. The Mittlere Brücke determines the parameters for the section Bâle-Rheinfelden. It has 5.10 m headroom for each arch over a width of 17.00 m at the HNWL.
32. No dimension established for inland navigation vessels; sea-going vessels measuring 325.0 m x 42.0 m x 13.10 m are admitted.
33. The depth required for this category cannot be guaranteed (depending on the water level prevailing).
34. Above mean water level.
35. Fairway depth, below GLW 89.
36. Depending on the water level prevailing.
37. Maximum dimensions of pushed convoys shall be 137.0 x 23.0 m or 170.0 x 11.5 m.
38. The total length of the Lüneburg Shiplift is 100.0 m; single units of up to 100.0 m in length are accepted.
39. This project is not expected to be realized in the near future.
40. Maximum permissible draught on the section Mělník — Praha Radotín — 1.80 m and on the section Praha Radotín — Slapy — 1.20 m.
41. The permissible length-of-convoy requirement for this class cannot be met.
42. Class to be agreed upon by the Governments of Poland and Germany.
43. Non-navigable waterway. A weir in Kozłowice, downstream of Brest, has no navigational locks and constitutes a main obstacle.
44. During the locking procedure, the pusher is to enter the chamber alongside the barges.
45. Periodically, at a low water level, the maximum draught is limited to 3.00 m.
46. Limitation draught on the section from Gorodetski Lock to Nizhny Novgorod (of 56.0 km in length).
47. At a project water level.
48. On the Sarapul — Chaikovsky section (of 68.0 km in length). On other sections, the maximum navigable draught is 3.30 m.
49. Vessels of a greater length may be allowed if their width is approved. The length of pushed convoys of 83.0 m is allowed only up to 126.0 km; from this point up to 210.0 km the length of up to 60.0 m is allowed.
50. The draught of 3.80 m is ensured on 162.0 km of the river (from its mouth to 135.0 km and on 27.0 km between the Pociinho weir and Spanish port Vega Terron). On the rest of the river the draught of 2.00 m is ensured.
51. This figure is reduced to 6.60 m under the bridge of Ferradosa at 151.0 km.
52. The lowest height is under Westminster Bridge.
53. Height is restricted due to power cables.
54. The maximum dimensions of vessels are applicable in daylight and good visibility. The Swedish Maritime Administration can grant exceptions from the maximum size up to 130.0 m x 19.00 m x 6.80 m.
55. To be reached in 2019 after the reconstruction of the fairway which is under way.
56. On the section Geldersche IJssel — Eefde the maximum draught is as much lower than 2.80 m as the outer water level at the lock Eefde is lower than NAP + 3.20 m.
57. Single units of 86.0 x 9.50 m and convoys of 147.0 x 9.00 m may obtain special permission for navigation.
58. As an alternative to the waterway via the Szkarpawa River.
59. Fairway depth.
60. Improvement of the Untere Havel-Wasserstraße is under way to the south of Wustermark.
61. No restriction when bridges are open.

62. The secretariat was informed by the Government of France that the project concerning the Seine — Moselle link has been abandoned.
63. Height ensured during 300 days per year.
64. 135.0 m under certain conditions.
65. Except for road bridge Auheim at 59.56 km, where an under-bridge headroom of 4.39 m applies.
66. Vessels exceeding 90.0 m in length are subject to additional requirements regarding the carriage of equipment.
67. Except for Kettenbrücke and Löwenbrücke Bridges at Bamberg, where an under-bridge headroom of 5.41 m applies.
68. A special permit is required when the draught exceeds 2.50 m.
69. At LNWL (fairway depth).
70. The single-unit permissible length and width requirement for this class cannot be met.
71. Road bridge at Pfatter.
72. Only vessels with a beam of up to 11.40 m may navigate downstream.
73. Railway bridge at Deggendorf.
74. Luitpolbrücke at Passau.
75. Maximum draught according to Police Regulations; 2.70 m fairway depth at LNWL.
76. Nibelungenbrücke at Linz.
77. Maximum draught according to Police Regulations; 3.00 m fairway depth at LNWL.
78. Maximum draught according to Police Regulations: 2.50 m fairway depth at LNWL in the deep channel.
79. Road bridge at Stein/Mautern.
80. U6 bridge at Wien.
81. Width limit of Gabčíkovo Lock 34.00 m.
82. Detailed regulations are given in relevant Slovakian and/or Hungarian Notices to Skippers.
83. 3.50 m — the Slovakian target value, 2.50 m — the Hungarian target value.
84. When going upstream, both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80.0 m, length/width=225.0/27.0 m.
85. When going downstream, both length/width parameters are for convoys, no restriction for vessels.
86. When going upstream, both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80.0 m, length/width=225.0/27.0 m.
87. Both length/width parameters are for convoys, no restriction for vessels. The following length/width parameters are applied:
 - If fairway narrower than 120.0 m, length/width=225.0/38.0; if fairway narrower than 80 m, length/width=145.0/38.0 m; at the bridge at 1,560.55 km while Dunaföldvár water gauge lower than -50 cm, length/width=145.0/35.0 m; at the bridge at 1,480.22 km while Baja water gauge above 600 cm, length/width=225.0/38.0 m (when going downstream).
 - If fairway narrower than 120.0 m, length/width=225.0/38.0 m or 300.0/27.0 m; if fairway narrower than 80.0 m, length/width=225.0/27.0 m (when going upstream).
88. No restrictions for length/width; no bridges.
89. Temporary road/railway bridge at Novi Sad (1,254.17 km).
90. 1,045.12 km Moldova Veche — bridge with cables.
91. 943.0 km, Iron Gates I. The higher values of draught and air draught of up to 5.00 m and 13.50 m, respectively, are ensured on request and against payment of costs.

92. 863.5 km, Iron Gates II, locks and road bridge.
93. 796.0 km, Calafat, Vidin bridge (road and rail), the height is 21.64 m;
488.7 km, Giurgiu — Ruse bridge (road and rail) — the height is 13.91 m;
300.07 km, Cernavodă bridge (road and rail) — the height is 24.90 m;
300.0 km, Cernavodă bridge (rail) — the height is 30.96 m.
94. Minimum height at normal water level varies from 8.54 m to 9.31 m; at HNWL it varies from 5.15 m to 6.89 m.
95. Temporary decrease of water depth in the Beaulieu Canal is necessary to obtain this height.
96. From 0.0 km to 12.0 km: depth is partly reduced to less than 2.5 m during the LNWL, 70 days per year.
97. Bridge at 173.6 km with a height 7.69 m.
98. The length on the Romanian territory.
99. From 211.0 km to 223.0 km, depth is reduced to less than 2.5 m approximately 50 days per year.
100. From 307.0 km to 329.0 km, i.e. between Slavonski Šamac and Novi Grad: unregulated sections.
101. Between Jaruge and Novi Grad: limited width, one way navigation throughout the year. On section from 321.0 km to 329.0 km: depth is reduced to less than 2.0 m during the low navigable water level, 170 days per year.
102. From 515.0 km to 591.0 km: width restrictions on curves, in some parts, one way navigation throughout the year.
103. Estimation by the Government of Romania.
104. *Footnote by Ukraine:* Data concerning this section of the E 80-09 waterway are based on the results of the completion of stage one of the Ukrainian project on the reopening of the Danube — Black Sea navigable waterway. Definitive data related to the project will be presented after the full completion of the project, to be undertaken in accordance with the provisions of applicable international environmental agreements and conventions.
Footnote by Romania: Data concerning this section of the E 80-09 waterway are provisional. Definitive data related to the Ukrainian project of building a deep-water navigable waterway on the Kiliiske Mouth and Bystre outlet into the sea of the Danube River are pending the full assessment of the environmental impact and the full and faithful observance of applicable international agreements and conventions.
105. Draught at a water level + 250 cm according to the hydrometric station Komarno (Danube).
106. Height at a zero water level according to the hydrometric station Komarno (Danube).
107. On the section from the Kochetovsky hydroelectric complex to Aksay (of 116.3 km in length). On other sections, the maximum navigable draught is 3.45 m.
108. Draught of 2.50 m is ensured during 250 days per year, target data of 2.50 m is to be ensured during 300 days per year.
109. Limitation due to Casalmaggiore railway bridge calculated on maximum navigable water level Q_{30} (Q_{30} is the flow that is equaled or exceeded for a maximum of 30 days a year).
110. Limitation due to Borgoforte road bridge calculated on Q_{30} .
111. Limitation due to Revere road bridge calculated on Q_{30} .
112. Limitation due to Rosolina Bridge.
113. Draught of 2.50 m is ensured during 200 days per year, target data of 2.50 m is to be ensured during 250 days per year.
114. Draught of 2.50 m is ensured during 250 days per year, target data of 2.50 m is to be ensured during 310 days per year.
115. Limitation due to railway bridge Padova — Bologna.
116. A direct link Po — Adriatic Sea is not possible because of sand banks at the estuary of the Po River.

Table 2
Parameters of Locks of Inland Waterways of International Importance

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
1	2	(m)	(m)	(m)	6
E 01	DUNKERQUE — VALENCIENNES CANAL	144.6	12.00	3.50	
	Dunkerque — Bouchain 148.0 km — 0.0 km	143.3	12.00	3.50	Flandres locks
	ESCAUT Bouchain — Condé	144.6	12.00	3.50	
	CONDÉ — POMMEROEUL CANAL	149.0	12.50	4.00	Hensies lock
	Pommeroeul — Hensies	151.75	12.50	4.00	Pommeroeul lock
	CANAL DU CENTRE Nimy — Seneffe	96.0	12.00	4.00	Obourg lock
		149.0	12.50	4.50	Project Obourg lock
		124.0	12.50	4.00	Havre lock
		2 x 112.0	2 x 12.0	4.00	Strépy-Thieu I lift
	CHARLEROI — BRUXELLES CANAL Seneffe — Charleroi	85.92	11.50	4.20	Viesville lock
		112.0	12.50	4.50	Project Viesville lock
		85.80	11.50	4.30	Gosselies lock
		112.0	12.50	4.50	Project Gosselies lock
		85.10	11.50	3.50	Marchienne lock
	SAMBRE Charleroi — Namur	112.0	12.50	4.50	Project Marchienne lock
		119.40	12.50	3.44	Marcinelle lock
		112.00	12.50	3.50	Montignies lock
		111.90	12.50	3.50	Roselies locks
		136.30	12.50	3.10	Auvelais lock
		111.90	12.50	4.00	Mornimont lock
	MEUSE Namur — Liège	111.90	12.50	3.55	Floriffoux lock
		136.90	12.50	3.25	Salzannes lock
		200.0	25.00	4.95	Grands Malades lock
		200.0	25.00	3.90	Andenne-Seilles lock
		136.0	16.00	4.00	Ampsin-Neuville parallel locks
		225.0	25.00	4.50	Project Ampsin-Neuville parallel locks
	LANAYE CANAL	136.0	16.00	4.00	Lanaye lock
		225.0	25.00	4.50	Project Lanaye lock
	JULIANAKANAAL	136.0	16.00	3.60	Limmel lock complex
		136.0	16.00	3.60	
	JULIANAKANAAL	142.0	16.00	4.00	Born lock complex
		136.0	16.00	3.60	
	JULIANAKANAAL	142.0	16.00	7.90	Drielingsluis lock complex
		142.0	16.00	7.90	
		142.0	16.00	7.90	
	MAAS LATERAL CANAL	142.0	16.00	4.00	Heel lock complex
		142.0	16.00	4.00	
	MAAS	260.0	16.00	3.30	Belfeld lock complex
		142.0	16.00	6.75	
		142.0	16.00	6.75	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS	
		LENGTH	WIDTH	DEPTH AT SILLS		
		(m)	(m)	(m)		
1	2	3	4	5	6	
E 01 (continued)	MAAS	260.0	16.00	3.30	Sambeek lock complex	
		142.0	16.00	6.75		
		142.0	16.00	6.75		
E 01-02	MEUSE Namur — Dinant	100.0	12.00	2.79	La Plante lock	
		100.0	12.00	2.75	Tailfer lock	
		100.0	12.00	2.75	Rivière lock	
		100.0	12.00	2.75	Hun lock	
		100.0	12.00	2.76	Houx lock	
		100.0	12.00	2.75	Dinant lock	
	MEUSE Dinant — Hastière	100.0	12.00	2.75	Anseremme lock	
		100.0	12.00	2.75	Waulsort lock	
		100.0	12.00	2.75	Hastière lock	
	CANAL DE L'EST Givet (0.0 km — Quai des 3 fontaines (7.1 km))	100.0	12.00	3.00	Quatre Cheminées lock (1.9 km)	
E 01-04-01	MONSIN CANAL	136.0	16.00	3.10	Monsin lock	
E 01-01	CANAL BOCHOLT — HERENTALS	55.0	7.50	2.50	Mol and Lommel locks (Nos. 1, 2 and 3)	
	ZUID — WILLEMSVAART	65.0	7.50	2.50	Lock No. 15	
		70.0	7.50	2.50	Lock No. 16	
		50.0	7.00	1.90	Bocholt and Lozen locks (Nos. 18 and 17)	
KANAAL WESSEM — NEDERWEERT	150.0	12.60	3.95	Panheel lock Complex		
E 01-06	KANAAL VAN ST. ANDRIES	110.0	14.00	3.00	St. Andries lock	
E 01-03	ZUID — WILLEMSVAART	82.0	9.50	1.90	Lock No. 13	
		82.0	9.50	1.90	Lock No. 12	
		82.0	9.50	1.90	Lock No. 11	
		82.0	9.50	1.90	Lock No. 10	
		110.0	12.60	1.90	Helmond lock	
		110.0	12.60	1.90	Lock No. 6	
		110.0	12.60	1.90	Lock No. 5	
		110.0	12.60	1.90	Lock No. 4	
		110.0	12.60	2.10	Schijndel lock	
		124.2	26.40	2.10	Lock No. 0	
		92.0	18.00	2.70	Engelen lock	
		MAXIMAKANAAL	115.0	12.60	2.40	Empel lock
			115.0	12.60	2.75	Hintham lock
	E 02	BOUDEWIJN CANAL Zeebrugge — Brugge (12.0 km)	500.0	57.00	15.00	Vandamme lock
210.0			19.70	5.50	Visart lock	
125.0			12.00	4.75	Boudewijn lock	
GENT — OOSTENDE CANAL		89.7	10.20	2.50	Dammepoort lock	
LEIE		136.0	16.00	2.50	Sint-Baafs-Vijve lock	
		115.0	12.40	3.50	Harelbeke lock	
LYS MITOYENNE		195.0	12.50	2.30	Menin lock	
		185.0	12.50	4.50	Comines lock	
DEÛLE AND DEÛLE CANAL		110.0	12.00	4.20	Quesnoy lock	
		195.0	12.50	5.00	Project Quesnoy/Deûle lock	
		144.6	12.00	4.00	Grand Carré lock	
		146.2	12.00	3.50	Don lock	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 02-02	GENT — OOSTENDE CANAL	120.0	17.50	4.70	Demey lock
	Brugge — Oostende	282.5	18.00	...	Dok lock
E 02-02-01	PLASSENDALE — NIEUWPOORT	90.0	6.35	...	Plassendale lock
		124.0	12.50	...	Saint Joris lock
E 02-04	ROESELARE — LEIE CANAL	115.0	12.50	3.50	Ooigem lock
E 03	SCHELDE — RIJN CONNECTION	325.0	24.00	6.25	Volkeraksluizen
		325.0	24.00	6.25	
		325.0	24.00	6.25	
		280.0	24.00	5.05	Krammersluizen
		280.0	24.00	5.05	
	ZUID — BEVELAND CANAL Hansweert	280.0	24.00	7.30	
		280.0	24.00	7.30	
	GENT — TERNEUZEN CANAL	290.0	38.00	13.50	Terneuzen Westsluis Complex
		140.0	18.00	8.35	Middensluis
		280.0	24.00	6.63	Oostsluis
	GENT CIRCULAR CANAL	230.0	25.00	5.00	Lock No. 1
		136.0	16.00	3.80	Lock No. 2
	E 04	BRUXELLES — SCHELDE CANAL	250.0	25.00	9.50
205.0			24.90	6.50	Zemst lock
CHARLEROI — BRUXELLES CANAL Bruxelles — Clabecq		81.6	10.50	3.70	Six locks
CHARLEROI — BRUXELLES CANAL Clabecq — Seneffe		90.0	12.00	3.48	Ittre lock
		2 x 85.5	2 x 11.60	4.20	Ronquières inclined plan
E 05	HAUT ESCAUT	125.0	14.05	2.89	Herinnes lock
	Blénaries — Herinnes	124.5	14.00	2.89	Kain lock
	BOVENSCHELDE	124.5	14.05	3.50	Kerkhove lock
	Herinnes — Gent Circular Canal	125.0	14.00	3.50	Oudenaarde lock
		125.0	14.00	3.50	Asper lock
	GENT CIRCULAR CANAL	180.0	18.00	variable	Two Merelbeke locks
	BENEDEN ZEESCHELDE Port of Antwerpen	180.0	22.00	variable	Royers lock
	ALBERTKANAAL Antwerpen — Eben — Emael	136.0	16.00	5.00	Six lock complexes of: Two locks
E 05-02	NIMY — BLATON — PERONNES CANAL Péronnes — Pommeroeul	200.0	24.00	5.00	One lock
		86.0	12.00	3.50	Peronnes I lock
E 05-01	BOSSUIT — KORTRIJK CANAL	86.0	12.00	3.50	Peronnes II lock
		38.7	5.15	1.80	Three locks
115.0		12.50	3.50	Zwevegem lock	
115.0		12.50	3.50	Bossuit lock	
E 05-04	DENDER Aalst — Dendermonde	115.0	12.50	3.50	Moen lock
		55.0	7.50	...	Denderbelle lock
E 06	SCHELDE — RIJN CONNECTION	168.0	16.00	variable	Dendermonde lock
		318.0	24.00	5.05	Kreekraksluizen
E 10	HARTELKANAAL	318.0	24.00	5.05	
		280.0	24.00	5.50	Grote Hartelsluis ¹
	RHINE, downstream of Strasbourg	306.3	24.00	6.50	Rozenburgsesluis
		270.0	24.00	3.30 ²	Iffezheim and Gamsheim locks

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS	
		LENGTH	WIDTH	DEPTH AT SILLS		
		(m)	(m)	(m)		
1	2	3	4	5	6	
E 10 (continued)	RHINE Strasbourg — Niffer	189.0	24.00	3.50	Strasbourg, large lock	
		189.0	12.00	3.50	Strasbourg, small lock	
		190.0	24.00	4.25	Gerstheim, large lock	
		190.0	12.00	4.25	Gerstheim, small lock	
		185.0	24.00	5.20	Rhinau, large lock	
		185.0	12.00	5.20	Rhinau, small lock	
		185.0	23.00	5.30	Markolsheim, large lock	
		185.0	12.00	5.30	Markolsheim, small lock	
		185.0	23.00	5.75	Vogelgrun, large lock	
		185.0	12.00	5.75	Vogelgrun, small lock	
		185.0	23.00	5.65	Fessenheim, large lock	
		185.0	12.00	5.65	Fessenheim, small lock	
		185.0	23.00	5.05	Ottmarsheim, large lock	
		185.0	12.00	5.85	Ottmarsheim, small lock	
		182.9	25.00	5.00	Kembs, western lock ³	
	190.0	25.00	5.00	Kembs, eastern lock ³		
		NIFFER — MULHOUSE CANAL	190.0	12.00	5.05	Large chamber, draught 4.0 m
			85.0	12.00	3.50	Small chamber, draught 3.0 m
		SAÔNE St. Symphorien — Lyon 219.0 km — 0.0 km	187.0	12.00	3.50	Seurre lock
			191.0	12.00	3.50	Ecuelle lock
	196.0		12.00	3.50	Ormes lock	
	196.0		12.00	3.50	Dracé lock	
	RHÔNE AND RHÔNE-FOS CANAL Lyon — Fos via the Rhone-Fos canal	195.0	12.00	3.50	Couzon lock	
		190.0	12.00	3.00/3.20	Pierre-Bénite, Vaugris, Sablons, Gervans, Bourg-lès-Valence, Beauchastel, Logis-Neuf, Chateauneuf, Bollène, Caderousse, Avignon, Beaucaire et Barcarin locks	
E 10-01	WESEL — DATTELN KANAL	222.0	12.00	4.00 ⁴		
	DATTELN — HAMM KANAL	82.0	9.90	3.05 ⁴	Hamm lock	
E 10-03	RHEIN — HERNE KANAL	190.0	12.00	4.00 ⁴		
E 10-05	RUHR	127.0	12.80	5.11 ⁵	Raffelberg lock	
E 10-07	NECKAR, downstream of Plochingen	106.0	11.88	3.20 ⁵	Besigheim lock	
E 10-09	RHINE Niffer — Huningue	183.0	25.00	5.00	Kembs	
		190.0	25.00	5.00	Two large locks	
	RHINE Huningue — Birsfelden	180.0/187.5	11.45	3.20		
		RHINE Birsfelden — Rheinfelden	110.0	11.45	3.20	
E 10-04	RHÔNE — SÈTE CONNECTION Saint-Gilles lock — Espeyran		195.0	12.00	3.60	
E 10-06	RHÔNE AND PORT SAINT-LOUIS CANAL Lyon — Fos via the Port Saint-Louis Canal	135.0	19.00	5.25	Port Saint-Louis lock	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 11	AMSTERDAM — RIJNKANAAL	260.0	24.00	5.10	Prinses Irenesluis
		350.0	18.00	4.20	
	AMSTERDAM — RIJNKANAAL	...	80.00	2.35	Keersluis ⁵
		260.0	18.00	2.35	Prinses Marijkesluis
		260.0	18.00	2.35	Two chambers
AMSTERDAM — RIJNKANAAL	260.0	24.00	2.35	Prins Bernardsluis	
	350.0	18.00	2.35		
E 11-01	ZAAN	116.8	12.00	3.10	Wilhelminasluis
E 11-02	LEKKANAAL	225.0	18.00	4.20	Prinses Beatrixsluizen (two chambers)
E 12	MAAS — WAALKANAAL	270.0	16.00	3.80	Heumen lock ⁷
		262.0	16.00	4.50	Weurt lock complex
		266.0	16.00	6.00	Two chambers
	IJSSELMEER	137.8	14.00	4.40	Lorentzsluis Complex
		67.1	9.00	4.40	
E 12-02	MEPELERDIEP	142.0	14.00	4.50	Spooldersluis
E 13	DORTMUND-EMS-KANAL	165.0	12.00	3.50 ^{5, 8}	Herbrum locks
	To the North of the Mittellandkanal	163.0	9.93	3.50 ⁴	Gleesen lock
	DORTMUND-EMS-KANAL	190.0	12.50	4.00 ⁴	Münster lock
	To the South of the Mittellandkanal	190.0	12.00	4.00 ⁴	Henrichenburg lock
E 14	WESER From estuary to Minden	350.0	12.40	4.50 ^{5, 8}	Hemelingen locks
		85.0	12.30	3.25 ⁵	Dörverden Kleine Schleuse
		85.0	10.00	4.00 ⁵	Minden Schachtschleuse
		214.0	12.30	3.00 ⁵	Other locks
E 15	IJSSELMEER Oranjesluizen	205.0	24.00	4.70	
		72.0	14.00	4.50	
		95.0	18.00	4.50	
		72.0	14.00	4.50	
	IJSSELMEER Houtribsluizen	190.0	17.50	4.50	
		190.0	17.50	4.50	
	PRINSES MARGRIET KANAAL Prinses Margrietsluis	260.0	15.90	3.84	
	PRINSES MARGRIET KANAAL Terhornstersluis	260.0	16.00	4.00	Gates are kept open
	VAN STARKENBORGH KANAAL	190.0	16.00	4.77/5.04	Gaarkeuken lock
		190.0	16.00	4.22/6.22	Ooster lock
	EEMSKANAAL Zeesluizen Farmsum	123.0	7.00	3.02/4.20	
		144.0	16.00	5.45/6.07	
DORTMUND-EMS-KANAL	165.0	12.00	3.50 ^{5, 8}	Herbrum locks	
KÜSTENKANAL	104.0	11.90	3.00 ⁴	Dörpen lock	
	102.0	12.00	3.00 ^{4, 8}	Oldenburg lock	
E 15-01	VAN HARINXMA CANAL	127.5	12.00	3.75	Lock No. 1
	Tjerk Hiddes Locks	40.0	7.00	2.05	Lock No. 2
E 20	ELBE From estuary to Czech Republic border	220.0	25.00	4.00 ⁵	Geesthacht locks
	ELBE German border — Ústí nad Labem	200.0	24.00	4.00	Děčín lock (in project)

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 20 (continued)	ELBE Ústí nad Labem — Střekov — Mělník	173.7	13.00	2.60	Střekov parallel locks
		170.0	24.00	2.60	
		155.0	22.00	2.50	Lovosice parallel locks
		110.0	12.00	2.50	
		85.0	11.00	2.80	České Kopisty parallel locks
		155.0	22.00	3.00	
		85.0	11.00	2.70	Roudnice nad Labem parallel locks
		155.0	22.00	3.00	
		85.0	11.00	2.70	Štětí parallel locks
		155.0	22.00	2.70	
	85.0	11.00	3.00	Dolní Beřkovice parallel locks	
	200.0	22.00	3.25		
	ELBE Mělník — Chvaletice	85.0	12.00	3.30	Three locks
	85.0	12.00	3.00	Twelve locks	
ELBE Chvaletice — Pardubice	115.0	12.50	4.00	Přelouč II lock (in project)	
	85.0	12.00	3.00	Přelouč I lock	
	85.0	12.00	3.00	Srnojedy lock	
E 20-02	ELBE — SEITENKANAL	100.0	12.00	3.50 ⁴	Lüneburg shiplift
		185.0	12.00	4.00 ⁴	Uelzen lock
E 20-04	SAALE (0.0 km — 88.0 km)	102.5 ⁹	12.00 ⁹	3.31 ⁵	Wettin lock
E 20-06	VLTAVA Mělník — Praha — Slapy	73.0	11.00	2.50	Hořín parallel locks ¹⁰
		137.0	20.00	2.50	
		69.0	11.00	2.50	Miřejovice double locks ^{10, 11}
		133.0	20.00	2.50	
		52.0	11.00	2.50	Dolánky double locks ^{10, 11}
		133.0	11.00	2.50	
		59.0	11.00	2.50	Roztoky double locks ^{10, 11}
		133.0	20.00	2.50	
		73.0	11.00	2.50	Podbaba parallel locks ¹⁰
		135.0	12.00	4.00	
		115.0	11.00	2.50	Štvanice parallel locks
		175.0	11.00	2.50	
		174.0	11.00	2.50	Smíchov double locks (98 + 72 m)
		192.0	12.00	3.50	Modřany lock
134.0	12.00	3.00	Vrané nad Vltavou parallel locks		
85.0	12.00	3.00			
118.4	12.00	2.50	Štěchovice lock		
E 21	TRAVE, ELBE — LÜBECK KANAL	80.0	12.00	2.44 ⁴	Büssau lock
E 30	ODER Brzeg Dolny — Kozle	187.0	9.60	2.50	Twenty-three locks
E 30-01	GLIWICKI CANAL	72.0	12.00	3.50	Six parallel locks
E 31	WESTODER, HOHENSAAATEN- FRIEDRICHSTHALER WASSERSTRASSE	172.0	11.92	4.07 ⁵	Hohensaaten West lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 40	WISLA Gdansk — Bydgoszcz	192.0	12.00	3.60	Przegalina lock
	Bydgoszcz — Warszawa	115.0	12.00	3.50	Wloclawek lock
	ZERAN CANAL	85.0	12.00	3.00	One lock
	MUKHAVETS Brest — Kobrin	120.0	12.90	2.40/2.70	Lock No. 10 Trishin
		120.0	12.70	2.75/2.40	Lock No. 9 Novosady
		120.0	12.90	2.50/2.70	Lock No. 8 Zaluzje
	DNIPROVSKO-BUZKIY CANAL Kobrin — Pererub	120.0	12.70	2.70/2.55	Kobrin lock
		79.80	11.10 ¹²	4.10/2.17	Lock No. 5 Lyakhovichi
		79.85	11.10 ¹²	3.80/2.00	Lock No. 4 Ovzichi
		79.85	11.10	3.85/1.95	Lock No. 3 Ragodosch
		80.0	11.30 ¹²	3.90/1.76	Lock No. 2 Pererub
	PINA Pererub — Pinsk	120.0	12.70	2.45/2.60	Lock No. 1 Duboy
	PRIPYAT Pinsk — Stakhovo	110.0	11.90	4.40/2.20	Lock No. 11 Kachanovichi
		110.0	12.00	5.20/2.20	Lock No. 12 Stakhovo
	DNIPRO Mouth of the Pripjat River — Kherson	150.0	18.00	4.00	Kyiv lock
		270.0	18.00	4.25	Kaniv lock
		270.0	18.00	3.85	Kremenchuk lock
		270.0	18.00	3.65	Kamianske (Dniprodzerzhynsk) lock
		120.0	18.00	4.40	Zaporizhya three chambers lock
		290.0	18.00	5.50	Zaporizhya one chamber lock
	270.0	18.00	3.65	Kakhovka lock	
E 50	VOLGO-BALTIYSKIY WATERWAY St. Petersburg — Cherepovets	198.0	17.80	4.00	Nine locks
	VOLGA Rybinsk — Astrakhan	280.0	29.50	3.50 ¹³	Eight locks
E 50-02	VOLGA Rybinsk — Dubna	290.0	29.00	4.00	One lock
	KANAL IMENI MOSKVI AND RIVER MOSKVA Dubna — Moskva (Southern Port)	290.0	29.00	3.00 ¹⁴	Nine locks
E 50-01	KAMA Mouth of the Kama — Solikamsk	240.0	28.90	3.30	Three locks
E 60	KIEL CANAL	310.0	42.00	14.00 ^{4, 8}	
	BELOMORSKO-BALTIYSKIY CANAL Povenets — Belomorsk	130.0	13.50	4.00	Nineteen locks
E 60-02	GUADALQUIVIR	293.6	35.00	9.00	One lock
E 60-04	DOURO Porto — Spanish border 0.0 km — 210.0 km	86.0-92.0	12.10	4.20	In total there are five locks on the Douro River
E 60-07	TROLLHÄTTE CANAL	90.0	13.07	5.85	Six locks
E 60-09	SÖDERTÄLJE CANAL ¹⁵	135.0	19.60	8.00	One lock
E 60-11	SAIMAA CANAL Vyborg — Mälkiä Lock	85.0	13.20	4.80	
	Mälkiä Lock — Kuopio/Joensuu	160.0	13.20	4.80	
	Kuopio — Iisalmi	165.0	16.00	4.00	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS	
		LENGTH	WIDTH	DEPTH AT SILLS		
		(m)	(m)	(m)		
1	2	3	4	5	6	
E 60-11-02	Joensuu — Nurmes	165.0	16.00	3.00	Joensuu lock	
		85.0	16.00	3.00	Other two locks	
E 70	NEDER-RIJN					
	Driel, 891.2 km	260.0	18.00	3.50	Normally passage through weir openings: 2 x 48.0 m	
	Amerongen, 922.0 km	260.0	18.00	3.50		
	Hagestein, 946.8 km	260.0	18.00	3.50		
	TWENTEKANAAL		200.0	24.00	1.30	Eefde lock complex (normally open, only closed at low water)
			133.0	12.00	3.50	Eefde lock complex
			133.0	12.00	3.45	Delden lock complex
			133.0	12.00	3.75	Hengelo lock complex
	MITTELLANDKANAL		220.0	12.00	3.504	Anderten locks
			224.0	12.00	3.004	Sülfeld locks
	MITTELLANDKANAL	Rothensee — Verbindungskanal	190.0	12.50	4.25	Rothensee lock
	MITTELLANDKANAL		190.0	12.50	4.25	Hohenwarthe parallel locks
	ELBE-HAVEL-KANAL		165.0	11.70	3.494	Niegripp lock
			220.0	12.00	3.054	Zerben lock
			220.0	12.00	3.254	Wusterwitz lock
	UNTERE HAVEL-WASSERSTRASSE		210.0	9.93	3.245	Southern Brandenburg lock
			167.4	12.10	3.745	Northern Brandenburg lock
	HAVEL-ODER-WASSERSTRASSE		Spandau lock not in operation
			82.0	11.90	2.505	Niederfinow shiplift
	WARTA — NOTEC — BYDGOSKI CANAL		57.4	9.60	2.50	Twenty one locks
Kostrzyn — Bydgoszcz		115.0	12.00	3.50	Czersko Polskie lock	
SZKARPAWA						
	Gdanska Glowa — Elblag	61.0/88.2 ¹⁶	12.50	3.00	One lock ¹⁶	
NOGAT						
	Biala Gora — Elblag	56.6-57.3	9.50	2.50	Four locks	
E 70-01	HOLLANDSCHE IJSSEL	112.0 (ebb) 135.0 (flood)	23.90	5.20	Algera lock. Normally passage through barrier opening of 80.0 m width	
E 70-02	Mittellandkanal branch to Osnabrück	82.0	10.00	3.504	Hollage lock	
					Haste lock	
E 70-04	Mittellandkanal branch to Hannover-Linden	83.0	10.00	3.504	Hannover-Linden lock	
E 70-06	Mittellandkanal branch to Hildesheim	82.0	12.00	3.004	Bolzum lock	
E 70-08	Mittellandkanal branch to Salzgitter	223.0	12.00	3.30	Wedtlenstedt locks	
E 70-05	HAVELKANAL	82.2	12.00	3.214	Schönwalde lock	
E 70-10	SPREE	82.0	10.00	2.304	Charlottenburg lock	
E 70-12	BERLIN — SPANDAUER SCHIFFFAHRTSKANAL	67.2	10.00	3.004	Plötzensee locks	
E 71	TELTOWKANAL, BRITZER VERBINDUNGSKANAL	83.5	12.00	3.48	Northern Kleinmachnow lock	
	SPREE — ODER — WASSERSTRASSE	54.1	9.70	3.065	Northern Kersdorf lock	
		65.6	8.54	2.495	Southern Kersdorf lock	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 80	LE HAVRE — TANCARVILLE CANAL	205.3	24.00	10.40	New lock
		180.0	30.00	7.85	Old lock
	SEINE Rouen — Conflans	220.0	17.00	4.50	Poses-Amfreville lock
		140.0	12.00	4.00	
		185.0	24.00	5.00	Notre-Dame-de-la-Garenne lock
		185.0	12.00	5.00	
		171.0	12.00/17.00	3.20	
		42.0	8.00	3.20	
		185.0	12.00/17.00	4.50	Méricourt lock
		160.0	17.00	4.50	
		140.0	12.00/17.00	2.50	
		185.0	24.00	3.50	Andrésy lock
		160.0	12.00	3.50	
	OISE Conflans — Creil	185.0	12.00	3.00	Pontoise lock
		125.0	12.00	2.20	Isle-Adam lock
		180.0	11.40	3.00/2.50	Boran/Oise lock
		125.0	12.00	2.50	Creil lock
	OISE Creil — Compiègne	180.0	11.40	3.00/2.50	Saron lock
		125.0	12.00	2.50	Verberie and Venette locks
	MOSELLE Toul — Neuves Maisons	185.0	12.00	8.65	17 locks altogether
		180.0	12.00	2.70	
	MOSELLE Fontenoy — Apach	170.0	12.00	8.65	
		170.0	12.00	2.70	
	MOSELLE Access to the Port of Clévant	170.0	12.00		
	MOSELLE Access to the Port of Clévant	100.0	12.00		
	MOSELLE Apach — Koblenz	172.0	12.00	3.205	
	MAIN, downstream of Frankfurt/Main	341.5	15.00	4.665	Northern Kostheim lock
	MAIN, upstream of Frankfurt/Main	289.8	12.00	3.005	Viereth lock
	MAIN — DONAU KANAL	190.0	12.00	4.004	Sixteen locks
	DANUBE Upstream of Regensburg	190.0	12.00	4.005	Bad Abbach lock
	DANUBE, Downstream of Regensburg to 2 201.8 km	226.5	24.00	4.705	Kachlet locks
230.0		24.00	3.65 ¹⁷	Geisling lock	
DANUBE 2 201.8 km — 1 880.3 km Aschach, 2 162.7 km	230.0	24.00	4.00	Two locks at each power station	
Ottensheim — Wilhering, 2 146.7 km	230.0	24.00	4.00		
Abwinden — Asten, 2 119.5 km Wallsee — Mitterkirchen, 2 094.5 km	230.0	24.00	4.00		
	230.0	24.00	4.00	Depth at sills referring to LNWL	
Ybbs Persenbeug, 2 060.4 km Melk, 2 038.2 km	230.0	24.00	4.00		
	230.0	24.00	3.40		
Altenwörth, 1 979.8 km Greifenstein, 1 949.2 km	230.0	24.00	4.00		
	230.0	24.00	4.00		
Wien Freudenau, 1 921.0 km	275.0	24.00	4.00		

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 80 (continued)	DANUBE Čunovo, 1 851.75 km ¹⁸	130.7	24.00	3.50	One lock (divided 130.70/55.70 m)
	DERIVATION CANAL GABČÍKOVO, 1 819.3 km	275.0	34.00	4.50	Two locks
	DANUBE 1 075.0 km — 0.0 km	310.0	34.00	4.50	Iron Gates I locks, 943.0 km
		310.0	34.00	4.50	
		310.0	34.00	4.50	Iron Gates II locks, 863.0 km
310.0		34.00	4.50		
	140.0	17.00	2.50	Iron Gates II reserve lock	
E 80-01	TISZA, 164.0 km — 0.0 km	85.0	12.00	3.00	Begej lock
E 80-01-02	BEGEJ, 65.6 km — 0.0 km	72.1	10.00	2.40	Itebej lock (out of order)
		72.1	10.00	2.40	Klek lock
		85.0	12.00	3.00	Stojcevo lock
E 80-02	SEINE Tancarville — Estuary	180.0	24.00	3.50	Access to the Port of Le Havre (Seine, 338.5 km)
E 80-04	SEINE Conflans — Paris	220.0	12.00/17.00	3.20	Bougival locks
		113.5	12.00	2.00	
		41.6	8.00	3.20	
		185.0	18.00	5.00	Chatou lock
		185.0	18.00	5.00	Suresnes locks
		160.5	12.00/17.00	4.10	
	160.5	12.00	2.10		
	SEINE Paris — Montereau, 165.2 km — 67.7 km	180.0	12.00/16.00	3.20	Port à l'Anglais
		180.0	12.00/16.00	3.50	Ablon
		180.0	12.00	3.30	Evry
		180.0	18.00	3.50	Le Coudray
		185.0	18.00	3.50	Vives-Eaux
		185.0	18.00	3.50	La Cave
		185.0	18.00	3.50	Champagne
	SEINE Montereau — Bray, 67.7 km — 45.0 km	180.0	16.00	3.50	Varennes
		185.0	12.00	4.00	Marolles
		185.0	12.00	4.00	La Grande Bosse
		121.0	10.50	2.76	Jaulnes
	SEINE Bray — Nogent, 45.0 km — 18.72 km	185.0	12.00	4.00	Le Vezoult
		121.0	10.50	2.24	Villiers
121.0		10.30	2.73	Melz	
	121.0	10.30	2.50	Beaulieu	
E 80-06	SAAR, downstream of Völklingen	190.0	12.00	4.005	
E 80-05	DANUBE — BUCURESTI CANAL	130.0	12.50	5.00	Four double locks under planning
E 80-14	DANUBE — BLACK SEA CANAL	310.0	25.00	7.50	Cernavodă (60.0 km)
		310.0	25.00	7.50	Agigea (1.3 km)
E 80-14-01	POARTA ALBA — MIDIA NAVODARI CANAL	145.0	12.50	6.50	Năvodari (60.0 km)
		145.0	12.50	6.50	Ovidiu (11.0 km)
E 81	VÁH				
	Kolárovo, 27.4 km	110.0	24.00	4.00	One lock is planned
	Selice, 43.9 km	110.0	24.00	4.00	One lock
	Kráľová, 63.15 km	110.0	24.00	4.00	One lock
	Sereď-Hlohovec, 79.5 km	110.0	24.00	4.00	One lock is planned

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 81 (continued)	Medunice, 106.6 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.00	4.00	Not yet in operation
	Horná Streda, 130.90 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Nové Mesto nad Váhom, 143.70 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Kostolná, 157.10 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Trenčianske Biskupice, 161.90 km		12.00		Weir sluice planned for navigation
			12.00		Not yet in operation
	Trenčín (Skalka), 168.80 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Dubnica, 179.40 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation
	Ilava, 187.45 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation
	Ladce, 194.25 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation
	Dolné Kočkovce canal, 200.20 km		8.00		Weir sluice planned for navigation
	Nosice, 199.80 km	110.0	12.00	4.00	Missing lock / lift planned
Považská Bystrica, 212.80 km	110.0	12.00	4.00	Missing lock planned	
Mikšová, 221.33 km	110.0	12.00	4.00	Missing lock planned	
Hričov, 237.70 km	110.0	12.00	4.00	Missing lock planned	
E 90	DON Aksay —Kalach	145.0	17.80	4.00	Five locks
	VOLGO-DONSKOY CANAL Kalach — Krasnoarmeysk	145.0	17.80	4.00	Thirteen locks
E 91	MILANO — PO CANAL Milano — Cremona	197.0	12.00	3.50	Cremona lock. The lock has two preterlocks of 110.0 x 12.00 x 3.50 m
		200.0	12.50	3.50	Acquanegra lock
	PO — BRONDOLO CANAL	100.0	10.50	3.50	Cavanella d'Adige right lock
		110.0	12.50	3.50	Cavanella d'Adige right new lock
		100.0	10.50	3.50	Cavanella d'Adige left lock
		110.0	12.50	3.50	Cavanella d'Adige left new lock
		100.0	10.50	3.50	Brondolo lock
		110.0	12.50	3.50	Brondolo new lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 80 (continued)	LAGUNA VENETA	81.0	10.00	3.50	Cavallino lock. Used for touristic purposes
		81.0	9.00	3.50	Cortellazzo lock. Used for touristic purposes
		81.0	9.00	3.50	Revedoli lock. Used for touristic purposes
		81.0	9.00	3.50	Bavazzana lock. Used for touristic purposes
E 91-02	PO	110.0	12.50	4.00	Isola Serafini new lock is under construction
	From Cremona lock to Casale Monferrato	85.0	11.50	2.50	Isola Serafini lock
E 91-01	MINCIO	80.0	10.00	3.50	Governolo locks
E 91-04	FERRARA WATERWAY Ferrara — Porto Garibaldi	110.0	12.50	3.50	Pontelagoscuro lock
		102.0	12.20	3.50	Valpagliaro lock
		105.0	12.00	3.50	Vallelepri lock
E 91-03	MANTOVA — ADRIATIC SEA CANAL	110.0	12.50	3.50	Valdaro lock under construction
		110.0	12.50	3.50	Trevenzuolo lock
		110.0	12.50	3.50	Torretta lock
		110.0	12.50	3.50	Canda lock
		110.0	12.50	3.50	Bussari lock
		110.0	12.50	3.50	Barricetta lock
		224.5	24.00	3.50	Volta Grimana lock
E 91-03-02	PO — MANTOVA — ADRIATIC SEA CANAL	225.0	12.50	3.50	S. Leone lock
E 91-05	PADOVA — VENEZIA CANAL	80.0	10.00	3.50	Romea lock

Notes to table 2

1. In operation in case of storm flood, otherwise open connection.
2. Datum: GLW: LNWL.
3. Maximum dimensions of convoys admitted are 180.0 x 22.90 m and 186.5 x 22.90 m, respectively.
4. Datum: normal canal water level.
5. Datum: hydrostatic water level.
6. Normally open.
7. The lock is only used as a flood gate: the lock is normally open, it's only closed, if the water level on the Maas River reaches a certain limit.
8. Depending on the tide water level prevailing.
9. On account of the particular shape and outline of the locks' chambers, single units of not more than 80.0 m in length and 8.25 m in width are admitted.
10. Lock gate width is 11.00 m.
11. These locks are located one after the other allowing the passage of convoys of up to 190.0 m in length.
12. This is the width of gates. The width of chambers is 16.00 m.
13. Limitation draught at the Gorodetsky Lock. At other locks a draught of 4.00 m is ensured.
14. From Dubna to the Moskva Northern Port depth at sills is 4.00 m.
15. After the reconstruction of the lock, which is planned to be finished in 2019, the dimensions of the lock will be 190.0 x 23.0 x 8.40 m.
16. Additional gate of the lock.
17. Datum: LNWL.
18. Leads to the old bed of the Danube. Rarely used.

Table 3
Technical Characteristics of Inland Navigation Ports of International Importance

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 01-01	Dunkerque (Dunkerque — Valenciennes Canal, 20.5 km)			x	x	x	x	x	
P 01-02	Charleroi (Sambre, 48.6 km)		x		x	x	x	x	
P 01-02bis	Charleroi (Charleroi — Bruxelles Canal, 5.6 km)		x		-	-	-	-	
P 01-03	Namur (Sambre, 65.5 km)		x		x	x	-	x	
P 01-03bis	Namur (Meuse, 54.5 km)		x		-	-	-	-	
P 01-04	Liège (Meuse, 105.0 km)			x	x	x	x	x	
P 01-04bis	Liège (Albert Canal, 9.6 km)			x	x	x	x	x	
P 01-05	Maastricht (Maas, 4.5 km)		x		-	-	-	x	
P 01-06	Stein (Maas, 21.9 km)		x		x	x	-	x	
P 01-07	Born/Sittard-Geleen (Maas, 29.7 km)	x			x	x	x	x	
P 01-08	Maasbracht (Maas, 41.8 km)	x			-	-	-	x	
P 01-09	Roermond (Maas, 74.3 km)	x			x	x	-	-	
P 01-09bis	Venlo (Maas, 108.0-111.0 km)	x			x	x	-	x	

* Private port ** Legend: x available
 - not available
 ... no information

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 01-09ter	Meerlo/Wanssum (Maas, 133.0 km)	x			x	x	-	-	
P 01-09quater	Gennepe (Maas, 153.0 km)		x		-	-	-	-	
P 01-09quinquies	Cuijk (Maas, 167.0 km)		x		x	x	-	-	
P 01-09sexies	Grave (Maas, 174.0 km)	x			-	-	-	-	
P 01-10	Oss (Maas, 193.0 km)		x		x	x	-	x	
P 01-10bis	Maasdiel (Maas, 212.0 km)	x			-	-	-	-	
P 01-10ter	Waalwijk (Bergsche Maas, 236.0 km)	x			x	x	-	-	
P 01-10quater	Geertruidenberg (Bergsche Maas, 251.0 km)	x			-	-	-	-	
P 01-11	Dordrecht (Merwede, 974.4 km)		x		-	-	-	x	
P 01-12	Zwijndrecht (Oude Maas, 980.6 km)	x			-	-	-	x	
P 01-13	Vlaardingen (Nieuwe Waterweg, 1 010.5 km)		x		-	-	x	x	
P 01-14	Maassluis (Nieuwe Waterweg, 1 018.7 km)	x			x	x	-	-	
P 01-01-01	Overpelt (Kanaal Bocholt-Herentals, 14.8 km)	
P 01-03-01	's-Hertogenbosch (Zuid-Willemsvaart, 4.0 km)		x		x	x	-	-	
P 01-03-02	Veghel (Zuid-Willemsvaart, 24.0 km)	x			x	x	-	-	
P 02-01	Zeebrugge (North Sea)	x		x ¹	x	x	x	x	
P 02-02	Aalter (Gent — Oostende Canal, 22.5 km)	x			-	-	-	-	
P 02-03	Lille (Deûle, 42.0 km)	x			x	x	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 02-02-01	Oostende (North Sea)	
P 02-04-01	Roeselare (Roeselare — Leie Canal, 0.5 km)		X		-	-	-	-	
P 02-04-02	Izegem (Roeselare — Leie Canal, 6.4 km)		X		-	-	-	-	
P 03-01	Moerdijk (Hollands Diep, 986.0 km)			X	X	X	X	X	
P 03-02	Terneuzen (Gent — Terneuzen Canal, 32.5 km)			X	X	X	X	X	
P 03-03	Zelzate (Gent — Terneuzen Canal, 19.6 km)	
P 03-04	Gent (Gent — Terneuzen Canal, 4.6 km)	X			-	-	-	-	
P 04-01	Vlissingen (Westerschelde, 14.0 km from the mouth)			X	X	X	X	X	
P 04-02	Beveren (Beneden Zeeschelde, 22.9 km)	
P 04-03	Ruisbroek (Charleroi — Bruxelles Canal, 58.8 km)	X			-	-	-	-	
P 04-03bis	Willebroek (Bruxelles — Schelde Canal, 61.3 km)	X			X	X	X	X	
P 04-04	Grimbergen (Bruxelles — Schelde Canal, 75.8 km)	X			-	-	-	-	
P 04-05	Bruxelles (Bruxelles — Schelde Canal, 81.5 km)	
P 05-01	Avelgem (Bovenschelde, 35.7 km)	X			X	X	-	-	
P 05-02	Melle (Boven Zeeschelde, 9.9 km)	
P 05-03	Meerhout (Albertkanaal, 80.7 km)	X			X	X	
P 05-04	Ham (Albertkanaal, 73.7 km)	X			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 05-05	Hasselt (Albertkanaal, 51.5 km)	x			
P 05-06	Genk (Albertkanaal, 42.9 km)	x			
P 05-07	Centre and West (Schelde, 10.0 km)		x		x	x	x	x	
P 05-08	Centre and West (Canal du Centre, 10.0 km)		x		x	x	x	x	
P 05-01-01	Bossuit Kortrijk (Bossuit — Kortrijk Canal, 7.6 km)		x		-	-	-	-	Building materials, petroleum products and metal ores. Agricultural products, food products and chemicals
P 05-04-01	Aalst (Dender, 53.7 km)	x			-	-	-	-	
P 06-01	Antwerpen (Schelde, 102.9 km)	
P 06-02	Bergen op Zoom (Schelde — Rijn Connection, 1 031.8 km)	x			x	x	-	-	
P 10-01	Rotterdam (Nieuwe Maas, 1 002.5 km)			x	x	x	x	x	
P 10-02	Alblasserdam (Noord, 981.1 km)	x			x	x	-	-	
P 10-02bis	Gorinchem (Merwede, 956.0 km)	x			x	x	-	-	
P 10-02ter	Zaltbommel (Waal, 935.0 km)	x			-	-	-	-	
P 10-03	Tiel (Waal, 914.6 km)	x			x	x	x	-	
P 10-04	Emmerich (Rhine, 852.0 km)	x			x	x	...	x	
P 10-05	Wesel (Rhine, 814.0 km)	x			x	x	...	x	
P 10-06	Rheinberg — Ossenberg* (Rhine, 806.0 km)	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 10-07	Orsoy (Rhine, 794.0 km)	x			
P 10-08	Walsum — Nordhafen* (Rhine, 793.0 km)	x			
P 10-09	Walsum Sud* (Rhine, 791.0 km)	x			
P 10-10	Schwelgern* (Rhine, 790.0 km)			x	
P 10-11	Homberg, Sachtleben* (Rhine, 774.0 km)			x	x	x	x	x	
P 10-12	Duisburg — Ruhrort Häfen (Rhine, 774.0 km)			x	x	x	x	x	
P 10-13	Krefeld (Rhine, 762.0 km)	x			x	x	...	x	
P 10-14	Düsseldorf (Rhine, 743.0 km)	x			x	x	...	x	
P 10-15	Neuss (Rhine, 740.0 km)		x		x	x	...	x	
P 10-16	Stürzelberg* (Rhine, 726.0 km)	x			x	
P 10-17	Leverkusen* (Rhine, 699.0 km)	x			x	x	...	x	
P 10-18	Köln (Rhine, 688.0 km)			x	x	x	...	x	
P 10-19	Wesseling — Godorf* (Rhine, 672.0 km)	x			x	
P 10-20	Bonn (Rhine, 658.0 km)	x			x	x	-	-	
P 10-21	Andernach (Rhine, 612.0 km)	x			-	-	-	x	
P 10-22	Neuwied (Rhine, 606.0 km)	-	-	-	x	
P 10-23	Bendorf (Rhine, 599.0 km)	x			-	-	-	x	
P 10-24	Koblenz (Rhine, 596.0 km)	x			x	x	-	x	
P 10-25	Bingen (Rhine, 527.0 km)	-	-	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 10-26	Wiesbaden (Rhine, 500.0 km)	x			-	-	-	x	
P 10-27	Gernsheim (Rhine, 462.0 km)	x			-	-	-	x	
P 10-28	Worms (Rhine, 444.0 km)	x			-	-	-	x	
P 10-29	Mannheim (Rhine, 424.0 km)		x		x	x	x	x	
P 10-30	Ludwigshafen (Rhine, 420.0 km)		x		x	x	x	x	
P 10-31	Speyer (Rhine, 400.0 km)	x			-	-	-	x	
P 10-32	Germersheim (Rhine, 385.0 km)	x			x	x	-	x	
P 10-33	Wörth (Rhine, 366.0 km)	x		x	x	x	-	x	
P 10-34	Karlsruhe (Rhine, 360.0 km)	x	x	x	x	
P 10-35	Kehl (Rhine, 297.0 km)	x			x	x	-	x	
P 10-36	Strasbourg (Rhine, 296.0 km)		x		x	x	x	x	Sand, gravel, oil products, cereals, heavy packages
P 10-37	Breisach (Rhine, 226.0 km)	x			-	-	-	-	
P 10-38	Colmar — Neuf Brisach (Rhine, 225.8 km)	x			x	x	-	x	Minerals, gravel, aluminium, cereals
P 10-39	Mulhouse — Ottmarsheim (Grand Canal d'Alsace, 21.0 km)		x		x	x	-	x	Minerals, agricultural products, metallurgical products and chemicals
P 10-40	Fort Louis Stattmatten (Grand Canal d'Alsace, 322.0 km)	x			
P 10-41	Ile Napoléon (Niffer — Mulhouse Canal, 37.6 km)	x			-	-	-	x	Oil products, minerals, fertilizers

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 10-42	Aproport (Chalon-sur-Saône, Mâcon, Villefranche-sur-Saône) (Saône, 230.0 km, 296.0 km and 335.0 km)	x			x	x	-	x	Bulk cargoes, construction materials
P 10-43	Pagny (Saône, 192.75 km)	x			x	x	x	-	
P 10-44	Lyon (Rhône, 375.0 km)	x			x	x	x	x	Oil and metallurgical products, minerals
P 10-45	Marseille — Fos (Marseille — Rhône Canal, 0.0 km)	x			x	x	x	x	Oil products, minerals
P 10-01-01	Rhein-Lippe-Hafen* (Wesel-Datteln Kanal, 1.0 km)	x			x	
P 10-01-02	Marl Hüls-AG* (Wesel-Datteln Kanal, 38.0 km)		x		x	
P 10-01-03	Auguste Victoria* (Wesel-Datteln Kanal, 39.0 km)	x			
P 10-01-04	Lünen (Datteln-Hamm Kanal, 11.0 km)	x			x	
P 10-01-05	Berkamen* (Datteln-Hamm Kanal, 22.0 km)	x			
P 10-01-06	Hamm (Datteln-Hamm Kanal, 34.0 km)	x			x	x	...	x	
P 10-01-07	Schmehausen* (Datteln-Hamm Kanal, 47.0 km)	x			
P 10-03-01	Essen (Rhein-Herne Kanal, 16.0 km)	x			x	
P 10-03-02	Coelln-Neuessen* (Rhein-Herne Kanal, 17.0 km)	x			
P 10-03-03	Ruhr Oel* (Rhein-Herne Kanal, 22.0 km)	x			x	x	...	x	
P 10-03-04	Gelsenkirchen (Rhein-Herne Kanal, 24.0 km)		x		x	x	...	x	
P 10-03-05	Wanne-Eickel (Rhein-Herne Kanal, 32.0 km)	x			x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 10-05-01	Mühlheim (Ruhr, 8.0 km)	x			x	x	
P 10-07-01	Heilbronn (Neckar, 110.0 km)		x		x	x	x	x	
P 10-07-02	Stuttgart (Neckar, 186.0 km)	x			-	-	-	x	
P 10-07-03	Plochingen (Neckar, 200.0 km)	x			-	-	-	x	
P 10-09-01	Huningue (Rhine, 168.4 km)	x			-	-	-	x	Oil products, minerals, fertilizers
P 10-09-02	Swiss Rhine Ports (Schweizerische Rheinhäfen) (Rhine, 159.15-170.0 km)			x	x	x	x	x	
P 10-04-01	Sète (Rhône – Sète Canal, 96.0 km)	x			x	x	x	x	Coal, cereals, oilcake
P 10-06-01	Fos (Fos Bay, sea section)			x	x	x	x	x	
P 11-01	IJmond (Noordzeekanaal, 4.7 km)			x	x	x	x	x	
P 11-02	Beverwijk (Noordzeekanaal, 4.5 km)		x		x	x	-	-	
P 11-03	Amsterdam (Noordzeekanaal, 20.6 km)			x	x	x	x	x	
P 11-04	Utrecht (Amsterdam-Rijnkanaal, 35.0 km)		x		x	x	-	x	
P 11-01-01	Zaandam (Zaan, 2.0 km)	x			x	x	-	-	
P 12-01	Nijmegen (Waal, 884.6 km)		x		x	x	-	-	
P 12-02	Arnhem (Neder-Rijn, 885.8 km)	x			-	-	-	-	
P 12-02bis	Deventer (Geldersche IJssel, 57.3 km)	x			-	-	-	-	
P 12-03	Zwolle (IJssel, 980.7 km)	x			-	-	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 12-04	Kampen (Geldersche IJssel, 106.8 km)	x			x	x	-	-	
P 12-02-01	Meppel (Meppelerdiep, 10.5 km)	x			x	x	-	-	
P 13-01	Emsland* (Dortmund-Ems Kanal, 151.0 km)	x			x	
P 13-02	Münster (Dortmund-Ems Kanal, 68.0 km)	x			x	
P 13-03	Dortmund (Dortmund-Ems Kanal, 1.0 km)	x			x	x	...	x	
P 14-01	Bremerhafen (Weser, 66.0-68.0 km)	x			x	x	x	x	
P 14-02	Nordenham (Weser, 54.0-64.0 km)	x			x	x	-	x	
P 14-03	Brake (Weser, 41.0 km)	x			x	x	-	x	
P 14-04	Bremen (Weser, 4.0-8.0 km)		x		x	x	x	x	
P 15-01	Almere (IJsselmeer, 15.0 km)	x			-	-	-	-	
P 15-01bis	Lelystad (IJsselmeer, 32.0 km)	x			-	-	-	-	
P 15-02	Lemmer (Prinses Margrietkanaal, 90.5 km)	x			-	-	-	-	
P 15-02bis	Sneek (Prinses Margrietkanaal, 43.7 km)	x			-	-	-	-	
P 15-02ter	Zuidhorn (Van Starckenborghkanaal, 15.0 km)	x			-	-	-	-	
P 15-03	Groningen (Van Starckenborghkanaal, 7.0 km)	x			-	-	-	x	
P 15-04	Emden (Ems, 41.0 km)	x			x	x	x	x	
P 15-05	Leer (Ems, 14.0 km)	-	-	-	x	
P 15-06	Oldenburg* (Hunte, 0.0-5.0 km)	x			-	-	-	x	
P 15-01-01	Leeuwarden (Haringsmakanaal, 23.7 km)	x			x	x	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 20-01	Cuxhaven (Elbe, 724.0 km) ²	x			x	x	x	x	
P 20-02	Brunsbüttel (Elbehafen, 693.0 km) ²	x			-	-	-	-	
P 20-03	Bützfleet* (Elbe, 668.0 km) ²		x		-	-	-	-	
P 20-04	Hamburg (Elbe, 618.0-639.0 km) ²			x	x	x	x	x	
P 20-05	Lauenburg (Elbe, 568.0 km) ²	x			-	-	-	-	
P 20-06	Tangermünde (Elbe, 388.0 km) ²	-	-	-	-	
P 20-07	Kieswerk Rogätz* (Elbe, 354.0 km) ²	x			-	-	-	x	
P 20-08	Magdeburger Häfen (Elbe, 330.0 and 333.0 km) ²	x			-	-	-	x	
P 20-09	Schönebeck (Elbe, 315.0 km) ²	x			-	-	-	-	
P 20-10	Aken (Elbe, 277.0 km) ²	-	-	-	-	
P 20-11	Torgau (Elbe, 154.0 km) ²	-	-	-	-	
P 20-12	Kieswerk Mühlberg* (Elbe, 125.0 km) ²	x			-	-	-	x	
P 20-13	Riesa (Elbe, 109.0 km) ²	-	-	-	-	
P 20-14	Dresden (Elbe, 57.0 and 61.0 km) ²	-	-	-	-	
P 20-15	Děčín (Elbe, 737.3 and 739.3 km) ²	x			x	x	-	x	Bulk cargoes
P 20-16	Ústí nad Labem (Elbe, 761.5 and 764.0 km) ²	x			x	x	-	x	Bulk cargoes
P 20-17	Mělník (Elbe, 834.4 km) ²	x			x	x	x	x	Bulk cargoes
P 20-18	Týnec nad Labem (Elbe, 933.7 km) ²	x			-	-	x	-	
P 20-04-01	Halle-Trotha (Saale, 86.0 km)	x			-	-	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 20-06-01	Miřejovice (Vltava, 18.9 km)	x			-	-	x	-	
P 20-06-02	Praha (Vltava, 47.4 and 55.5 km)	x			-	-	-	-	Bulk cargoes
P 21-01	Lübeck (Trave, 2.0-8.0 km)	x			x	x	x	x	
P 30-01	Swinoujscie (Baltic Sea – mouth of the Oder)		x		x	x	x	x	
P 30-02	Szczecin (Oder, 741.0 km)			x	x	x	x	x	
P 30-03	Kostrzyn (Oder, 617.0 km)	x			-	-	-	x	
P 30-04	Wroclaw (Oder, 255.0 km)	x			-	-	-	x	
P 30-05	Kozle (Oder, 96.0 km)	x			-	-	-	x	
P 30-01-01	Glivice (Gliwicki Canal, 41.0 km)	x			-	-	-	x	
P 40-01	Gdansk (Baltic Sea – mouth of the Wisla)			x	x	x	x	x	
P 40-02	Bydgoszcz (Wisla, 772.3 km and Brda, 2.0 km)	x			-	-	-	-	
P 40-03	Brest (Mukhavets, 1.5 km)	x			-	-	-	-	General and bulk cargo
P 40-04	Pinsk (Pina, 9.0 km)	x			-	-	-	-	General and bulk cargo
P 40-04bis	Mikashevichi (Pripyat, 40.5 km and Mikashevichi Canal, 7.0 km)	x			-	-	-	-	Bulk cargo
P 40-04ter	Mozyr (Pripyat, 188.0 km)	x			-	-	-	x	General and bulk cargo
P 40-05	Kyiv (Dnipro, 856.0 km)			x	x		-	x	Bulk and general cargo
P 40-06	Cherkassy (Dnipro, 653.0 km)		x		x	-	-	x	Bulk and general cargo
P 40-07	Kremenchuk (Dnipro, 541.0 km)			x	x	-	-	x	Bulk and general cargo

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 40-07bis	Poltava Ore Mining and Processing Enterprise (Dnipro, 521.0 km)		x		-	-	-	x	Ore, minerals
P 40-08	Kamianske (Dnipro, 429.0 km)		x		-	-	-	x	Bulk and general cargo
P 40-08bis	Cargo Handling terminal (Dnipro, 422.0 km)	x			-	-	-	x	Bulk and general cargo
P 40-09	Dnipro (Dnipro, 393.0 km)			x	x		-	x	Bulk and general cargo
P 40-10	Zaporizhya (Dnipro, 308.0 km)			x	x	x	-	x	Bulk and general cargo, lighters
P 40-11	Nova Kakhovka (Dnipro, 96.0 km)	x			-	-	-	-	Bulk and general cargo
P 40-12	Kherson (Dnipro, 28.0 km)		x		x	-	-	x	Bulk and general cargo, lighters
P 40-01-01	Chernihiv (Desna, 194.5 km)		x		-	-	-	x	General and bulk cargo
P 40-02-01	Mykolaiv, river port (Pivdenny Buh, 40.0 km)	x			Cereals, scrap, minerals
P 40-02-02	Mykolaiv, sea port (Pivdenny Buh, 35.0 km)		x		x	x	-	x	Timber, oil products, metals, cereals, bulk cargo, scrap
P 40-02-03	Dnipro-Buhsnyi (Pivdenny Buh, 16.0 km)		x		-	-	-	x	Ore, general cargo
P 41-01	Klaipeda sea port (Kurshskiy Zaliv)			x	x	x	x	x	
P 41-02	Nida (Kurshskiy Zaliv, 42.7 km) ³	
P 41-03	Uostadvaris (Nemunas river mouth) ³	
P 41-04	Kaunas (Nemunas, 209.0 km)	x			-	-	-	-	
P 41-05	Kaunas winter port (Nemunas, 210.0 km)	x			-	-	-	-	
P 50-01	Sankt-Petersburg sea port (Neva, 1 397.0 km) ⁴			x	x	x	x	x	General cargoes, timber, cereals, coal

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 50-02	Podporozhie (Volgo-Baltiyskiy Waterway, 1 054.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, ore, pipes
P 50-03	Cherepovets (Volgo-Baltiyskiy Waterway, 540.0 km) ⁴	x			x	x	-	x	General cargoes, timber, construction materials, coal
P 50-04	Yaroslavl (Volga, 520.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, fertilizers
P 50-05	Nizhny Novgorod (Volga, 905.0 km) ⁴	x			-	-	-	x	General cargoes, timber, construction materials, coal
P 50-06	Kazan (Volga, 1 311.0 km) ⁴		x		x	x	General cargoes, construction materials, scrap, heavy goods
P 50-07	Ulianovsk (Volga, 1 528.0 km) ⁴	x			x	-	-	x	General cargoes, construction materials, coal
P 50-08	Samara (Volga, 1 738.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, coal
P 50-09	Saratov (Volga, 2 165.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal, cereals
P 50-10	Volgograd (Volga, 2 551.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal
P 50-11	Astrakhan, sea port (Volga, 3 051.0 km) ⁴		x		x	-	-	x	General cargoes, construction materials, timber
P 50-02-01	Moskva Northern Port (Kanal imeni Moskvi, 46.0 km) ⁴	x			x	x	-	-	General cargoes, timber, construction materials, salt

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 50-02-02	Moskva Southern Port (Kanal imeni Moskvvi, 0.0 km, Moskva River 151.0 km, from its confluence with Oka River)	x			x	x	...	x	General cargoes, timber, construction materials, salt
P 50-02-02-01	Tver (Volga, 272.0 km) ⁴		x		x	-	-	-	General cargoes, construction materials
P 50-01-01	Perm (Kama, 2 260.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal, ore, cereals
P 50-01-02	Agidel (Belaya, 1 786.3 km)	x			-	-	-	-	Oil cargoes
P 60-01	Scheveningen (North Sea)	x			-	-	-	-	
P 60-02	Den Helder (North Sea)	x			-	-	x	-	
P 60-03	Brunsbüttel (Kiel Canal, 2.0-5.0 km)	x			-	-	-	x	
P 60-04	Rendsburg (Kiel Canal, 62.0 km)				-	-	-	x	
P 60-05	Kiel (Kiel Canal, 96.0 km)				x	x	x	x	
P 60-06	Flensburg				-	-	-	x	
P 60-07	Wismar	x			x	x	x	x	
P 60-08	Rostock	x			x	x	x	x	
P 60-09	Stralsund				-	-	-	x	
P 60-10	Greifswald	x			-	-	-	-	
P 60-11	Sventoji (Baltic Sea)	
P 60-12	Vyborg (Vyborg Bay)	
P 60-13	Petrozavodsk (Lake Onega, 1 009.0 km) ⁴	x			-	-	-	x	General cargoes, construction materials

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 60-14	Arkhangelsk sea port (Mouth of Severnaja Dvina)	
P 60-15	Arkhangelsk river port (Mouth of Severnaja Dvina, 0.0 km)	x			x	x	General cargoes, construction materials
P 60-02-01	Sevilla (Guadalquivir, 80.0 km)		x		x	x	x	x	General and bulk cargoes
P 60-04-01	Douro (Douro, 5.0 km)	
P 60-04-02	Sardoura (Douro, 49.0 km)	
P 60-04-03	Régua — Lamego (Douro, 101.0 km)	
P 60-06-01	Bordeaux (Gironde et Garonne, 359.0 km)			x	x	x	-	x	
P 60-08-01	Nantes (Loire, 645.0 km)	x			x	x	-	x	Minerals, construction materials
P 60-10-01	Harlingen (Waddenzee)	x			x	x	x	x	
P 60-12-01	Delfzijl (Waddenzee)		x		x	x	x	x	
P 60-11-01	Mustola (39.0 km from the mouth of Saimaa Canal)	x			x	x	x	x	Timber
P 60-11-02	Kaukas* (52.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-03	Rapasaari* (52.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-04	Joutseno* (67.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 60-11-05	Vuoksi* (85.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-06	Varkaus (Port of Taipale) (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-07	Varkaus (Port of Kosulanniemi)* (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-08	Varkaus (Port of Akonniemi) (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-09	Kuopio (352.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-02-01	Puhos* (311.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-02-02	Joensuu (346.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 61-01	Anklam (Peene, 95.0 km)	x			-	-	-	x	
P 70-01	Wageningen (Neder-Rijn, 903.2 km)	x			-	-	-	-	
P 70-01bis	Lochem (Twentekanaal, 15.5 km)	x			-	-	-	-	
P 70-01ter	Hengelo (Twentekanaal, 45.1 km)		x		x	x	-	x	
P 70-02	Enschede (Twentekanaal, 49.8 km)	x			-	-	-	-	
P 70-03	Ibbenbüren (Mittellandkanal, 5.0 km)	x			-	-	-	x	
P 70-04	Minden (Mittellandkanal, 100.0-104.0 km)	x			-	-	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 70-05	Hannover (Mittellandkanal, 155.0-159.0 km)	x			x	x	-	x	
P 70-06	Mehrum* (Mittellandkanal, 194.0 km)	x			-	-	-	-	
P 70-07	Braunschweig (Mittellandkanal, 220.0 km)	x			-	-	-	x	
P 70-08	Braunschweig/Thune* (Mittellandkanal, 223.0 km)	x			-	-	-	-	
P 70-09	Haldensleben (Mittellandkanal, 301.0 km)	x			-	-	-	x	
P 70-10	Niegripp* (Elbe-Havel-Kanal, 330.0 km)	x			-	-	-	-	
P 70-11	Brandenburg* (Untere Havel-Wasserstraße, 60.0 km)	x			-	-	-	-	
P 70-12	Brandenburg (Untere Havel-Wasserstraße, 57.0 km)	x			-	-	-	-	Gravel works
P 70-13	Deponie Deetz* (Untere Havel-Wasserstraße, 40.0 km)	x			-	-	-	x	
P 70-14	Spandau South Harbour (Untere Havel-Wasserstraße, 2.0 km)	x			-	-	-	x	
P 70-15	Elblag (Zalew Wislany)	x			-	-	-	-	
P 70-16	Kaliningrad sea port (Pregel, 8.0 km)	x	x	
P 70-17	Kaliningrad river port (Pregel, 9.0 km)	x			x	Current cargo turnover is 100,000 t
P 70-01-01	Gouda (Hollandse IJssel, 1.4 km)	x			-	-	-	-	
P 70-01-02	Alphen aan den Rijn (Oude Rijn, 39.5 km)	x			x	x	-	-	
P 70-03-01	Almelo (Zijkanaal, 17.6 km)	x			x	x	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 70-02-01	Osnabrück (Stichkanal, 13.0 km)	-	-	X	X	
P 70-04-01	Hannover – Linden (Stichkanal, 11.0 km)	X			-	-	-	X	
P 70-06-01	Hildesheim (Stichkanal, 15.0 km)	-	-	-	X	
P 70-08-01	Salzgitter (Stichkanal, 15.0 km)	X			X	-	-	X	
P 70-10-01	Cargo-Handling Complex* (branch of the Spree at 0.0 km)	X			-	-	-	-	
P 70-10-02	Nonnendamm (Spree, 2.0 km)	X			-	-	-	X	
P 70-10-03	Reuter Power Station* (Spree, 3.0 km)	X			-	-	-	X	
P 70-10-04	Charlottenburg Power Station (Spree, 8.0 km)	-	-	-	-	
P 70-10-05	Westhafen Berlin (Westhafenkanal, 3.0 km)	-	-	-	X	
P 70-10-06	Osthafen Berlin (Spree, 21.0 km)	-	-	-	X	
P 70-10-07	Klingenberg Heating Station (Spree, 25.0 km)	X			-	-	-	X	
P 70-12-01	Moabit Power Station* (Berlin-SpandauerSchiffahrtskanal, 9.0 km)	X			-	-	-	-	
P 71-01	Teltowkanal Cargo Handling Point* (Teltowkanal, 31.0-34.0 km)	X			-	-	-	X	
P 71-02	Oberschöneweide Cargo Handling Point (Spree-Oder Wasserstraße, 28.0-29.0 km)	X			-	-	-	X	
P 71-03	Eisenhüttenstadt EKO* (Spree-Oder Wasserstraße, 122.0 km)	X			-	-	-	X	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 71-04	Eisenhüttenstadt (Spree-Oder Wasserstraße, 124.0 km)	-	-	-	x	
P 71-02-01	Potsdam (Potsdamer Havel, 3.0 km)	-	-	-	-	
P 71-06-01	Niederlehme* (Dahme-Wasserstraße, 8.0 km)	-	-	-	-	
P 71-06-02	Königs Wusterhausen (Dahme-Wasserstraße, 8.0 km)	x			-	-	-	x	
P 80-01	Le Havre (Le Havre — Tancarville Canal, 20.0 km)	x			x	x	x	x	Oil products, fuels, minerals
P 80-02	Rouen (Seine, 242.0 km)		x		x	x	x	x	Oil, cereals, sand, coal
P 80-03	Conflans (Seine, 239.0 km)	x			
P 80-04	Frouard (Moselle, 346.5 km)	x			x	x	x	x	Heavy goods
P 80-05	Metz (Moselle, 297.0-294.0 km)	x			x	x	-	x	
P 80-06	Mondelange-Richemont (Moselle, 279.5-277.9 km)	x			
P 80-07	Thionville-Illange (Moselle, 271.9-270.1 km)	x			x	x	-	-	
P 80-08	Merttert (Moselle, 208.0 km)	x			x	x	-	x	Oil products, wood shavings, construction materials, coal, agricultural products/fertilizers, 20- and 40-foot containers
P 80-09	Trier (Moselle, 184.0 km)	x	x		-	-	-	x	
P 80-10	Bingen (Rhine, 527.0 km)	-	-	-	x	
P 80-11	Wiesbaden (Rhine, 500.0 km)	x			-	-	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 80-12	Mainz (Rhine, 500.0 km)		X		X	X	X	X	
P 80-13	Flörsheim* (Main, 9.0 km)	X			-	-	-	-	
P 80-14	Raunheim* (Main, 14.0 km)	X			-	-	-	-	
P 80-15	Hattersheim* (Main, 17.0 km)	X			-	-	-	-	
P 80-16	Kelsterbach* (Main, 19.0 km)	X			-	-	-	-	
P 80-17	Frankfurt* (Main, 22.0-29.0 km)	X			X	X	-	X	
P 80-18	Frankfurt (Main, 31.0-37.0 km)		X		X	X	-	X	
P 80-19	Offenbach (Main, 40.0 km)	-	-	-	X	
P 80-20	Hanau (Main, 56.0-60.0 km)	X			-	-	-	X	
P 80-21	Grosskotzenburg* (Main, 62.0 km)	X			-	-	-	-	
P 80-22	Stockstadt (Main, 82.0 km)	X			X	-	-	X	
P 80-23	Aschaffenburg (Main, 83.0 km)	X			X	-	-	X	
P 80-24	Triefenstein* (Main, 173.0 km)	X			-	-	-	-	
P 80-25	Karlstadt* (Main, 227.0 km)	X			-	-	-	-	
P 80-26	Würzburg (Main, 246.0-251.0 km)	X	-	X	X	
P 80-27	Schweinfurt (Main, 330.0 km)	-	-	-	X	
P 80-28	Bamberg (Main-Donau Kanal, 3.0 km)	-	-	-	X	
P 80-29	Erlangen (Main-Donau Kanal, 46.0 km)	X			-	-	-	X	
P 80-30	Nürnberg (Main-Donau Kanal, 72.0 km)	-	-	X	X	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 80-31	Regensburg (Danube, 2 370.0-2 378.0 km)	x			x	x	-	x	
P 80-32	Deggendorf* (Danube, 2 281.0-2 284.0 km)	x			x	x	-	-	
P 80-33	Linz (Danube, 2 128.2-2 130.6 km)	x			x	x	x	x	All cargoes
P 80-34	Linz — Vöest* (Danube, 2 127.2 km)		x		x	x	-	x	Metallurgical products
P 80-35	Enns — Ennsdorf (Danube, 2 111.8 km)	x			x	x	x	x	General and bulk cargoes, liquid gas
P 80-36	Krems (Danube, 1 998.0 km)	x			x	-	-	x	All cargoes but oil and oil products
P 80-37	Wien (Danube, 1 916.8-1 920.2 km)	x			x	x	x	x	All cargoes
P 80-38	Bratislava (Danube, 1 867.0 km)		x		x	x	x	x	All cargoes
P 80-39	Győr — Gönyü (Danube, 1 807.0 km)	x					x	x	Mainly bulk cargoes and oil products
P 80-40	Komárno (Danube, 1 767.1 km)		x		x	x	-	x	
P 80-41	Štúrovo (Danube, 1 722.0 km)	x			-	-	-	-	
P 80-42	Budapest (Danube, 1 640.0 km)		x		x	x	x	x	
P 80-43	Szàzhalombatta (Danube, 1 618.7 km)	x							Oil products
P 80-44	Dunaujvaros (Danube, 1 579.0 km)		x					x	Mainly bulk cargo, general cargo
P 80-45	Dunaföldvár (Danube, 1 563.0 km)	x							Oil products
P 80-46	Baja (Danube, 1 480.0 km)	x			x			x	
P 80-46bis	Apatin (Danube, 1 401.5 km)	x			
P 80-47	Vukovar (Danube, 1 333.1 km)	x			x	x	-	x	
P 80-47bis	Bačka Palanka (Danube, 1 295.0 km)	x			x	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 80-47ter	Novi Sad (Danube, 1 253.5 km)	x			x	x	
P 80-48	Beograd (Danube, 1 170.0 km)	x			x	x	...	x	
P 80-48bis	Pančevo (Danube, 1 152.8 km)	x			x	x	
P 80-49	Smederevo (Danube, 1 116.3 km)	x			x	
P 80-50	Orsova (Danube, 954.0 km)	x			-	-	-	x	
P 80-51	Turnu Severin (Danube, 931.0 km)	x			-	-	x	x	
P 80-52	Prahovo (Danube, 861.0 km)	x			x	
P 80-52bis	Vidin (Danube, 790.0 km)	x			-	-	x	x	
P 80-53	Lom (Danube, 743.0 km)		x		-	-	-	x	
P 80-53bis	Oriahovo (Danube, 678.0 km)	x			-	-	x	x	
P 80-54	Turnu Magurele (Danube, 597.0 km)	x			-	-	-	x	
P 80-55	Svistov (Danube, 554.0 km)	x			-	-	-	x	
P 80-56	Rousse (Danube, 495.0 km)		x		-	-	x	x	
P 80-57	Giurgiu (Danube, 493.0 km)	x			-	-	x	x	
P 80-58	Oltenita (Danube, 430.0 km)	x			-	-	x	-	
P 80-58bis	Silistra (Danube, 375.5 km)	x			-	-	x	x	
P 80-59	Calarasi (Danube, 370.5 km)	x			-	-	x	x	
P 80-59bis	Cernavoda (Danube, 298.0 km)	x			-	-	-	x	
P 80-60	Braila (Danube, 167.0-175.0 km)		x		-	-	x	x	General cargo, oil products, bulk cargo

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 80-61	Galati (Danube, 76.0 Mm – 160.0 km)			x	-	-	x	x	General cargo, containers, oil products, bulk cargo
P 80-62	Giurgiulesti (Danube, 133.0 km)	x			x	x	-	x	Oil products, cereals and containers. Ro-Ro and general cargo terminals under construction
P 80-63	Reni (Danube, 128.0 km)			x	x	x	x	x	General and bulk cargo, oil products
P 80-64	Tulcea (Danube, 34.0 Mm – 42.0 Mm)	x			-	-	-	x	Bulk cargo, passengers
P 80-04-01	Autonomous port of Paris			x	x	x	x	...	Agricultural products, fuels
	Gennevilliers (Seine, 194.7 km)			x	x	x	x	-	Construction materials, bulk cargo, metallurgy (ore, coils)
	Bonneuil – Vigneux (Seine, 169.7 km)	x			x	x	-	-	Construction materials, bulk cargo, metallurgy (ore, coils)
	Evry (Seine, 137.8 km)	x			x	x	x	x	Construction materials, bulk cargo, metallurgy (ore, coils)
	Melun (Seine, 110.0 km)	x			
	Limay-Porcheville (Seine, 109.0 km)	x			x	x	x	x	Construction materials, bulk cargo, metallurgy (ore, coils)
	Montereau (Seine, 67.4 km)	x			x	x	x	x	2013 project: containers
	Nanterre (Seine, 39.4 km)	x			
	Bruyères-sur-Oise (Oise, 96.9 km)	x			x	x	x	x	Containers: under construction

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 80-04-01	St. Ouen-l'Aumône (Oise, 119.2 km)	x			x	
(continued)	Lagny (Marne, 149.8 km)	x			x	x	-	-	Containers: project
P 80-06-01	Dillingen (Saar, 59.0 km)		x		x	x	x	x	
P 80-08-01	Osijek (Drava, 14.0 km)		x		x	x	-	x	
P 80-01-01	Szeged (Tisza, 170.0 km)	x			x	
P 80-01-02	Senta (Tisza, 122.0 km)	x			x	x	
P 80-14-01	Medgidia (Danube — Black Sea Canal, 37.5 km)		x		-	-	-	x	
P 80-14-02	Constanta (Danube — Black Sea Canal, 0.0 km)			x	x	x	x	x	
P 80-09-01	Izmail (Danube — Kiliiske Mouth, 93.0 km)		x		x	x	-	x	General and bulk cargo
P 80-09-02	Kilia (Danube — Kiliiske Mouth, 47.0 km)	x			x	-	-	-	General cargo
P 80-09-03	Ust-Dunaisk (Danube — Kiliiske Mouth, 0 km)			x	x	x	-	-	General and bulk cargo
P 81-01	Šaľa (Váh, ... km)	x			x	Port is planned
P 81-02	Sereď (Váh, ... km)	x			Port is planned
P 81-03	Hlohovec (Váh, ... km)	x			Port is planned
P 81-04	Piešťany (Váh, ... km)	x			Port is planned
P 81-05	Nové mesto nad Váhom (Váh, ... km)	x			Port is planned
P 81-06	Trenčín (Váh, ... km)	x			Port is planned
P 81-07	Dubnica (Váh, ... km)	x			Port is planned
P 81-08	Púchov (Váh, ... km)	x			Port is planned

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
					20'	40'			
1		2	3	4	5	6	7	8	9
P 81-09	Považská Bystrica (Váh, ... km)	x			Port is planned
P 81-10	Žilina (Váh, ... km)	x			Port is planned
P 81-11	Čadca (Váh — Oder Link, ... km)	x			Port is planned
P 90-01	Taganrog, sea port (Taganrog Bay)	x			x	x	
P 90-02	Eysk, sea port (Taganrog Bay)	x	
P 90-03	Azov, sea port (Don, 3 168.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, ore, dross
P 90-04	Rostov, sea port (Don, 3 134.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, coal, dross
P 90-05	Oust-Donetsk (Severskiy Donets, 5.0 km from the mouth)	x			x	-	-	x	General cargoes, timber, construction materials, coal, ore
P 90-03-01	Bilhorod Dnistrovskiy (mouth of the Dnister River)	
P 90-03-02	Bender (Nistru, 228.0 km)	x			-	-	-	x	Dry bulk and general cargoes
P 91-01	Milano Terminale (Milano — Po Canal, 0.0 km)	Construction foreseen
P 91-02	Lodi (Milano — Po Canal, 20.0 km from Milano Terminale)	Study evaluation
P 91-03	Pizzighettone (Milano — Po Canal, 40.0 km from Milano Terminale)	x			Starting up
P 91-04	Cremona (Milano — Po Canal, 55.0 km from Milano Terminale)		x		x	x	x	x	
P 91-04bis	Cremona — Casalmaggiore (Po)	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 91-04ter	Mantova Viadana (Po)	x			Focused on chemical fluids through pipeline
P 91-05	Boretto R. Emilia Centrale (Po, 120.0 km from Milano Terminale)	x			Starting up
P 91-05bis	Mantova S. Benedetto (Po)	x			
P 91-05ter	Mantova Revere (Po)	x			x				
P 91-06	Ferrara (Po, 200.0 km from Milano Terminale)	Study evaluation
P 91-07	Adria (Mantova — Adriatic Sea Canal, 265.0 km from Milano Terminale)	x			
P 91-08	Chioggia (Po — Brondolo Canal, 285.0 km from Milano Terminale)		x		x	x		x	Sea port with connection to inland waterway
P 91-09	Marghera (Laguna Veneta, 300.0 km from Milano Terminale)			x	x	x	x	x	Sea port with connection to inland waterway
P 91-10	Nogaro (Veneta Lateral Waterway, 355.0 km from Milano Terminale)		x		x	x		x	Sea port with connection to inland waterway
P 91-11	Monfalcone (Veneta Lateral Waterway, 410.0 km from Milano Terminale)			x	x	x	x	x	Sea port with connection to inland waterway
P 91-12	Trieste (Adriatic Sea)			x	x	x	x	x	Sea port with connection to inland waterway
P 91-02-01	Piacenza (Po, 35.0 km from Conca di Cremona)	x			Study evaluation
P 91-02-02	Pavia (Po, 98.0 km from Conca di Cremona)	Study evaluation

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 91-02-03	Casale Monferrato (Po, 183.0 km from Conca di Cremona)	Study evaluation
P 91-04-01	Ferrara (Ferrara — Porto Garibaldi Canal)	x			x	x		x	
P 91-04-02	Ferrara S. Giovanni Ostellato (Ferrara — Porto Garibaldi Canal)	x			
P 91-04-03	Garibaldi (Ferrara Waterway, 80.0 km from Ferrara)	
P 91-04-04	Ravenna			x	x	x	x	x	Sea port with connection to inland waterway
P 91-06-01	Porto Tolle (Po Grande, 260.0 km from Milano Terminale)	Construction foreseen
P 91-03-01	Mantova (Valdaro and private ports) (Mantova — Adriatic Sea Canal, 0.0 km and Mantova Lakes)		x		x	x	...	x	
P 91-03-02	Mantova Roncoferraro/Governolo (Mantova — Adriatic Sea Canal)	x			
P 91-03-03	Mantova Ostiglia (Mantova — Adriatic Sea Canal, 30.0 km)	x			
P 91-03-04	Verona Legnago (Mantova — Adriatic Sea Canal, 65.0 km)	x			
P 91-03-05	Canda (Mantova — Adriatic Sea Canal)	x			
P 91-03-06	Rovigo (Mantova — Adriatic Sea Canal, 140.0 km)		x		x	x	...	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR		RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS	
		0.5-3.0 million tonnes	3.0-10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **				RO-RO **
					20'	40'			
1		2	3	4	5	6	7	8	9
P 91-03-07	Conca di Volta Grimana (Mantova — Adriatic Sea Canal, 170.0 km)	
P 91-03-08	Porto Levante* (Po di Levante mouth)	Private ports. Public port in project

Notes to Table 3

1. After the construction of a new link Gent — Zeebrugge (E 07).
2. Distances to ports on the river Elbe are measured: in Germany — from the Czech Republic/Germany border starting from 0.0 km; in the Czech Republic — from the Germany/Czech Republic border starting from 726.15 km to avoid duplication of distances in the two countries concerned.
3. The distance to Lithuanian ports is measured from the Klaipeda sea port.
4. Distance from Moskva Southern Port.

VI. Scheme of the network of Inland Waterways of International Importance

In conformity with Annex I of the European Agreement on Main Inland Waterways of International Importance (AGN)

Notes to table 1

- ¹ Re-opening for navigation envisaged, currently not in service.
- ² When bridge is not open, air draught is 11.50 m for mean high water (MHW) at normal Amsterdam Peil (Dutch reference water level = mean sea tide level) (NAP) + 0.96 m.
- ³ Only permitted when proceeding downstream.
- ⁴ For the water level near Empel NAP + 2.55 m.
- ⁵ Depending on the tide water level prevailing.
- ⁶ Estimation by the secretariat.
- ⁷ All bridges are movable.
- ⁸ Sea-going vessels measuring 175.0 m x 25.0 m x 8.80 m are admitted.
- ⁹ For fixed low water level for rivers (OLW) NAP - 0.20 m.
- ¹⁰ When bridge is not open, air draught is 12.00 m for MHW NAP + 0.96 m.
- ¹¹ For OLW NAP + 0.15 m.
- ¹² For sea-going vessels measuring 256.0 m x 34.0 m x 12.25 m.
- ¹³ For fixed low water level (OLR) at Lobith NAP + 7.95 m.
- ¹⁴ For water level at high river discharge at Lobith NAP + 15.58 m (Marke II).
For mean water level at Lobith NAP + 10.10 m.
- ¹⁵ Fairway depth, below Gleichwertiger Wasserstand (GLW) 2002 (between Emmerich and Duisburg: 2.80 m below GLW).
- ¹⁶ When going downstream; reduced to 22.90 m in low water conditions.
- ¹⁷ Fairway depth, below GLW 2002.
- ¹⁸ 110.0 m at certain water levels.
- ¹⁹ Fairway depth, below GLW 2002 (between St. Goar and Mainz: 1.90 m below GLW).
- ²⁰ The height under the railway bridge at Strasbourg Kehl is currently 6.75 m at HNWL.
- ²¹ Smaller dimensions apply in case of closure of certain lock chambers.
- ²² The secretariat was informed by the Government of France that the project concerning the Saône — Moselle/Saône — Rhine Link has been abandoned.
- ²³ Bridge at Avignon — 6.30 m, Bridge at Tarascon — 7.40 m, bridge at Arles — 7.88 m.
- ²⁴ Fos — Port of Marseille section is not operable because of closure of the Rove tunnel.
- ²⁵ The under-bridge headroom requirement for this class cannot be met.
- ²⁶ Restrictions apply with regard to two-way traffic.
- ²⁷ Single units and convoys of up to 90.0 m in length and 9.60 m in width, may draw up to 2.80 m.
- ²⁸ From 113.0 km to 124.0 km — 5.50 m.
- ²⁹ The draught may be reduced to 2.10 m for twenty days a year at low water level downstream of Iffezheim.
- ³⁰ These figures correspond to a level of 5.00 m on the scale at Bâle-Rheinhalle and take into account security clearance of 40 cm.
- ³¹ The Mittlere Brücke determines the parameters for the section Bâle-Rheinfelden. It has 5.10 m headroom for each arch over a width of 17.00 m at the HNWL.
- ³² No dimension established for inland navigation vessels; sea-going vessels measuring 325.0 m x 42.0 m x 13.10 m are admitted.
- ³³ The depth required for this category cannot be guaranteed (depending on the water level prevailing).
- ³⁴ Above mean water level.
- ³⁵ Fairway depth, below GLW 89.
- ³⁶ Depending on the water level prevailing.
- ³⁷ Maximum dimensions of pushed convoys shall be 137.0 x 23.0 m or 170.0 x 11.5 m.
- ³⁸ The total length of the Lüneburg Shiplift is 100.0 m; single units of up to 100.0 m in length are accepted.
- ³⁹ This project is not expected to be realized in the near future.
- ⁴⁰ Maximum permissible draught on the section Mělník — Praha Radotín — 1.80 m and on the section Praha Radotín — Slapy — 1.20 m.
- ⁴¹ The permissible length-of-convoy requirement for this class cannot be met.
- ⁴² Class to be agreed upon by the Governments of Poland and Germany.
- ⁴³ Non-navigable waterway. A weir in Kozłowice, downstream of Brest, has no navigational locks and constitutes a main obstacle.
- ⁴⁴ During the locking procedure, the pusher is to enter the chamber alongside the barges.
- ⁴⁵ Periodically, at a low water level, the maximum draught is limited to 3.00 m.
- ⁴⁶ Limitation draught on the section from Gorodetski Lock to Nizhny Novgorod (of 56.0 km in length).
- ⁴⁷ At a project water level.
- ⁴⁸ On the Sarapul — Chaikovsky section (of 68.0 km in length). On other sections, the maximum navigable draught is 3.30 m.
- ⁴⁹ Vessels of a greater length may be allowed if their width is approved. The length of pushed convoys of 83.0 m is allowed only up to 126.0 km; from this point up to 210.0 km the length of up to 60.0 m is allowed.
- ⁵⁰ The draught of 3.80 m is ensured on 162.0 km of the river (from its mouth to 135.0 km and on 27.0 km between the Pocinho weir and Spanish port Vega Terron). On the rest of the river the draught of 2.00 m is ensured.
- ⁵¹ This figure is reduced to 6.60 m under the bridge of Ferradosa at 151.0 km.
- ⁵² The lowest height is under the Westminster Bridge.
- ⁵³ Height is restricted due to power cables.

- ⁵⁴ The maximum dimensions of vessels are applicable in daylight and good visibility. The Swedish Maritime Administration can grant exceptions from the maximum size up to 130.0 m x 19.00 m x 6.80 m.
- ⁵⁵ To be reached in 2019 after the reconstruction of the fairway which is under way.
- ⁵⁶ On the section Geldersche IJssel — Eefde the maximum draught is as much lower than 2.80 m as the outer water level at the lock Eefde is lower than NAP + 3.20 m.
- ⁵⁷ Single units of 86.0 x 9.50 m and convoys of 147.0 x 9.00 m may obtain special permission for navigation.
- ⁵⁸ As an alternative to the waterway via the Szkarpawa River.
- ⁵⁹ Fairway depth.
- ⁶⁰ Improvement of the Untere Havel-Wasserstraße is under way to the south of Wustermark.
- ⁶¹ No restriction when bridges are open.
- ⁶² The secretariat was informed by the Government of France that the project concerning the Seine — Moselle link has been abandoned.
- ⁶³ Height ensured during 300 days per year.
- ⁶⁴ 135.0 m under certain conditions.
- ⁶⁵ Except for road bridge Auheim at 59.56 km, where an under-bridge headroom of 4.39 m applies.
- ⁶⁶ Vessels exceeding 90.0 m in length are subject to additional requirements regarding the carriage of equipment.
- ⁶⁷ Except for Kettenbrücke and Löwenbrücke Bridges at Bamberg, where an under-bridge headroom of 5.41 m applies.
- ⁶⁸ A special permit is required when the draught exceeds 2.50 m.
- ⁶⁹ At LNWL (fairway depth).
- ⁷⁰ The single-unit permissible length and width requirement for this class cannot be met.
- ⁷¹ Road bridge at Pfatter.
- ⁷² Only vessels with a beam of up to 11.40 m may navigate downstream.
- ⁷³ Railway bridge at Deggendorf.
- ⁷⁴ Luitpolbrücke at Passau.
- ⁷⁵ Maximum draught according to Police Regulations; 2.70 m fairway depth at LNWL.
- ⁷⁶ Nibelungenbrücke at Linz.
- ⁷⁷ Maximum draught according to Police Regulations; 3.00 m fairway depth at LNWL.
- ⁷⁸ Maximum draught according to Police Regulations: 2.50 m fairway depth at LNWL in the deep channel.
- ⁷⁹ Road bridge at Stein/Mautern.
- ⁸⁰ U6 bridge at Wien.
- ⁸¹ Width limit of Gabčíkovo Lock 34.00 m.
- ⁸² Detailed regulations are given in relevant Slovakian and/or Hungarian Notices to Skippers.
- ⁸³ 3.50 m — the Slovakian target value, 2.50 m — the Hungarian target value.
- ⁸⁴ When going upstream, both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80.0 m, length/width=225.0/27.0 m.
- ⁸⁵ When going downstream, both length/width parameters are for convoys, no restriction for vessels.
- ⁸⁶ When going upstream, both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80.0 m, length/width=225.0/27.0 m.
- ⁸⁷ The following length/width parameters are applied:
- If fairway narrower than 120.0 m, length/width=225.0/38.0; if fairway narrower than 80.0 m, length/width=145.0/38.0 m; at the bridge at 1,560.55 km while Dunaföldvár water gauge lower than -50 cm, length/width=145.0/35.0 m; at the bridge at 1,480.22 km while Baja water gauge above 600 cm, length/width=225.0/38.0 m (when going downstream);
 - If fairway narrower than 120.0 m, length/width=225.0/38.0 m or 300.0/27.0 m; if fairway narrower than 80.0 m, length/width=225.0/27.0 m (when going upstream).
- ⁸⁸ No restrictions for length/width; no bridges.
- ⁸⁹ Temporary road/railway bridge at Novy Sad (1,254.17 km).
- ⁹⁰ 1,045.12 km Moldova Veche — bridge with cables.
- ⁹¹ 943.0 km Iron Gates I. The higher values of draught and air draught of up to 5.00 m and 13.50 m, respectively, are ensured on request and against payment of costs.
- ⁹² 863.5 km Iron Gates II, locks and road bridge.
- ⁹³ 796.00 km, Calafat, Vidin bridge (road and rail), the height is 21.64 m;
488.70 km, Giurgiu — Ruse bridge (road and rail) — the height is 13.91 m;
300.07 km, Cernavoda bridge (road and rail) — the height is 24.90 m;
300.00 km, Cernavoda bridge (rail) — the height is 30.96 m.
- ⁹⁴ Minimum height at normal water level varies from 8.54 m to 9.31 m; at HNWL it varies from 5.15 m to 6.89 m.
- ⁹⁵ Temporary decrease of water depth in the Beaulieu Canal is necessary to obtain this height.
- ⁹⁶ From 0.0 km to 12.0 km: depth is partly reduced to less than 2.5 m during the LNWL, 70 days per year.
- ⁹⁷ Bridge at 173.6 km with a height 7.69 m.
- ⁹⁸ The length on the Romanian territory.
- ⁹⁹ From 211.0 km to 223.0 km, depth is reduced to less than 2.5 m approximately 50 days per year.
- ¹⁰⁰ From 307.0 km to 329.0 km, i.e. between Slavonski Šamac and Novi Grad: unregulated sections.
- ¹⁰¹ Between Jaruge and Novi Grad: limited width, one way navigation throughout the year. On section from 321.0 km to 329.0 km: depth is reduced to less than 2.0 m during the low navigable water level, 170 days per year
- ¹⁰² From 515.0 km to 591.0 km: width restrictions on curves, in some parts, one way navigation throughout the year.
- ¹⁰³ Estimation by the Government of Romania.
- ¹⁰⁴ *Footnote by Ukraine:* Data concerning this section of the E 80-09 waterway are based on the results of the completion of stage one of the Ukrainian project on the reopening of the Danube — Black Sea navigable waterway. Definitive data related to the project will be presented after the full completion of the project, to be undertaken in accordance with the provisions of applicable international environmental agreements and conventions.

Footnote by Romania: Data concerning this section of the E 80-09 waterway are provisional. Definitive data related to the Ukrainian project of building a deep-water navigable waterway on the Kiliiske Mouth and Bystre outlet into the sea of the Danube River are pending the full assessment of the environmental impact and the full and faithful observance of applicable international agreements and conventions.

- ¹⁰⁵ Draught at a water level + 250 cm according to the hydrometric station Komarno (Danube).
¹⁰⁶ Height at a zero water level according to the hydrometric station Komarno (Danube).
¹⁰⁷ On the section from the Kochetovsky hydroelectric complex to Aksay (of 116.3 km in length). On other sections, the maximum navigable draught is 3.45 m.
¹⁰⁸ Draught of 2.50 m is ensured during 250 days per year, target data of 2.50 m is to be ensured during 300 days per year.
¹⁰⁹ Limitation due to Casalmaggiore railway bridge calculated on maximum navigable water level Q_{30} (Q_{30} is the flow that is equaled or exceeded for a maximum of 30 days a year).
¹¹⁰ Limitation due to Borgoforte road bridge calculated on Q_{30} .
¹¹¹ Limitation due to Revere road bridge calculated on Q_{30} .
¹¹² Limitation due to Rosolina Bridge.
¹¹³ Draught of 2.50 m is ensured during 200 days per year, target data of 2.50 m is to be ensured during 250 days per year.
¹¹⁴ Draught of 2.50 m is ensured during 250 days per year, target data of 2.50 m is to be ensured during 310 days per year.
¹¹⁵ Limitation due to railway bridge Padova — Bologna.
¹¹⁶ A direct link Po — Adriatic Sea is not possible because of sand banks at the estuary of the Po River.

Notes to table 2

- ¹ In operation in case of storm flood, otherwise open connection.
² Datum: GLW: LNWL.
³ Maximum dimensions of convoys admitted are 180.0 x 22.90 m and 186.5 x 22.90 m, respectively.
⁴ Datum: normal canal water level.
⁵ Datum: hydrostatic water level.
⁶ Normally open.
⁷ The lock is only used as a flood gate: the lock is normally open, it's only closed if the waterlevel on the Maas River reaches a certain limit.
⁸ Depending on the tide water level prevailing.
⁹ On account of the particular shape and outline of the locks' chambers, single units of not more than 80.0 m in length and 8.25 m in width are admitted.
¹⁰ Lock gate width is 11.00 m.
¹¹ These locks are located one after the other allowing the passage of convoys of up to 190.0 m in length.
¹² This is the width of gates. The width of chambers is 16.00 m.
¹³ Limitation draught at the Gorodetsky Lock. At other locks a draught of 4.00 m is ensured.
¹⁴ From Dubna to the Moskva Northern Port depth at sills is 4.00 m.
¹⁵ After the reconstruction of the lock, which is planned to be finished in 2019, the dimensions of the lock will be 190.0 x 23.0 x 8.40 m.
¹⁶ Additional gate of the lock.
¹⁷ Datum: LNWL.
¹⁸ Leads to the old bed of the Danube. Practically not used.

Notes to Table 3

- ¹ After the construction of a new link Gent — Zeebrugge (E 07).
² Distances to ports on the river Elbe are measured: in Germany — from the Czech/German State border starting from 0.0 km; in the Czech Republic — from the German/Czech State border starting from 726.15 km to avoid duplication of distances in the two countries concerned.
³ The distance to Lithuanian ports is measured from the Klaipeda sea port.
⁴ Distance from Moskva Southern Port.
-