UNITED NATIONS



Economic and Social Council

Distr. GENERAL

TRANS/WP.29/956 23 January 2004

ENGLISH

Original: ENGLISH and FRENCH

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

World Forum for Harmonization of Vehicle Regulations (WP.29)

CORRIGENDUM 1 TO SUPPLEMENT 10 TO REGULATION No. 4

(Illumination of rear registration plates)

Note: The text reproduced below was adopted by the Administrative Committee (AC.1) of the amended 1958 Agreement at its twenty-fifth session, following the recommendation by WP.29 at its one-hundred-and-thirty-first session. It is based on documents TRANS/WP.29/2003/86 and TRANS/WP.29/2003/87/Corr.1 (English and French only), not amended (TRANS/WP.29/953, para. 97).

Add a new paragraph 1.3., to read:

- "1.3. "Rear registration plate lamps of different types" means lamps which differ in such essential respects as:
 - the trade name or mark;
 - the characteristics of the optical system, (levels of intensity, light distribution angles, category of filament lamp, light source module, etc.);
 - the angle of incidence of the light on the surface of the plate."

Paragraph 2.(b)., amend to read:

- "(b) a brief technical description stating in particular, with the exception of lamps with non-replaceable light sources:
 - the category or categories of filament lamp prescribed; this filament lamp category shall be one of those contained in Regulation No. 37; and/or
 - the light source module specific identification code;"

Paragraph 3., amend to read:

- "3. MARKINGS
 - Illuminating devices submitted for approval must bear:
- 3.1. the trade name or mark of the maker or manufacturer of the illuminating device;
- 3.2. a space of sufficient size for the approval mark; this space shall be shown in the drawings mentioned in paragraph 2(a) above.
- 3.3. in the case of lamps with non-replaceable light sources or light source module(s), the marking of the rated voltage and the rated wattage;
- 3.4. with the exception of lamps with non-replaceable light sources it must bear a clearly legible and indelible marking indicating:
 - the category or categories of filament lamp(s) prescribed; and/or
 - the light source module specific identification code."
- 3.5. in the case of lamps with light source module(s), the light source module(s) shall bear:
- 3.5.1. the trade name or mark of the applicant; this marking must be clearly legible and indelible;
- 3.5.2. the specific identification code of the module; this marking must be clearly legible and indelible.

This specific identification code shall comprise the starting letters "MD" for "MODULE" followed by the approval marking without the circle as prescribed in paragraph 4.4.1. below; this specific identification code shall be shown in the drawings mentioned in paragraph 2(a) above. The approval marking does not have to be the same as the one on the lamp in which the module is used, but both markings shall be from the same applicant.

3.5.3. the marking of the rated voltage and rated wattage"

Add new paragraphs 5.4., 5.4.1. and 5.4.2., to read:

- "5.4. Light source module
- 5.4.1. The design of the light source module(s) shall be such that even in darkness the light source module(s) can be fitted in no other position, but the correct one.
- 5.4.2. The light source module(s) shall be tamperproof."

Annex 1, insert a new Figure 3 - Model E, to read:

"<u>Figure 3</u> Light source modules

Model E

MD E3 17325

The light source module bearing the identification code shown above has been approved together with a lamp approved in Italy (E3) under approval number 17325."

Annex 2, item 9., amend to read:

"9.	Concise description: 3/		
	Device for illuminating:	a tall plate	
		a wide plate	
		a plate for agricultural or forestry tractor	· <u>2</u> /
	Number and category(ies) of filament lamp(s):		
	Light source module:	* ` '	yes/no <u>2</u> /
	Light source module specific identification code:		
	Geometrical conditions of installation (position(s) and inclination(s) of the device in relation to the space to be occupied by the registration plate and/or different inclinations of this space):		
	• '		