

**ECONOMIC COMMISSION FOR EUROPE**

**INVENTORY OF MAIN  
STANDARDS AND PARAMETERS  
OF THE E WATERWAY NETWORK**

**“BLUE BOOK”**

Third Revised Edition

**Amendment No. 2**



**UNITED NATIONS**  
**Geneva, 2020**

## I. Amendment 2 to the third revised edition of the Inventory of Main Standards and Parameters of the E Waterway Network

1. Amendment 2 to the third revised edition of the Inventory of Main Standards and Parameters of the E Waterway Network (“Blue Book”) was adopted by the Working Party on Inland Water Transport (SC.3) at its sixty-third session on 8 November 2019 (ECE/TRANS/SC.3/210, paragraph 21). It is based on the amendments approved in 2019 (ECE/TRANS/SC.3/WP.3/2019/26).

## II. Table 2 “Parameters of Locks of Inland Waterways of International Importance”

2. Page 67

(a) E 01-01, the first line, *modify*

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 01-01	CANAL BOCHOLT — HERENTALS	55.0	7.50	2.50	Lommel lock (No. 1)
		55.0	7.50	2.50	Mol lock (No. 2)
		55.0	7.50	2.50	Mol lock (No. 3)

(b) E 02, *modify*

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 02	BOUDEWIJN CANAL Zeebrugge – Brugge (12.0 km)	500.0	57.00	15.00	Vandamme lock
		261.0	19.70	5.50	Visart lock
		125.0	12.50	4.75	Verbinding lock
	GENT – OOSTENDE CANAL	90.8	11.75	2.50	Dammepoort lock
			16.0	2.50	Beernem Lock
	LEIE	136.0	16.00	2.50	Sint-Baafs-Vijve lock
		115.0	12.50	3.50	Harelbeke lock

3. Page 68

(a) E 03 and E 04, *modify*

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 03	...				
	GENT CIRCULAR CANAL	230.0	25.00	5.00	Evergem Lock No. 1
		136.0	16.00	3.80	Evergem Lock No. 2
E 04	BRUXELLES – SCHELDE CANAL	250.0	25.00	9.50	Wintam lock
		205.0	24.00	6.50	Zemst lock

(b) E 05, *modify*

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 05	...				
	BOVENSCHELDE Herinnes — Gent Circular Canal	124.4	14.05	3.50	Kerkhove lock
		125.0	14.00	3.50	Oudenaarde lock
		125.0	14.00	3.50	Asper lock
		125.0	14.05	2.60	Spiere lock
	GENT CIRCULAR CANAL	180.0	18.00	Variable	Merelbeke lock 1
		180.0	18.00	Variable	Merelbeke lock 2
	BENEDEN ZEESCHELDE Port of Antwerpen	180.0	22.00	Variable	Royers lock
	ALBERTKANAAL Antwerpen – Eben – Emael	136.0	16.00	5.00	Wijnegem lock
		136.0	16.00	3.40	Genk lock
		136.0	16.00	3.40	Hasselt lock
		136.0	16.00	3.40	Diepenbeek lock
		136.0	16.00	3.40	Kwaadmechelen lock
		136.0	16.00	3.40	Olen lock
		200.0	24.00	3.40	Genk push-towing lock
		200.0	24.00	3.40	Hasselt push-towing lock
		200.0	24.00	3.40	Diepenbeek push-towing lock
		200.0	24.00	3.40	Kwaadmechelen push-towing lock
		200.0	24.00	3.40	Olen push-towing lock
200.0	24.00	5.00	Wijnegem push-towing lock		

(c) E 05-01 and E 05-04, *modify*; *add* E 05-06

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH	WIDTH	DEPTH AT SILLS	
		(m)	(m)	(m)	
1	2	3	4	5	6
E 05-01	BOSSUIT – KORTRIJK CANAL	38.7	5.18	1.80	Kortrijk lock No. 9
		38.7	5.15	1.80	Kortrijk lock No. 10
		38.7	5.15	1.80	Kortrijk lock No. 11
		115.0	12.50	3.50	Zwevegem lock
		115.0	12.50	3.50	Bossuit lock
		115.0	12.50	3.50	Moen lock
E 05-04	DENDER Aalst – Dendermonde	55.0	7.50		Denderbelle lock
		168.0	16.00	Variable	Dendermonde lock
E 05-06	Netekanaal	81.60	10.50	2.50	Viersel lock