

EUROPEAN COMMISSION

ENTERPRISE AND INDUSTRY DIRECTORATE-GENERAL

Consumer goods
Automotive industry

Brussels, 11/05/07 F1 D(2007)

EC PROPOSAL FOR A CORRIGENDUM RELATING TO

DOCUMENT ECE/TRANS/WP.29/2007/26

1. Paragraph 1.1., amend to read:

"1.1. This Regulation applies to vehicles of categories M and N 1/2 and their engines, as shown in table A, with regard to the tests foreseen for these engines in table B. It also applies to the installation of these engines on vehicles.

Table A: APPLICABILITY

Vehicle	Maximum				Compression-ignition engines		
category <u>1</u> /	category <u>1</u> / mass		NG ^(a)	LPG (b)	Diesel	Ethanol	
M_1	≤ 3.5 t	-	-	-	-	-	
-	> 3.5 t	-	R49	R49	R49	R49	
M ₂	-	-	R49	R49	R49 or R83 (c) (d)	R49	
M ₃	-	-	R49	R49	R49	R49	
N ₁	-	-	R49 or R83 ^(d)	R49 or R83 ^(d)	R49 or R83 ^(d)	R49	
N ₂	-	-	R49	R49	R49 or R83 (c) (d)	R49	
N ₃	-	-	R49	R49	R49	R49	

⁽a) Natural Gas.

(b) Liquefied Petroleum Gas.

Commission européenne, B-1049 Bruxelles / Europese Commissie, B-1049 Brussel - Belgium. Telephone: (32-2) 299 11 11. Office: BREY 10/46. Telephone: direct line (32-2) 2957360. Fax: (32-2) 2969637.

Regulation No. 83 applies only for vehicles with a reference mass $\leq 2,840$ kg as an extension of an approval given for a vehicle of categories M_1 or N_1 . 1/

[&]quot;R49 or R83" means that manufacturers can obtain type approval according to this Regulation or to Regulation No. 83, see paragraph 1.2.

Table B: REQUIREMENTS

	Positiv	e-ignition e	engines	Compression-ignition engines		
	Petrol	NG	LPG	Diesel	Ethanol	
Gaseous pollutants	-	Yes	Yes	Yes	Yes	
Particulates	-	Yes ^(a)	Yes ^(a)	Yes	Yes	
Smoke	-	-	-	Yes	Yes	
Durability	-	Yes	Yes	Yes	Yes	
In-service- conformity	-	Yes	Yes	Yes	Yes	
OBD	-	Yes (b)	Yes (b)	Yes	Yes	

Only applicable to stage C in Table 2 of paragraph 5.2.1.

2. Paragraph 1.2., amend to read:

"1.2. Equivalent approvals

The following do not need to be approved according to this Regulation, if they are part of a vehicle approved according to Regulation No. 83:

- (a) compression-ignition engines to be mounted in vehicles of categories N₁, N₂ and M₂ 1/ fuelled with diesel;
- (b) positive-ignition engines fuelled with natural gas (NG) or liquefied petroleum gas (LPG) to be mounted in vehicles of category N_1 . $\underline{1}$ /
- (c) vehicles of categories N_1 , N_2 and M_2 $\underline{1}/$ fitted with compression ignition engines fuelled with diesel and vehicles of category N_1 $\underline{1}/$ fitted with positive-ignition engines fuelled with natural gas (NG) or liquefied petroleum gas (LPG)

3. Paragraph 2., amend to read or add new definitions:

"approval of an engine (engine family)" means the approval of an engine type (engine family) with regard to the level of the emission of gaseous and particulate pollutants, smoke and the on-board diagnostic (OBD) system;

"approval of a vehicle" means the approval of vehicle type with regard to the level of the emission of gaseous and particulate pollutants and smoke by its engine as well as the on-board diagnostic (OBD) system and the engine installation on the vehicle;

⁽b) Application dates according to paragraph 5.4.2.

"rated speed" means the maximum full load engine speed allowed by the governor, or, if such a governor is not present, the speed at which the maximum power is obtained from the engine, as specified by the manufacturer in paragraph 2. of Appendix 2 to Annex 1."

"<u>vehicle type</u>" means a category of power driven vehicles which do not differ in such essential respects as the vehicle and engine characteristics as specified in Annex 1 of this Regulation.

4. Paragraph 3.1., amend to read:

"3.1.1. The application for approval of an engine type or engine family with regard to the requirements listed in table B, paragraph 1.1. shall be submitted by the engine manufacturer or by a duly accredited representative.

Should the application concern an engine equipped with an on-board diagnostic (OBD) system, the requirements of paragraph 3.4. shall be fulfilled."

5. Paragraph 3.2.1., amend to read:

"3.2.1. The application for approval of a vehicle type with regard to the requirements for its engine, or engine family, listed in table B of paragraph 1.1. and the installation of the engine on the vehicle shall be submitted by the vehicle manufacturer or by a duly accredited representative.

Should the application concern an engine equipped with an on-board diagnostic (OBD) system, the requirements of paragraph 3.4. shall be fulfilled."

6. Add a new paragraph 3.2.4., to read:

"3.2.4. A vehicle conforming to the "vehicle type" characteristics defined in Annex 1 shall be submitted to the technical service responsible for conducting the approval tests defined in paragraphs 5 and 6."

6. Paragraph 3.3.1., amend to read:

"3.3.1. The application for approval of a vehicle type with regard to the installation of an approved engine on the vehicle shall be submitted by the vehicle manufacturer or by a duly accredited representative."

7. Add a new paragraph 3.3.4., to read:

"3.3.4. A vehicle conforming to the "vehicle type" characteristics defined in Annex 1 shall be submitted to the technical service responsible for conducting the approval tests defined in paragraph 6."

8. Paragraph 3.4.1., amend to read:

"3.4.1. The application for approval **of a vehicle or** an engine (engine family) equipped with an on-board diagnostic (OBD) system shall be accompanied by the information required in paragraph 9. of Appendix 1 to Annex 1 (description of the (parent) engine) and/or paragraph 6. of Appendix 3 to Annex 1 (description of an engine type within the family) together with:"

9. Paragraph 5.2.1., amend to read:

"5.2.1. Limit Values

The specific mass of the carbon monoxide, of the total hydrocarbons, of the oxides of nitrogen and of the particulates as determined on the ESC test and of the smoke opacity, as determined on the ELR test, shall not exceed the amounts shown in table 1.

The specific mass of the carbon monoxide, of the non-methane hydrocarbons, of the methane, of the oxides of nitrogen and of the particulates as determined on the ETC test shall not exceed the amounts shown in table 2"

10. Paragraph 5.3.1.1., amend to read:

"5.3.1.1. 100,000 km or five years, whichever is the sooner, in the case of engines to be fitted to vehicles of category N_1 , $M_1 > 3.5$ tons and M_2 "

11. Paragraph 5.5.3.2., amend to read:

"5.5.3.2. Any deviation in NOx level more than 1.5 g/kWh above the applicable limit value given in the **tables** of paragraph 5.2.1., shall result in the driver being informed by activation of the MI as referred to in paragraph 3.6.5. of Annex 9A to this Regulation."

12. Paragraph 5.5.7.3., amend to read:

"5.5.7.3. The torque limiter shall be activated in accordance with paragraph 5.5.5. if the failure is not remedied within 50 hours of engine operation.

The period laid down in the first subparagraph shall be reduced to 36 hours from the dates specified in paragraphs 13.2.3. and 13.3.3.

13. Paragraph 6.1.3., amend to read:

"6.1.3.	power	absorbed	by t	the	engine-driven	equipment	shall	not	exceed	that
	specific	ed for the	appro	ved	l engine in Anne	ex 2A."				

14. Add a new paragraph 6.1.4., to read :

- "6.1.4. volume of the exhaust system shall not differ by more than 40% of that specified for the approved engine in Annex 2A."
- 15. Paragraphs 7.1.1. to 7.1.12., should be deleted.
- 16. Annex 1 Appendix 4, paragraph 4., amend to read :
- 4. Power absorbed by the **engine-driven equipment** as specified in and under the operation conditions of Regulation No. 24, 03 series of amendments, Annex 10, paragraph 5.1. 1/2.

Equipment		Power a	bsorbed ((kW) at v	arious en	gine spe	eds
	Idle	Low	High	Speed	Speed	Speed	Ref.
		Speed	Speed	A (a)	B (a)	C (a)	Speed (b)
Engine-driven equipment (See paragraph 5.1. of Regulation No. 24/03, Annex 10).							

⁽a) ESC test.

⁽b) ETC test only.

^{1/} Data shall be specified for each member of family

17. Annex 2A, amend to read:

Annex 2A

			COMMU	NICATION		
			(maximum format:	A4 (210 x 297	7 mm))	
•	E	1				
	administra	tion:		issued by:	Name	of
	adillilisua	uioii.				
	concerning	g: <u>2</u> /	APPROVAL GRANTED			
			APPROVAL EXTENDED			
			APPROVAL REFUSED			
			APPROVAL WITHDRAW	'N		
			PRODUCTION DEFINITE	LY DISCONT	INUED	
	ignition (F	P.I.) enging the em	gnition (C.I.) engine type or ine type or family (NG or L ission of pollutants pursuan	PG), $\underline{2}$ / as a second	eparate technical u	nit with
	Approval 1	No		Extension N	0	
	1.	Trade 1	name or mark of the engine:			
	2.	Engine	type / Engine family:			
	2.1	Manuf	acturer's code as marked on t	he engine <u>3</u> /:		
	3.	Combu	astion type: compression-igni	tion/positive-ig	gnition <u>2</u> /	
	3.1.	Type o	f fuel:			
	1	Manuf	acturer's name and address:			

If applicable, name and address of manufacturer's representative:

5.

	Maximum allowable i	make depre		••••••	•••••	
7.	Maximum allowable b	oack-pressu	re <u>3</u> /:			
8.	Maximum permissible	power abso	orbed by th	e engine-d	riven equipn	nent <u>3</u> /:
	Idle:kW;					
	Speed A:k Reference Speed:k					
	Reference Speed		•••••	••••••	•••••	
9.	Volume of exhaust sy	stem:	••••••	•••••	•••••	cm ²
10.	Restrictions of use (if	any):			•••••	
11.	Emission levels of the	engine/pare	ent engine	<u>2</u> /		
11.1.	Emission stage (accord	ding to table	e in paragra	aph 4.6.3.)		
11.2.	ESC test (if applicable):				
	Deterioration factor (D)F): calculat	ed/fixed 2/	1		
	`	,	_			
	Specify the DF values	and the emi	issions on 1	the ESC tes	st in the table	e below:
		ESC		T		
	DF:	ESC	test THC	NOx	PT	
		CO	THC	NOx	PT	
	Emissions	СО	THC			
		CO	THC	NOx	PT	
	Emissions Measured:	CO	THC	NOx	PT	
11.3.	Emissions Measured: Calculated with	CO CO (g/kWh)	THC THC (g/kWh)	NOx (g/kWh)	PT (g/kWh)	

		ETC test			
DF:	CO	NMHC	CH ₄	NOx	PT
DI'.					
Emissions	CO	NMHC	$\mathrm{CH_4}$	NOx	PT
EIIIISSIOIIS	(g/kWh)	(g/kWh) <u>2</u> /	(g/kWh) <u>2</u> /	(g/kWh)	(g/kWh) <u>2</u> /
Measured with					
regeneration:					
Measured without					
regeneration:					
Measured/weighted:					
Calculated with DF:					

11.	Engine submitted for tests on:							
13.	Technical service responsible for conducting the approval tests:							
14.	Date of test report issued by that service:							
15.	Number of the test report issued by that service:							
16.	Site of approval mark on the engine:							
17.	Reasons for extension:							
18.	Place:							
19.	Date:							
20.	Signature:							
21.	The following documents, bearing the approval number shown above, are annexed to this communication:							
	One copy of Annex 1 to this Regulation completed and with the drawings and diagrams referred to attached.							
<u>1</u> /	Distinguishing number of the country which has							

3/ For each member of the family.

<u>1</u>/ Distinguishing number of the country which has granted/extended/refused/withdrawn approval (see approval provisions in the Regulation).

<u>2</u>/ Strike out what does not apply.

18. Annex 2B, amend to read:

Annex 2B

COMMUNICATION

(maximum format: A4 (210 x 297 mm))



administ	ration:		issued by:	Name	of
concerni	ng: <u>2</u> /	APPROVAL GRANTED			
		APPROVAL EXTENDED			
		APPROVAL REFUSED			
		APPROVAL WITHDRAWN			
		PRODUCTION DEFINITEL	Y DISCONTII	NUED	
	icle type v on No. 49	with regard to the emission o	f pollutants by	y the engine pursuant	t to
Approva	l No		Extension No.		
1.	Trade nam	ne or mark of the engine:			
1.1.	Make and	type of the engine:			
1.2	Manufactu	urer's code as marked on the en	ngine:		•••
2.	Vehicle m	ake and type:			
3.	Vehicle m	anufacturer's name and addres	s:		
4.		ble, name and address of vehic		-	
5.		allowable intake depression:			

6.	Maximum allowable back-pressure:									
7.	Maximum permissib	Maximum permissible power absorbed by the engine-driven equipment:								
	Idle: l Speed A: Reference Speed:	kW; S ₁	peed E	3:	kW	Speed C:				
8	Volume of the exha	ust syste	m:	•••••	•••••	•••••	cm ³			
9.	Emission levels of	the engir	ie/pare	ent engin	ie					
9.1.	Emission stage (according to table in paragraph 4.6.3.)									
9.2.	ESC test (if applica	able):								
	Deterioration facto	or (DF): ca	ılculat	ed/fixed	<u>2</u> /					
	Specify the DF val	ues and t	he em	issions o	n the ESC te	est in the ta	ble below:			
			ESC	test			_			
	DF:	(CO	THC	NOx	PT	_			
	Emissions		CO (Wh)	THC (g/kWh		PT (g/kWh)	_			
	Measured:	, -	ĺ				_			
	Calculated wit DF:	h					<u>-</u>			
9.3.	ELR test (if applications smoke value:						m ⁻¹			
9.4.	ETC test: Deterioration factor	or (DF):	,	calculate	ed/fixed <u>2</u> /					
			ETC	test						
	DF:	CO		МНС	CH ₄	NOx	PT			
	Emissions	CO (g/kWh		MHC (Wh) <u>2</u> /	CH ₄ (g/kWh) 2/	NOx (g/kWh)	PT (g/kWh) <u>2</u> /			
Measu	red with regeneration:			, 			/=			
N	Measured without									
	regeneration:									
	easured/weighted:									
	alculated with DF:									

Date of test report issued by that service:
Number of test report issued by that service:
Approval number of the engine/engine family, if approved as a separate technical unit:
Site of approval mark on the vehicle/engine <u>2</u> /:
Reasons for extension:
Place:
Date:
Signature:
Distinguishing number of the country which has extended/refused/withdrawn approval (see approval provisions in the on).

2/ Strike out what does not apply.

Note: All references to Regulation No 24, 02 series of amendments should be made to Regulation No 24, **03** series of amendments

- - - - -