Committee of Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals

Sub-Committee of Experts on the Transport of Dangerous Goods

18 November 2011

Fortieth session Geneva, 28 November – 7 December 2011 Item 6 of the provisional agenda Cooperation with the International Atomic Energy Agency

Provisions for uranium hexafluoride with less than 0.1 kg per package

Note by the secretariat

1. Reference is made to ST/SG/AC.10/C.3/2011/46, paragraph 8 and annex.

2. During discussions with IAEA experts, the secretariat was invited to provide background information on the assignment of subsidiary risks to UN Nos 2977 and 2978, notably data sheets if submitted when these UN numbers were introduced.

3. The secretariat has checked the files. These UN numbers were introduced on the basis of a proposal by the United States of America in document ST/SG/AC.10/C.2/R.221, later revised (but without changes to paragraph 6) and submitted on 16 September 1980 to the Committee of Experts on the Transport of Dangerous Goods in document ST/SG/AC.10/R.52. The proposal in paragraph 6, intended to add additional entries for materials possessing significant subsidiary risks in order to ensure appropriate emergency response to transports accidents was adopted by the Committee at its eleventh session (1–10 December 1980) (ST/SG/AC.10/5, para.55).


4. The proposal in paragraph 6 was not accompanied with data sheets related to the subsidiary hazards of the proposed new entries (see scanned copy in annex).

5. The system of assignment of UN numbers to Class 7 material was revisited in 1994 at the request of IAEA (ST/SG/AC.10/R.486) in order to better correspond to the transport conditions specified in each of the thirteen IAEA "Schedules" and to differentiate fissile material from non-fissile (or fissile excepted) material. The proposal was discussed by the Committee at its 18th session in December 1994 and, as proposed, most of the specific UN numbers added in 1980 were deleted, except UN Nos 2977 and 2978 which were considered as special cases without a unique relationship with IAEA Schedules.

The justification provided by IAEA was as follows:

"The adoption of the proposal will entail:

- An improved relationship with UN numbers and IAEA Schedules;
- A more effective distinction between fissile and non-fissile (or fissile-excepted) material;



Specific UN numbers for uranium hexafluoride, a material widely transported in large quantities and whose subsidiary risk can be the dominant one;

No "NOS" entries being necessary.".

6. This proposal (-/R.486) led to the current identification of radioactive material in the UN Model Regulations.

15.5

ST/SG/AC.10/R.52	16 Separ	''1)'0
ST/SG/AC.10/R.52 page 2	Rev ey	c e_/R n_

- CITI/ ----*S* . In the \notin 1.1 cover 1.2 list 2918, the \forall rords "Class I, II or III" should not appear in c<}pitar.]jettei::S and should not {S\h iifq'i*e, be considered a part of the lf:i:'Gper shipping name. This inf'o±ml:ition is not considered essential for inclusion J/?, te proper shippi"qg:;lame since liEA aliea.d¥ e: u:d:;esf"th{;:tfie -: fissile class-be entered on the t;raneport documentatic,,. In fu.dditi dn, 'should the additional entries proposed Lei'l/i-be adopted, it ill be neces ;Jary c.Utl the letters "N.O.S." to this entzy.
- In order to ensure appropriate mergency response to transportation-acG.idents . involving radioactive materials, it is proposed that the following. I addit 10 nal 6. entries, primarily relating to materials possessing significarit sUbisiClivai-§ ": , risks, be ao.opted: aizt ^{tra}aca

		SUBSIDIARY R I SK
20. 14 radioactive materials, special form, n.o.s.	······································	RIGH
& 1-5 thorium metal, pyrop oric . L;. :, _:, .	;;,,7 ·. 7	4.2
d-11 thorium <i>nitra</i> 'je, s.fd.	7	5.1
<pre>//// URAIIII/UM HEXAFLUORIDE, FISSILE" containing mo:re tl)an Q•.7 pe:r: cent Ura:nillJl,-?35 ////(tmANIUM'IffimLUID , LO\v SPECIFIC ACTIVITY cont<j.ining 0.7="" cent<="" per="" pre=""></j.ining></pre>	7	, : ^{1.} 8
or less Uianium-;-2}5	.7	8
$J_{I_{i}}$ fr iirantum jietal; .QPfioR;rc: $J_{I_{i}}$ ulliurt N ; Hexaiiydrate solution;	7	
J% // IJItAML ITRATE, SOLID	f	8
	7	5.1.
J?l_RAJ)IOACTIVE It1A IAL, n.o.s.	7	. 1

Ci.