Copyright@United Nations, 2011. All rights reserved.

ANNEX 2

CLASSIFICATION AND LABELLING SUMMARY TABLES

Copyright@United Nations, 2011. All rights reserved.

Annex 2

CLASSIFICATION AND LABELLING SUMMARY TABLES

A2.1 Explosives (see Chapter 2.1 for details)

Hazard category	Criteria	Hazard co	mmunication elements	
Unstable	According to the results of the test in Part I of the Manual of Tests and Criteria, UN Recommendations on the Transport of	Symbol		
Unstable explosives Division 1.1 Division 1.2 Division 1.3	Dangerous Goods.	Signal word	Danger	
		Hazard statement	Unstable explosive	
Division 1 1	According to the results of the test in Part I of the Manual of Tests and Criteria, UN	Symbol		
	<i>Recommendations on the Transport of Dangerous Goods.</i>	Signal word	Danger	
	Dungerous Goous.	Hazard statement	Explosive; mass explosion hazard	
Division 1.2	According to the results of the test in Part I of the Manual of Tests and Criteria, UN	Symbol		
Division 1.2	Recommendations on the Transport of Dangerous Goods	Signal word	Danger	
	Dangerous Goods.	Hazard statement	Explosive; severe projection hazard	
Division 1.2	According to the results of the test in Part I of the Manual of Tests and Criteria, UN	Symbol		
Division 1.5	Recommendations on the Transport of	Signal word	Danger	
	Dangerous Goods.	Hazard statement	Explosive; fire, blast or projection hazard	
Division 1.4	According to the results of the test in Part I of the Manual of Tests and Criteria, UN Recommendations on the Transport of	Symbol		
	Dangerous Goods.	Signal word	Warning	
		Hazard statement	Fire or projection hazard	
	According to the results of the test in Part I of	Symbol	1.5	
Division 1.5	the Manual of Tests and Criteria, UN Recommendations on the Transport of	Signal word	Danger	
	Dangerous Goods.	Hazard statement	May mass explode in fire	
	According to the results of the test in Part I of	Symbol	1.6	
Division 1.6	the Manual of Tests and Criteria, UN Recommendations on the Transport of	Signal word	No signal word	
	Dangerous Goods.	Hazard statement	No hazard statement	

Hazard category	Criteria	Hazard communication element			
	Gases and gas mixtures, which at 20 °C and a standard pressure of 101.3 kPa: (a) are ignitable when in a mixture of 13% or less by	Symbol	N		
1	volume in air; or (b) have a flammable range with air of at least 12	Signal word	Danger		
	percentage points regardless of the lower flammable limit.	Hazard statement	Extremely flammable gas		
	Gases or gas mixtures, other than those of Category 1,		No symbol		
2	which, at 20 °C and a standard pressure of 101.3 kPa, have a	Signal word	Warning		
	flammable range while mixed in air	Hazard statement	Flammable gas		
		Symbol	No additional symbol		
A (chemically unstable	Flammable gases which are chemically unstable at 20 °C and a standard pressure of 101.3 kPa	Signal word	No additional signal word		
gases)		Hazard statement	May react explosively even in the absence of air		
		Symbol	No additional symbol		
B (chemically unstable gases)	Flammable gases which are chemically unstable at a	Signal word	No additional signal word		
	temperature greater than 20 °C and/or a pressure greater than 101.3 kPa	Hazard statement	May react explosively even in the absence of air at elevated pressure and/or temperature		

A2.2 Flammable gases (including chemically unstable gases) (see Chapter 2.2 for details)

A2.3 Aerosols (see Chapter 2.3 for details)

Hazard category	Criteria	Hazard communication elements			
	On the basis of its ingredients, of its chemical heat of	Symbol	B		
1	combustion and, if applicable, of the results of the foam test (for foam aerosols) and of the ignition distance test and	Signal word	Danger		
1	enclosed space test (for spray aerosols) (see decision logic under 2.3.4.1 in Chapter 2.3)	Hazard statement	Extremely flammable aerosol Pressurized container: may burst if heated		
	On the basis of its ingredients, of its chemical heat of combustion and, if applicable, of the results of the foam test	Symbol			
2	(for foam aerosols) and of the ignition distance test and	Signal word	Warning		
	enclosed space test (for spray aerosols) (see decision logic under 2.3.4.1 in Chapter 2.3)	Hazard statement	Flammable aerosol Pressurized container: may burst if heated		
	On the basis of its ingredients, of its chemical heat of	Symbol	No symbol		
3	combustion and, if applicable, of the results of the foam test	Signal word	Warning		
	(for foam aerosols) and of the ignition distance test and enclosed space test (for spray aerosols) (see decision logic under 2.3.4.1 in Chapter 2.3)	Hazard statement	Pressurized container: may burst if heated		

A2.4 Oxidizing gases (see Chapter 2.4 for details)

Hazard category	Criteria	Hazard communication elements			
	Any gas which may, generally by providing oxygen, cause or contribute to the combustion of other material more than air does	Symbol			
1		Signal word	Danger		
		Hazard statement	May cause or intensify fire; oxidizer		

A2.5 Gases under pressure (see Chapter 2.5 for details)

Hazard category	Criteria	Hazard com	nunication elements
	A gas, which when packaged under pressure is	Symbol	
Compressed	entirely gaseous at -50 °C; including all gases with a	Signal word	Warning
gas	critical temperature ≤ -50 °C	Hazard statement	Contains gas under pressure; may explode if heated
	A gas which when packaged under pressure, is partially liquid at temperatures above -50 °C. A distinction is made between:	Symbol	
Liquefied gas	(a) <i>High pressure liquefied gas</i> : a gas with a critical	Signal word	Warning
	 temperature between -50 °C and +65 °C; and (b) Low pressure liquefied gas: a gas with a critical temperature above +65 °C 	Hazard statement	Contains gas under pressure; may explode if heated
		Symbol	
Refrigerated	A gas which when packaged is made partially liquid	Signal word	Warning
liquefied gas	because of its low temperature	Hazard statement	Contains refrigerated gas; may cause cryogenic burns or injury
		Symbol	
Dissolved gas	A gas which when packaged under pressure is dissolved in a liquid phase solvent	Signal word	Warning
	dissorved in a riquid plase solvent	Hazard statement	Contains gas under pressure; may explode if heated

Hazard category	Criteria	Hazard com	munication elements
1	Electronic < 22 %C and initial bailing point < 25 %C	Symbol	8
1	Flash point < 23 °C and initial boiling point \leq 35 °C	Signal word	Danger
		Hazard statement	Extremely flammable liquid and vapour
_	Elash point < 22 °C and initial bailing point >25 °C	Symbol	*
2	Flash point < 23 °C and initial boiling point >35 °C	Signal word	Danger
		Hazard statement	Highly flammable liquid and vapour
		Symbol	*
3	Flash point ≥ 23 °C and ≤ 60 °C	Signal word	Warning
		Hazard statement	Flammable liquid and vapour
		Symbol	No symbol
4	Flash point > 60 °C and \leq 93 °C	Signal word	Warning
7		Hazard statement	Combustible liquid

A2.6 Flammable liquids (see Chapter 2.6 for details)

A2.7 Flammable solids (see Chapter 2.7 for details)

Hazard category	Criteria	Hazard comm	unication elements
1	Burning rate test: Substances and mixtures other than metal powders: (a) wetted zone does not stop fire and	Symbol	N
	(b) burning time < 45 s or burning rate > 2.2 mm/s	Signal word	Danger
	Metal powders: - burning time ≤ 5 min	Hazard statement	Flammable solid
2	Burning rate test: Substances and mixtures other than metal powders:	Symbol	No.
	 (a) wetted zone stops the fire for at least 4 min and (b) burning time < 45 s or burning rate > 2.2 mm/s Metal powders: 	Signal word	Warning
	- burning time > 5 min and ≤ 10 min	Hazard statement	Flammable solid

Hazard category	Criteria	Hazard communication elements			
T A	According to the results of tests in the UN Recommendations on the Transport of Dangerous Goods,	Symbol			
Туре А	Manual of Tests and Criteria, Part II and the application	Signal word	Danger		
	of the decision logic under 2.8.4.1 in Chapter 2.8.	Hazard statement	Heating may cause an explosion		
Туре В	Cype B According to the results of tests in the UN Recommendations on the Transport of Dangerous Goods Manual of Tests and Criteria, Part II and the application of the decision logic under 2.8.4.1 in Chapter 2.8.				
		Signal word	Danger		
		Hazard statement	Heating may cause a fire or explosion		
Type C	According to the results of tests in the UN Recommendations on the Transport of Dangerous Goods,	Symbol	8		
and D	Manual of Tests and Criteria, Part II and the application	Signal word	Danger		
	of the decision logic under 2.8.4.1 in Chapter 2.8.	Hazard statement	Heating may cause a fire		
Туре Е	According to the results of tests in the UN Recommendations on the Transport of Dangerous Goods,	Symbol	N		
and F	Manual of Tests and Criteria, Part II and the application	Signal word	Warning		
	of the decision logic under 2.8.4.1 in Chapter 2.8.	Hazard statement	Heating may cause a fire		
	According to the results of tests in the UN	Signal word			
Type G	Recommendations on the Transport of Dangerous Goods,	Symbol	There are no label elements allocated to this hazard		
I ype G	<i>Manual of Tests and Criteria</i> , Part II and the application of the decision logic under 2.8.4.1 in Chapter 2.8.	Hazard statement	category		

A2.8 Self-reactive substances and mixtures (see Chapter 2.8 for details)

A2.9 **Pyrophoric liquids** (see Chapter 2.9 for details)

Hazard category	Criteria	Hazard communication elements			
	The liquid ignites within 5 min when added to an inert carrier and exposed to air, or it ignites or chars a filter paper on contact with air within 5 min	Symbol			
1	paper on contact with an within 5 min	Signal word	Danger		
		Hazard statement	Catches fire spontaneously if exposed to air		

A2.10 **Pyrophoric solids** (see Chapter 2.10 for details)

Hazard category	Criteria	Hazard communication elements			
	The solid ignites within 5 min of coming into contact	Symbol	N		
1	with air	Signal word	Danger		
		Hazard statement	Catches fire spontaneously if exposed to air		

A2.11 Self-heating substances and mixtures (see Chapter 2.11 for details)

Hazard category	Criteria	Hazard comm	unication elements
	A positive result is obtained in a test using a 25 mm sample cube	Symbol	×
1	at 140 °C	Signal word	Danger
		Hazard statement	Self-heating; may catch fire
	(a) A positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C and the substance or mixture is to be packed in packages with a volume > 3 m ³ ; or	Symbol	M
	(b) A positive result is obtained in a test using a 100 mm sample cube	Signal word	Warning
2	 at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C, a positive result is obtained in a test using a 100 mm cube sample at 120 °C and the substance or mixture is to be packed in packages with a volume > 450 litres; or (c) A positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C and a positive result is obtained in a test using a 25 mm cube sample at 140 °C and a positive result is obtained in a test using a 100 mm cube sample at 100 °C 	Hazard statement	Self-heating in large quantities; may catch fire

A2.12	Substances	and	mixtures,	which	in	contact	with	water,	emit	flammable	gases
	(see Chapter	2.12	for details)								

Hazard category	Criteria	Hazard communication elements			
	Any substance or mixture which reacts vigorously with water at ambient temperatures and demonstrates generally a tendency for the gas produced to ignite spontaneously, or	Symbol	Ż		
1	which reacts readily with water at ambient temperatures	Signal word	Danger		
	such that the rate of evolution of flammable gas is ≥ 10 litres per kilogram of substance over any one minute	Hazard statement	In contact with water releases flammable gases which may ignite spontaneously		
2	Any substance or mixture which reacts readily with water at ambient temperatures such that the maximum rate of evolution of flammable gas is ≥ 20 litres per kilogram of substance per hour, and which does not meet the criteria for Category 1	Symbol			
_		Signal word	Danger		
		Hazard statement	In contact with water releases flammable gases		
3	Any substance or mixture which reacts slowly with water at ambient temperatures such that the maximum rate of evolution of flammable gas is ≥ 1 litre per kilogram of substance per hour, and which does not meet the criteria for Categories 1 and 2	Symbol			
3		Signal word	Warning		
		Hazard statement	In contact with water releases flammable gases		

A2.13 Oxidizing liquids (see Chapter 2.13 for details)

Hazard category	Criteria	Hazard o	communication elements
	Any substance or mixture which, in the 1:1 mixture, by mass, of substance and cellulose tested, spontaneously ignites; or	Symbol	
1	the mean pressure rise time of a 1:1 mixture, by mass, of substance and cellulose is less than that of a 1:1 mixture by	Signal word	Danger
	substance and cellulose is less than that of a 1:1 mixture, by mass, of 50% perchloric acid and cellulose tai		May cause fire or explosion; strong oxidizer
2	Any substance or mixture which, in the 1:1 mixture, by mass, of substance and cellulose tested, exhibits a mean pressure rise time less than or equal to the mean pressure rise time of a	Symbol	
2	1:1 mixture, by mass, of 40% aqueous sodium chlorate solution and cellulose; and the criteria for Category 1 are not met		Danger
			May intensify fire; oxidizer
3	Any substance or mixture which, in the 1:1 mixture, by mass, of substance and cellulose tested, exhibits a mean pressure rise time less than or equal to the mean pressure rise time of	Symbol	
3	a 1:1 mixture, by mass, of 65% aqueous nitric acid and cellulose; and the criteria for Categories 1 and 2 are not met	Signal word	Warning
		Hazard statement	May intensify fire; oxidizer

A2.14 Oxidizing solids (see Chapter 2.14 for details)

Hazard category	Criteria	Hazard communication elements			
1	Any substance or mixture which, in the 4:1 or 1:1 sample-to- cellulose ratio (by mass) tested, exhibits a mean burning time	Symbol			
1	less than the mean burning time of a 3:2 mixture, by mass, of	Signal word	Danger		
	potassium bromate and cellulose	Hazard statement	May cause fire or explosion; strong oxidizer		
2	Any substance or mixture which, in the 4:1 or 1:1 sample-to- cellulose ratio (by mass) tested, exhibits a mean burning time equal to or less than the mean burning time of a 2:3 mixture (by mass) of potassium bromate and cellulose and the criteria for Category 1 are not met	Symbol			
4		Signal word	Danger		
		Hazard statement	May intensify fire; oxidizer		
3	Any substance or mixture which, in the 4:1 or 1:1 sample-to- cellulose ratio (by mass) tested, exhibits a mean burning time				
3	equal to or less than the mean burning time of a 3:7 mixture (by mass) of potassium bromate and cellulose and the criteria for Categories 1 and 2 are not met	Signal word	Warning		
		Hazard statement	May intensify fire; oxidizer		

A2.15 Organic peroxides (see Chapter 2.15 for details)

Hazard category	Criteria	Hazard comn	nunication elements
E A	According to the results of test series A to H in the UN Recommendations on the Transport of Dangerous Goods,	Symbol	
Туре А	Manual of Tests and Criteria, Part II and the application of	Signal word	Danger
	the decision logic under 2.15.4.1 in Chapter 2.15	Hazard statement	Heating may cause an explosion
Туре В	According to the results of test series A to H in the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Part II and the application of the decision logic under 2.15.4.1 in Chapter 2.15	Symbol	
		Signal word	Danger
		Hazard statement	Heating may cause a fire or explosion
Type C and D	According to the results of test series A to H in the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Part II and the application of the decision logic under 2.15.4.1 in Chapter 2.15	Symbol	N
and D		Signal word	Danger
		Hazard statement	Heating may cause a fire
Type E and F	According to the results of test series A to H in the UN Recommendations on the Transport of Dangerous Good, Manual of Tests and Criteria, Part II and the application of the decision logic under 2.15.4.1 in Chapter 2.15	Symbol	N
ани г		Signal word	Warning
		Hazard statement	Heating may cause a fire
	According to the results of test series A to H in the UN	Signal word	There are no label
Type G	<i>Recommendations on the Transport of Dangerous Goods,</i> <i>Manual of Tests and Criteria,</i> Part II and the application of	Symbol	elements allocated to
	the decision logic under 2.15.4.1 in Chapter 2.15	Hazard statement	this hazard category

A2.16 Corrosive to metals (see Chapter 2.16 for details)

Hazard category	Criteria	Hazard communication elements		
1	Corrosion rate on either steel or aluminium surfaces exceeding 6.25 mm per year at a test temperature of 55 °C	Symbol		
	when tested on both materials	Signal word	Warning	
		Hazard statement	May be corrosive to metals	

Hazard category	Criteria	Hazard communication elements		
	Oral $LD_{50} \le 5$ mg/kg bodyweight; or	Symbol		
1	Dermal $LD_{50} \le 50$ mg/kg bodyweight; or Inhalation (gas) $LC_{50} \le 100$ ppm; or	Signal word	Danger	
	Inhalation (vapour) $LC_{50} \le 0.5 \text{ mg/l}$; or Inhalation (dust, mist) $LC_{50} \le 0.05 \text{ mg/l}$	Hazard statement	Fatal if swallowed (oral) Fatal in contact with skin (dermal) Fatal if inhaled (gas, vapour, dust, mist)	
	Oral $LD_{50} > 5$ but ≤ 50 mg/kg bodyweight; or	Symbol		
2	$\begin{array}{l} \mbox{Dermal } LD_{50} > 50 \mbox{ but} \leq 200 \mbox{ mg/kg bodyweight; or} \\ \mbox{Inhalation (gas) } LC_{50} > 100 \mbox{ but} \leq 500 \mbox{ ppm; or} \end{array}$	Signal word	Danger	
	Inhalation (vapour) $LC_{50} > 0.5$ but ≤ 2.0 mg/l; or Inhalation (dust, mist) $LC_{50} > 0.05$ but ≤ 0.5 mg/l	Hazard Statement	Fatal if swallowed (oral) Fatal in contact with skin (dermal) Fatal if inhaled (gas, vapour, dust, mist)	
	Oral LD ₅₀ > 50 but \leq 300 mg/kg bodyweight; or	Symbol		
3	Dermal LD_{50} > 200 but \leq 1000 mg/kg bodyweight, or Inhalation (gas) LC_{50} > 500 but \leq 2500 ppm; or	Signal word	Danger	
	3 Inhalation (gas) $LC_{50} > 500$ but ≤ 2500 ppm; or Inhalation (vapour) $LC_{50} > 2.0$ but ≤ 10.0 mg/l; or Inhalation (dust, mist) $LC_{50} > 0.5$ but ≤ 1.0 mg/l		Toxic if swallowed (oral) Toxic in contact with skin (dermal) Toxic if inhaled (gas, vapour, dust, mist)	
		Symbol	!	
	Oral $LD_{50} > 300$ but ≤ 2000 mg/kg bodyweight; or Dermal $LD_{50} > 1000$ but ≤ 2000 mg/kg bodyweight, or	Signal word	Warning	
4	Inhalation (gas) LC_{50} > 2500 but \leq 20000 ppm; or Inhalation (vapour) LC_{50} > 10.0 but \leq 20.0 mg/l; or Inhalation (dust, mist) LC_{50} > 1.0 but \leq 5.0 mg/l	Hazard statement	Harmful if swallowed (oral) Harmful in contact with skin (dermal) Harmful if inhaled (gas, vapour, dust, mist)	
	Oral or dermal $LD_{50} > 2000$ but ≤ 5000 mg/kg	Symbol	No symbol	
	 bodyweight Inhalation (gases, vapours and/or dusts/mists) LC₅₀ in the equivalent range of the oral and dermal LD₅₀ (i.e., > 2000 but ≤ 5000 mg/kg bodyweight) See also the additional criteria: (a) Indication of significant toxicity effects in humans; (b) Any mortality at Category 4; (c) Significant clinical signs at Category 4; (d) Indication from other studies 	Signal word	Warning	
5		Hazard statement	May be harmful if swallowed (oral) May be harmful in contact with skin (dermal) May be harmful if inhaled (gas, vapour, dust, mist)	

Hazard category	Criteria		ommunication ements
	1. For substances and tested mixtures:		
	(a) Human experience showing irreversible damage to the skin;(b) Structure-activity relationship to a substance or mixture already classified as corrosive;	Symbol	
	(c) pH extremes of ≤ 2 or ≥ 11.5 including acid/alkali reserve capacity;	Signal word	Danger
1	(d) Positive results in a valid and accepted <i>in vitro</i> skin corrosion test; or	word	
Corrosive Including	 (e) Animal experience or test data that indicate that the substance/mixture causes irreversible damage to the skin following exposure of up to 4 h (see Table 3.2.1) 		
subcategories A, B, and C;	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.2.3.2)		
see Chapter 3.2,	3. If bridging principles do not apply,		Causes severe
Table 3.2.1	(a) For mixtures where the concentrations of the ingredients can be added, classify in Category 1:	Hazard statement	skin burns and eye damage
	if the sum of the concentrations of Category 1 ingredients is $\ge 5\%$; or		
	(b) For mixtures where the concentrations of the ingredients cannot be added, classify in Category 1:		
	if the mixture contains $\geq 1\%$ of a Category 1 ingredient (see 3.2.3.3.4)		
	1. For substances and tested mixtures:		
	 (a) Human experience or data showing reversible damage to the skin following exposure of up to 4 h; 	Symbol	
	(b) Structure-activity relationship to a substance or mixture already classified as an irritant;	Signal word	Warning
	(c) Positive results in a valid and accepted in vitro skin irritation test; or	word	
2	(d) Animal experience or test data that indicate that the substance/mixture causes reversible damage to the skin following exposure of up to 4 h, mean value of $\ge 2.3 \le 4.0$ for erythema/eschar or for oedema, or inflammation that persists to the end of the observation period, in 2 of 3 tested animals (Table 3.2.2)		
	2. If data for the complete mixture are not available, apply		
Irritant	bridging principles (see 3.2.3.2).		
(applies to all authorities)	3. If bridging principles do not apply,(a) For mixtures where the concentrations of the ingredients can be added, classify in Category 2:	Hazard	Causes skin irritation
	 (i) if the sum of concentrations of Category 1 ingredients is ≥ 1% but < 5%; or 	statement	Innation
	(ii) if the sum of concentrations of Category 2 ingredients is $\geq 10\%$; or		
	 (iii) if [(10 × sum of concentrations of Category 1 ingredients) + (sum of concentrations of Category 2 ingredients)] is ≥ 10%; or 		
	(b) For mixtures where the concentrations of the ingredients cannot be added, classify in Category 2:		
	if the mixture contains $\ge 3\%$ of a Category 2 ingredient (see 3.2.3.3.4)		'd on next page)

A2.18 Skin corrosion/irritation (see Chapter 3.2 for details)

(Cont'd on next page)

A2.18 Skin corrosion/irritation (see Chapter 3.2 for details) (Cont'd)

Hazard category	Criteria	Hazard communicatio elements	
	1. For substances and tested mixtures Animal experience or test data that indicates that the substance/mixture causes reversible damage to the skin following exposure of up to 4 h, mean value of $\geq 1.5 < 2.3$ for	Symbol	No symbol
	erythema/eschar in 2 of 3 tested animals (See Table 3.2.2). 2. <i>If data for the complete mixture are not available</i> , apply bridging	Signal word	Warning
3 Mild irritant (applies to some authorities)	 principles (see 3.2.3.2). 3. If bridging principles do not apply, (a) For mixtures where the concentrations of the ingredients can be added, classify in Category 3: (i) if the sum of concentrations of Category 2 ingredients is ≥ 1% but < 10%; or (ii) if the sum of the concentrations of Category 3 ingredients is ≥ 10%; or (iii) if [(10 × sum of concentrations of Category 1 ingredients) + (sum of concentrations of Category 2 ingredients)] is ≥ 1% but < 10%; or (iv) if [(10 × sum of concentrations of Category 1 ingredients) + (sum of concentrations of Category 2 ingredients)] is ≥ 1% but < 10%; or (iv) if [(10 × sum of concentrations of Category 1 ingredients) + (sum of concentrations of Category 2 ingredients) + (sum of concentrations of Category 3 ingredients) + (sum of concentrations of Category 3 ingredients)] is ≥ 10%; (b) For mixtures where the concentrations of the ingredients cannot be added, classify in Category 3: if the mixture contains ≥ 3% of a Category 3 ingredient (see 3.2.3.3.4) 	Hazard statement	Causes mild skin irritation

Hazard category	Criteria		mmunication ments
	 For substances and tested mixtures (a) Classification as corrosive to skin; (b) Human experience or data showing damage to the eye which is not fully reversible within 21 days; (c) Structure-activity relationship to a substance or mixture already classified as corrosive; (d) pH extremes of ≤ 2 and ≥ 11.5 including buffering capacity; 	Symbol Signal word	Danger
1 Irreversible effects	 (d) principles of ≤ 2 and ≥ 11.5 including outfiring capacity, (e) Positive results in a valid and accepted <i>in vitro</i> test to assess serious damage to eyes; or (f) Animal experience or test data that the substance or mixture produces either: (i) in at least one animal, effects on the cornea, iris or conjunctiva that are not expected to reverse or have not reversed; or (ii) in at least 2 of 3 tested animals a positive response of corneal opacity ≥ 3 and/or iritis > 1.5 (see Table 3.3.1) 2. If data for the complete mixture are not available, apply bridging principles (see 3.3.3.2) 3. If bridging principles do not apply, (a) For mixtures where the concentrations of the ingredients can be added, classify in Category 1: if the sum of concentrations of skin and/or eye Category 1 ingredients is ≥ 3%; or (b) For mixtures where the concentrations of the ingredients cannot be added: classify in Category 1 if the mixture contains ≥ 1% of a skin and/or eye Category 1 ingredient (see 3.3.3.4) 	Hazard statement	Causes serious eye damage

A2.19 Serious eye damage/eye irritation (see Chapter 3.3 for details)

(Cont'd on next page)

Hazard category	Criteria		mmunication ments
	 For substances and tested mixtures (a) Classification as severe skin irritant; (b) Human experience or data showing production of changes in the eye which are fully reversible within 21 days; (c) Substances and tested mixtures 	Symbol	
	 (c) Structure-activity relationship to a substance or mixture already classified as an eye irritant; (d) Provide regults in a walid and accorded in with any irritation test; or 	Signal word	Warning
2A Irritant	 (d) Positive results in a valid and accepted in vitro eye irritation test; or (e) Animal experience or test data that indicate that the substance/mixture produces a positive response in at least 2 of 3 tested animals of: corneal opacity ≥ 1, iritis ≥ 1, or conjunctival edema (chemosis) ≥ 2 (Table 3.3.2) 2. If data for the complete mixture are not available, apply bridging principles (see 3.3.2) 3. If bridging principles do not apply, (a) For mixtures where the concentrations of the ingredients can be added, classify in Category 2A: (i) if the sum of the concentrations of skin and/or eye Category 1 ingredients is ≥ 1% but < 3%; or (ii) if the sum of concentrations of skin and/or eye Category 1 ingredients) + (sum of concentrations of eye Category 2A/2B ingredients)] is ≥ 10%; (b) For mixtures where the concentrations of the ingredients cannot be added, classify in Category 2A: (i) if the mixture contains ≥ 3% of an eye Category 2 ingredient (see 3.3.3.4) 	Hazard statement	Causes serious eye irritation

A2.19 Serious eye damage/eye irritation (see Chapter 3.3 for details) (Cont'd)

(Cont'd on next page)

Hazard category	Criteria		Hazard communication elements	
	 For substances and tested mixtures (a) Human experience or data showing production of mild eye irritation; (b) Animal experience or test data that indicate that the lesions are fully reversible within 7 days (see Table 3.3.2) If data for the complete mixture are not available, apply bridging 	Symbol	No symbol	
	 principles (see 3.3.3.2) 3. <i>If bridging principles do not apply</i>, (a) For mixtures where the concentrations of the ingredients can be 	Signal word	Warning	
2B Mild Irritant	 (i) if the sum of the concentrations of skin and/or eye Category 1 ingredients is ≥ 1% but < 3%; or (ii) if the sum of the concentrations of eye Category 2 ingredients is ≥ 10%; or (iii) if [(10 × sum of concentrations of skin and/or eye Category 1 ingredients) + (sum of concentrations of eye Category 2 ingredients)] is ≥ 10%; (b) For mixtures where the concentrations of the ingredients cannot be added, classify in Category 2B: if mixture contains ≥ 3% of an eye Category 2 ingredient (see 3.3.3.4) 	Hazard statement	Causes eye irritation	

A2.19 Serious eye damage/eye irritation (see Chapter 3.3 for details) (Cont'd)

Hazard category	Criteria	Hazard communication elem		
	 For substances and tested mixtures (a) If there is evidence in humans that the substance can lead to specific respiratory hypersensitivity, and/or (b) If there are positive results from an appropriate animal test 	Symbol	*	
	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.4.3.2).	Signal word	Danger	
1	3. If bridging principles do not apply, classify the mixture as	Hazard statement	May cause allergy or asthmatic symptoms or breathing difficulties if inhaled	
1A (where data are	 For substances and tested mixtures showing a high frequency of occurrence in humans; or a probability of occurrence of a high sensitization rate in humans based on animal or other tests. Severity of reaction may also be considered. 	Symbol	*	
sufficient and where	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.4.3.2).	Signal word	Danger	
required by a competent authority)	 3. If bridging principles do not apply, classify the mixture as respiratory sensitizer if it contains at least one ingredient classified as sub-category 1A at the following concentrations: (a) Solids or liquids: ≥ 0.1% w/w (b) Gases: ≥ 0.1% v/v 	Hazard statement	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
1B (where data are	 For substances and tested mixtures showing a low to moderate frequency of occurrence in humans; or a probability of occurrence of a low to moderate sensitization rate in humans based on animal or other tests. Severity of reaction may also be considered. 	Symbol		
sufficient	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.4.3.2).	Signal word	Danger	
and where required by a competent authority)	 3. If bridging principles do not apply, classify the mixture as respiratory sensitizer if it contains at least one ingredient classified as sub-category 1B at the following concentrations: (a) Solids or liquids: ≥ 1% w/w (b) Gases: ≥ 0.2% v/v 	Hazard statement	May cause allergy or asthma symptoms or breathing difficulties if inhaled	

A2.20 Respiratory sensitizer (see Chapter 3.4 for details)

Hazard category	Criteria	Hazard communication elements		
	 For substances and tested mixtures (a) If there is evidence in humans that the individual substance can lead to sensitization by skin contact in a substantial number of persons, or (b) If there are positive results from an appropriate animal 	Symbol		
1	test2. <i>If data for the complete mixture are not available</i>, apply bridging principles (see 3.4.3.2)	Signal word	Warning	
	 3. If bridging principles do not apply, classify the mixture as skin sensitizer if it contains at least one ingredient classified as skin sensitizer at a concentration: (a) ≥ 0.1% (solid/liquid/gas) see note to Table 3.4.5; or (b) ≥ 1.0% (solid/liquid/gas) 	Hazard Statement	May cause an allergic skin reaction	
1A (where data are	1. For substances and tested mixtures showing a high frequency of occurrence in humans and/or a high potency in animals, which can be presumed to have the potential to produce significant sensitization in humans. Severity of reaction may also be considered.	Symbol		
sufficient and where required	 If data for the complete mixture are not available, apply bridging principles (see 3.4.3.2) 	Signal word	Warning	
by a competent authority)	 If bridging principles do not apply, classify the mixture as skin sensitizer if it contains at least one ingredient classified as sub-category 1A at a concentration ≥ 0.1%. 	Hazard Statement	May cause an allergic skin reaction	
1B (where	 For substances and tested mixtures showing a low to moderate frequency of occurrence in humans and/or a low to moderate potency in animals, which can be presumed to have the potential to produce 	Symbol		
data are sufficient and where required by a competent authority)	 sensitization in humans. 2. <i>If data for the complete mixture are not available</i>, apply bridging principles (see 3.4.3.2) 	Signal word	Warning	
	3. If bridging principles do not apply, classify the mixture as skin sensitizer if it contains at least one ingredient classified as sub-category 1B at a concentration ≥ 1.0%.	Hazard Statement	May cause an allergic skin reaction	

A2.21 Skin sensitizer (see Chapter 3.4 for details)

Hazard category	Criteria for classification	Hazard communication elements		
	 For substances and tested mixtures (see criteria in 3.5.2): (a) Known to induce heritable mutations in germ cells of 	Symbol		
1	humans; or(b) Regarded as if they induce heritable mutations in the germ cells of humans;	Signal word	Danger	
(Both 1A and 1B)	 If data for the complete mixture are not available, apply bridging principles (see 3.5.3.2) If bridging principles do not apply, classify the mixture in Category 1 if it contains at least one ingredient classified in Category 1 at a concentration ≥ 0.1 % 	Hazard statement	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
	1. <i>For substances and tested mixtures</i> (see criteria in 3.5.2): Which cause concern for humans owing to the possibility that they may induce heritable mutations in the germ cells of humans	Symbol		
		Signal word	Warning	
2	 If data for the complete mixture are not available, apply bridging principles (see 3.5.3.2) If bridging principles do not apply, classify the mixture in Category 2 if it contains at least one ingredient classified 	Hazard	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that	
	in Category 2 at a concentration ≥ 1.0 %	statement	no other routes of exposure cause the hazard)	

A2.22 Germ cell mutagenicity (see Chapter 3.5 for details)

Hazard category	Criteria	Hazard communication element		
	 For substances and tested mixtures (see criteria in 3.6.2): (a) Known to have carcinogenic potential for humans; (b) Presumed to have carcinogenic potential for humans; 	Symbol		
1	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.6.3.2)	Signal word	Danger	
(both 1A and 1B)	both 1A 3 If bridging principles do not apply classify the mixture in	Hazard statement	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
	 If data for the complete mixture are not available, apply bridging principles (see 3.6.3.2). If bridging principles do not apply, classify the mixture in Category 2 if it contains at least one ingredient classified in Category 2 at a concentration: (a) ≥ 0.1% (see 3.6.3.3 and note 1 to Table 3.6.1); or (b) ≥ 1.0% (see 2.6.3.2 ord mate 2 to Table 2.6.1) 	Symbol		
		Signal word	Warning	
2		Hazard statement	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) *	

A2.23 Carcinogenicity (see Chapter 3.6 for details)

* Some authorities will choose to label according to this provision, others may not.

Hazard category	Criteria	Hazard communication elements			
	 For substances and tested mixtures (see criteria in 3.7.2): (a) Known human reproductive toxicant; or 	Symbol			
1	(b) Presumed human reproductive toxicant	Signal word	Danger		
I (Both 1A and 1B)	 If data for the complete mixture are not available, apply bridging principles (see 3.7.3.2) If bridging principles do not apply, classify the mixture in Category 1 if it contains at least one ingredient 	Hazard statement	May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		
	 Suspected human reproductive toxicants 2. <i>If data for the complete mixture are not available</i>, apply bridging principles (see 3.7.3.2) 3. <i>If bridging principles do not apply</i>, classify the mixture in Category 2 if it contains at least one ingredient classified in Category 2 at a concentration: (a) ≥ 0.1 % (see 3.7.3.3 and note 3 to Table 3.7.1); or 	Symbol	*		
		Signal word	Warning		
2		Hazard statement	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		

A2.24 (a) Toxic to reproduction (see Chapter 3.7 for details)

A2.24 (b)	Effects on or via lactation (see Chapter 3.7)
-----------	--

Hazard category	Criteria	Hazard communication elements	
	1. <i>For substances and tested mixtures</i> (see criteria in 3.7.2): Substances or mixtures which cause concern for the health of breast-fed children	Symbol	No symbol
Additional category for effects on or via lactation	 If data for the complete mixture are not available, apply bridging principles (see 3.7.3.2) If bridging principles do not apply, classify the mixture in this category if it contains at least one ingredient classified in this category at a concentration: (a) ≥ 0.1 % (see 3.7.3.3 and note 1 to Table 3.7.1) or; (b) ≥ 0.3 % (see 3.7.3.3 and note 2 to Table 3.7.1) 	Signal word Hazard statement	No signal word May cause harm to breast-fed children

Hazard category		Criteria	Hazard communication element		
	1.	. For substances and tested mixtures (see criteria in 3.8.2): Reliable evidence on the substance or mixture (including bridging principles) of an adverse effect on specific organs or systems in humans or animals. May use guidance values	Symbol		
		in Table 3.8.1, Category 1 criteria as part of weight of evidence evaluation. May be named for specific	Signal word	Danger	
1		organ/system affected If data for the complete mixture are not available, apply bridging principles (see 3.8.3.3) If bridging principles do not apply, classify the mixture in Category 1 if it contains at least one ingredient classified in Category 1 at a concentration: (a) $\geq 1.0\%$ (see 3.8.3.4 and note 1 to Table 3.8.2); or (b) $\geq 10\%$ (see 3.8.3.4 and note 2 to Table 3.8.2)	Hazard statement	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
	1.	<i>For substances and tested mixtures</i> (see criteria in 3.8.2): Evidence on the substance or mixture (including bridging principles) of an adverse effect on specific organs or systems from animal studies or humans considering weight	Symbol		
		of evidence and guidance values in Table 3.8.1, Category 2 criteria. May be named for specific organ/system affected	Signal word	Warning	
2	2. 3.	 If data for the complete mixture are not available, apply bridging principles (see 3.8.3.3) If bridging principles do not apply, classify the mixture in Category 2: (a) if it contains at least one ingredient classified in Category 1 at a concentration ≥ 1 but < 10%; (see 3.8.3.4 and note 3 to table 3.8.2); or (b) if it contains at least one ingredient classified in Category 2 at a concentration: (i) ≥ 1% (see 3.8.3.4 and note 4 to Table 3.8.2); or (ii) ≥ 10% (see 3.8.3.4 and note 5 to Table 3.8.2) 	Hazard statement	May cause damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	
	(a) (Respiratory tract irritation)	Symbol			
3		Evidence on the substance or mixture of transient irritant effects on respiratory tract in humans; or	Signal word	Warning	
	(b)	(Narcotic effects) Evidence on the substance or mixture of transient narcotic effects from animal studies and in humans	Hazard statement	Respiratory tract irritation) May cause respiratory irritation or (Narcotic effects) May cause drowsiness or dizziness	

A2.25 Specific target organ toxicity following single exposure (see Chapter 3.8 for details)

Hazard category	Criteria			Hazard communication elements		
	1.	<i>For substances and tested mixtures</i> (see criteria in 3.9.2) Reliable evidence on the substance or mixture (including bridging principles) of an adverse effect on specific organs or systems in humans or animals. May use guidance values	Symbol			
		in Table 3.9.1 as part of weight of evidence evaluation. May be named for specific organ/system.	Signal word	Danger		
1	2. 3.			Causes damage to organs (state all organs affected, if known) through		
	if it contains at least one ingredient classified in Category 1 at	Hazard statement	prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)			
	1.	1. For substances and tested mixtures (see criteria in 3.9.2) Evidence on the substance or mixture (including bridging principles) of an adverse effect on specific organs or systems from animal studies or humans considering weight of evidence and guidance values in Table 3.9.2. May be named	Symbol			
		for specific organ/system.	Signal	Warning		
2		 If data for the complete mixture are not available, apply bridging principles (see 3.9.3.3) If bridging principles do not apply, classify the mixture in Category 2: (a) if it contains at least one ingredient classified in Category 1 at a concentration ≥ 1.0 but < 10% (see 3.9.3.4 and note 3 to table 3.9.3); or (b) if it contains at least one ingredient classified in Category 2 at a concentration: (i) ≥ 1.0% (see 3.9.3.4 and note 4 to Table 3.9.3); or (ii) ≥ 10% (see 3.9.3.4 and note 5 to Table 3.9.3) 	word Hazard statement	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		

A2.26 Specific target organ toxicity following repeated exposure (see Chapter 3.9 for details)

A2.27	Aspiration hazard (See chapter 3.10 for details)
-------	--

Hazard category			Hazard communication elements	
	 For substances and tested mixtures (a) Practical experience from reliable and good quality human evidence showing human aspiration toxicity including chemical pneumonia, varying degree of pulmonary injury or death following aspiration; (b) Hydrocarbons with a kinematic viscosity ≤ 20.5 mm²/s, 	Symbol	**	
	measured at 40 °C;	Signal word	Danger	
1	2. <i>If data for the complete mixture are not available</i> , apply bridging principles (see 3.10.3.2)			
1	 3. If bridging principles do not apply, classify the mixture in Category 1: (a) if it contains at least one ingredient classified in Category 1 and having a kinematic viscosity ≤ 20.5 mm²/s measured at 40 °C, at a concentration ≥ 10%; or 	Hazard statement	May be fatal if swallowed and enters	
	(b) For mixtures which separate into two or more distinct layers, if at least one layer contains one ingredient classified in Category 1 and having a kinematic viscosity ≤ 20.5 mm²/s measured at 40 °C, at a concentration ≥ 10 %		airways	
	 For substances and tested mixtures: Substances and mixtures other than those classified in Category 1 which, on the basis of animal studies and expert judgment are presumed to cause human aspiration toxicity and have a kinematic viscosity ≤ 14 mm²/s, measured at 40 °C If data for the complete mixture are not available, apply bridging 	Symbol	*	
	principles (see 3.10.3.2)	Signal word	Warning	
2	 3. If bridging principles do not apply, classify the mixture in Category 2: (a) if it contains at least one ingredient classified in Category 2 and having a kinematic viscosity ≤ 14 mm²/s measured at 40 °C, at a concentration ≥ 10%; or (b) For mixtures which separate into two or more distinct layers, if at least one layer contains one ingredient classified in Category 2 and having a kinematic viscosity ≤ 14 mm²/s measured at 40 °C, at a concentration ≥ 10% 	Hazard statement	May be harmful if swallowed and enters airways	

Hazard category		Criteria		ommunication ements
		For substances and tested mixtures: $L(E)C_{50} \le 1mg/l$ where $L(E)C_{50}$ is either 96hr LC_{50} (for fish), 48hr EC LC_{50} (for crustacea) or 72 or 96hr ErC_{50} (for algae or other aquatic plants)	Symbol	¥,
	2.	<i>If data for the complete mixture are not available,</i> apply bridging principles (see 4.1.3.4) <i>If bridging principles do not apply,</i>	Signal word	Warning
1		 (a) For mixtures with classified ingredients, apply the <u>summation</u> method (see 4.1.3.5.5) and classify in Acute 1 if: [(Sum of concentrations of Acute 1 ingredients) × M] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5.5). (b) For mixtures with tested ingredients, apply the <u>additivity</u> formula (see 4.1.3.5.2 and 4.1.3.5.3) and classify in Acute 1 if: L(E)C₅₀ ≤ 1mg/l (c) For mixtures with both classified and tested ingredients, apply the <u>combined additivity</u> formula and <u>summation</u> method (see 4.1.3.5.2 to 4.1.3.5.3) and classify in Acute 1 if: [(Sum of concentrations of Acute 1 ingredients) × M] is ≥ 25% <i>For mixtures with no usable information for one or more relevant</i> 	Hazard statement	Very toxic to aquatic life
		<i>ingredients</i> , classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment"		
		For substances and tested mixtures: $L(E)C_{50} > 1 \text{ mg/l but} \le 10 \text{ mg/l}$ where $L(E)C_{50}$ is either 96hr LC_{50} (for fish), 48hr EC LC_{50} (for crustacea) or 72 or 96hr ErC_{50} (for algae or other aquatic plants)	Symbol	No symbol
	2.	principles (see 4.1.3.4)	Signal word	No signal word
2		 If bridging principles do not apply, (a) For mixtures with classified ingredients, apply the <u>summation</u> method (see 4.1.3.5.5) and classify in Acute 2 if: [(Sum of concentrations of Acute 1 ingredients × M × 10) + (Sum of concentrations of Acute 2 ingredients)] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5.5). (b) For mixtures with tested ingredients, apply the <u>additivity</u> formula (see 4.1.3.5.2 and 4.1.3.5.3) and classify in Acute 2 if: L(E)C₅₀ >1 mg/l but ≤ 10 mg/l (c) For mixtures with both classified and tested ingredients, apply the <u>combined additivity</u> formula and <u>summation</u> method (see 4.1.3.5.2 to 4.1.3.5.3) and classify in Acute 2 if: [(Sum of concentrations of Acute 1 ingredients × M × 10) + (Sum of concentrations of Acute 2 ingredients)] is ≥ 25% For mixtures with no usable information for one or more relevant ingredients, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment" 	Hazard statement	Toxic to aquatic life

A2.28 (a) Acute hazards to the aquatic environment (see Chapter 4.1 for details)

(Cont'd on next page)

Hazard category	Criteria	Hazard communication elements	
	 For substances and tested mixtures: L(E)C₅₀ > 10 mg/l but ≤ 100 mg/l where L(E)C₅₀ is either 96hr LC₅₀ (for fish), 48hr EC LC₅₀ (for crustacea) or 72 or 96hr ErC₅₀ (for algae or other aquatic plants) 	Symbol Signal word	No symbol
	 If data for the complete mixture are not available, apply bridging principles (see 4.1.3.4) If bridging principles do not apply, 		No signal word
3	 (a) For mixtures with classified ingredients, apply the <u>summation</u> method (see 4.1.3.5.5) and classify in Acute 3 if: [(Sum of concentrations of Acute 1 ingredients × M × 100) + (Sum of concentrations of Acute 2 ingredients × 10) + (Sum of concentrations of Acute 3 ingredients)] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5.5) (b) For mixtures with tested ingredients, apply the <u>additivity</u> formula (see 4.1.3.5.2 and 4.1.3.5.3) and classify in Acute 3 if: L(E)C₅₀ > 10 mg/l but ≤ 100 mg/l (c) For mixtures with both classified and tested ingredients, apply the <u>combined additivity</u> formula and <u>summation</u> method (see 4.1.3.5.2 to 4.1.3.5.3) and classify in Acute 3 if: [(Sum of concentrations of Acute 1 ingredients × M × 100) + (Sum of concentrations of Acute 2 ingredients × 10) + (Sum of concentrations of Acute 3 ingredients)] is ≥ 25% 4. For mixtures with no usable information for one or more relevant ingredients, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment" 	Hazard statement	Harmful to aquatic life

A2.28 (a) Acute hazards to the aquatic environment (see Chapter 4.1 for details) (Cont'd)

Hazard category	Criteria		communication lements
1	 For substances rapidly degradable: (a) NOEC ≤ 0.01 mg/l; or, if absent (b) L(E)C₅₀ ≤ 1 mg/l, and BCF ≥ 500 (or if absent log K_{ow} ≥ 4) For substances non-rapidly degradable: 	Symbol	
	 (a) NOEC ≤ 0.1 mg/l; or if absent (b) L(E)C₅₀ ≤ 1 mg/l 	Signal word	Warning
	 If data for the complete mixture are not available, apply bridging principles (see 4.1.3.4) If bridging principles do not apply, classify in Chronic 1 if: [(Sum of concentrations of Chronic 1 ingredients) × M] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5.5) For mixtures with no usable information for one or more relevant ingredients, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment" 	Hazard statement	Very toxic to aquatic life with long lasting effects
	 For substances rapidly degradable: (a) 0.01 < NOEC ≤ 0.1 mg/l; or, if absent (b) 1 mg/l < L(E)C₅₀ ≤ 10 mg/l and BCF ≥ 500 (or if absent log Kow ≥ 4) 	Symbol	¥ C
	 2. For substances non-rapidly degradable: (a) 0.1 < NOEC ≤ 1 mg/l; or if absent 	Signal word	No signal word
2	 (b) 1 mg/l < L(E)C₅₀ ≤ 10 mg/l 3. <i>If data for the complete mixture are not available</i>, apply bridging principles (see 4.1.3.4) 4. <i>If bridging principles do not apply</i>, classify in Chronic 2 if: [(Sum of concentrations of Chronic 1 ingredients × M × 10) + (Sum of concentrations of Chronic 2 ingredients)] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5) 5. <i>For mixtures with no usable information for one or more relevant ingredients</i>, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment" 	Hazard statement	Toxic to aquatic life with long lasting effects

A2.28 (b) Long-term hazards to the aquatic environment (see Chapter 4.1 for details)

(Cont'd on next page)

Hazard category	Criteria		ommunication ements
	 For substances rapidly degradable: (a) 0.1 mg/l < NOEC ≤ 1 mg/l; or, if absent (b) 10 mg/l <l(e)c<sub>50 ≤ 100 mg/l and BCF ≥ 500 (or, if absent, log K_{ow} ≥ 4)</l(e)c<sub> 	Symbol	No symbol
	 For substances non-rapidly degradable: 10 mg/l <l(e)c<sub>50 ≤ 100 mg/l</l(e)c<sub> If data for the complete mixture are not available, apply bridging 	Signal word	No signal word
3	 9. If data for the complete mature are not available, apply ordging principles (see 4.1.3.4) 4. If bridging principles do not apply, classify in Chronic 3 if: [(Sum of concentrations of Chronic 1 ingredients × M× 100) + (Sum of concentrations of Chronic 2 ingredients × 10) + (Sum of concentrations of Chronic 3 ingredients)] is ≥ 25% where M is a multiplying factor (see 4.1.3.5.5.5) 5. For mixtures with no usable information for one or more relevant ingredients, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment" 	Hazard statement	Harmful to aquatic life with long lasting effects
4	 For substances and tested mixtures: (a) poorly soluble and no acute toxicity is observed up the water solubility; (b) Lack the potential to rapidly biodegrade and have the potential to his assumption (BCE > 500 or if sheart lag K > 4), unlags 	Symbol	No symbol
	 bioaccumulate (BCF ≥ 500 or, if absent, log K_{ow} ≥ 4); unless Chronic NOECs > 1 mg/l; <i>If data for the complete mixture are not available</i>, apply bridging principles (see 4.1.3.4) 	Signal word	No signal word
	 3. If bridging principles do not apply, classify in Chronic 4 if: [(Sum of concentrations of Chronic 1 ingredients) + (Sum of concentrations of Chronic 2 ingredients) + (Sum of concentrations of Chronic 3 ingredients) + (Sum of concentrations of Chronic 4 ingredients)] is ≥ 25% 4. For mixtures with no usable information for one or more relevant ingredients, classify using the available information and add the statement: "×% of the mixture consists of ingredient(s) of unknown 	Hazard statement	May cause long lasting harmful effects to aquatic life

A2.28 (b) Long-term hazards to the aquatic environment (see Chapter 4.1 for details)(Cont'd)

A2.29 Hazard to the ozone layer (see Chapter 4.2 for details)

Hazard category	Criteria	Hazard communication elements		
1	 For substances Any of the controlled substances listed in the Annexes to the Montreal Protocol For mixtures Any mixture containing at least one ingredient listed in the Annexes to the Montreal Protocol, at a concentration ≥ 0.1% 	Symbol		
		Signal word	Warning	
		Hazard Statement	Harms public health and the environment by destroying ozone in the upper atmosphere	