

PROPOSED AMENDMENTS TO DOCUMENT TRANS/WP.29/GRSG/2005/19
(Draft Supplement 1 to the 02 series of amendments to Regulation No. 107)

A. PROPOSAL

Annex 3, paragraph 7.6.3.1., amend to read:

"7.6.3.1. Vehicles ~~having a capacity exceeding 22 passengers of Class I, II or III~~ shall meet the following requirements:

7.6.3.1.1. A service door shall have an aperture creating an access in accordance with the requirements shown in paragraph 7.7.1. of this annex.

7.6.3.1.2. An emergency door shall have a door aperture with a minimum height of 1250 mm and a minimum width of 550 mm.

7.6.3.1.3. An emergency window shall have a minimum area of 400,000 mm². It shall be possible to inscribe in this area a rectangle measuring 500 mm x 700 mm.

7.6.3.1.4. ~~If the manufacturer does not provide an emergency window of the minimum dimensions described in paragraph 7.6.3.1.3. of this annex, an emergency window may be situated in the rear face of the vehicle. It shall be possible to inscribe in the aperture of this emergency window a rectangle 350 mm high and 1550 mm wide. The corners of the rectangle may be rounded to a radius of curvature not exceeding 250 mm.~~

In the case of an emergency window situated in the rear face of the vehicle, either it shall meet the requirements shown in paragraph 7.6.3.1.3., or it shall be possible to inscribe in the aperture of this emergency window a rectangle 350 mm high and 1550 mm wide, the corners of which may be rounded to a radius of curvature not exceeding 250 mm.

7.6.3.1.5. An escape hatch shall have a hatch aperture with a minimum area of 400,000 mm². It shall be possible to inscribe in this area a rectangle measuring 500 mm x 700 mm."

Annex 4, Figure 24.

Delete figure.

B. JUSTIFICATION

Paragraph 7.6.3.1.

Clarifies the scope of the requirements in terms of the defined vehicle classes.

Paragraph 7.6.3.1.4.

Clarifies the intention of the paragraph.

Figure 24

Amendment of paragraph 7.6.3.1. results in this figure being redundant.
