## Documents No.IWVTA-09-09 Transmitted by OICA OICA comments: status 2012.02.27

OICA comments on the candidate items for technical regulations applicable to IWVTA
A: those on which it is appropriate to specify only one requirement as the international regulations
B: those on which it is appropriate to specify several requirements as the international regulations

Category: Catego regulations.

	No.	n: No national regulations Subject	EU WYTA	Rus-	Aus- tra- lia	South Afri- ca	Ja- pan	UN R no Validity OICA	UN R unne- cessary for IWVTA OICA	UNR	Note	OICA comment
	1	Permissible sound level	Α	Α	Α	Α	Α			51		
	2	Fuel tanks	Α	Α	n	n	Α			34		OK but for fuel tank component requirements only
		Rear protective devices	Α	Α	n	n	Α			58		No - it is nowhere mandated for M1(recent adoption of Supplement to include in
		Steering effort	Α	Α	Α	n	Α			79		
	4	Door latches and hinges	Α	Α	Α	Α	Α			11,GTR1		OK with R11
		Audible warning	Α	Α	Α	Α	Α			28		
		Braking	Α	Α	Α	Α	Α			13H		
	-	ESC	Α	Α	Α	Α	Α			13H-sup.9		OK if fitted
		BA (Brake Assist)	Α	Α	Α	Α	Α			13H-sup.9		OK if fitted
	7	Radio interference	Α	Α	Α	Α	Α			10		
(1)		Anti-theft / immobiliser	Α	Α	Α	Α	Α	97	97	97, 116		No for R97 (superseded by R116). R116 is OK if fitted
<b>IWVTA</b>	9	Protective steering	Α	Α	Α	Α	Α			12		
base		Seat strength	Α	ΔΑ	Α	Α	Α			17		
candi-		Head restraints		В	,,	,,			25	25		No. R25 only for separate head restraints
date		Speedometer / reverse gear	Α	Α	Α	Α	Α			39		
	12	Seat belt anchorages	Α	Α	Α	Α	Α			14		
	13	Installation of lighting and light signalling devices	Α	Α	Α	Α	A * 1			48	* 1: Installation of DRL is prohibited in Japan.	OK but solution needed for DRL
	14	Retro reflectors	Α	Α	Α	Α	Α			3		Individual lighting regulations not needed - covered by R48 approval
	15	End-outline, front-position (side), rear-position (side), stop, side marker, daytime running lamps	Α	Α	Α	Α	Α			7, 87, 91		Individual lighting regulations not needed - covered by R48 approval
	16	Direction indicators	Α	Α	Α	Α	Α			6		Individual lighting regulations not needed - covered by R48 approval
	17	Front fog lamps	Α	Α	Α	Α	Α			19		Individual lighting regulations not needed - covered by R48 approval
	18	Towing hooks	Α	n	n	n	n					No
	19	Rear fog lamps	Α	Α	Α	Α	Α			38		Individual lighting regulations not needed - covered by R48 approval
	20	Reversing lamps	Α	Α	Α	Α	Α			23		Individual lighting regulations not needed - covered by R48 approval
	21	Parking lamps	Α	Α	Α	Α	Α			77		Individual lighting regulations not needed - covered by R48 approval
	22	Seat belts and restraint systems	Α	Α	Α	Α	Α			16		
		Child restraint system * 2	Α	Α	Α	Α	Α			44	*2:Built-in type only	OK for integrated, built-in systems
	23	Forward vision	Α	Α	Α	n	Α			125		

88				1000000000			lecconomic and the second		UNR	l:::::::::::::::::::::::::::::::::::::		1
	No.	Subject	EU WVTA	Rus- sia	Aus- tra- lia	South Afri- ca	Ja- pan	UN R no Validity OICA	unne- cessary for IWVTA	UNR	Note	
	24	Identification of controls, tell- tales and indicators	Α	Α	n	n	Α			121		
_	25	Heating systems	Α	Α	n	n	n			122		OK if fitted
_	26	Wheel guards	Α	Α	Α	n	Α					OK when an ECE Regulation is developed
	27	Engine power	Α	n	n	n	Α			85		
_	28	Safety glazing	Α	Α	Α	Α	Α			43		
_	29	Tyres	Α	Α	Α	Α	Α			30, 54		Not needed when an ECE Regulation on installation is developed.
_		Tyres (installation)	Α	n	A*3	n	Α				*3:No harmonised standard	OK when an ECE Regulation is developed
	29b	Temporary Tyres / TPMS	Α	Α	n	n	n			64		Need to split Temporary tyres and TPMS TPMS: OK if fitted. Temporary tyres: NOK
	29c	Road noise/ RRC/ Wet grip	Α	Α	n	n	n			117		NOK for now (it is a purely component requirement) but possibly to be included in future Regulation on installation (see 29a)
	30	Frontal impact	Α	Α	Α	Α	Α			94		
	31	Side impact	Α	Α	Α	n	Α			95		
	32	Pedestrian protection	Α	Α	Α	n	Α			GTR9		OK when the ECE Regulation is adopted
	33	Air-conditioning systems	Α	С	n	n	n					No
		Headlamps cleaners	Α	Α	Α	n	Α			45		OK if fitted
) NTA	35	Equipment for LPG vehicles/installation	Α	Α	n	n	Α			67		OK if fitted
ise indi- ite	36	Specific component for CNG/ Installation	Α	A	n*4	n	Α			110	*4:Regulated by different authority	OK if fitted
_		Speed limiters	n	Α	n	n	n			89		No
		Battery electric vehicles	Α	Α	n	n	Α			100		OK for electric vehicles
_	39	Cornering lamps	Α	Α	n	n	Α			119		Individual lighting regulations not needed - covered by R48 approval
L	40	Fuel system- High pressure gas for FCV	Α	n	n	n	Α			GTR draft	<b>*</b> 5:	OK for HFCV when an ECE Regulation is developed
	41	Engine and powertrain system	n	n	n	n	A*5				-	No
	42	Interior burning behavior of materials	n	n	n	n	Α					No
	43	Riding accomodation	n	n	n	n	Α					No
		Odometers	n	n	n	n	Α					No
	45	Electrical system	n	n	n	n	Α					No
	46	Running system	n	n	n	n	Α					No
		Diesel smoke	Α	Α	n	Α	Α			24		No, it is outdated and covered by R83
		Interior fittings	Α	Α	Α	Α	Α			21		
		Exterior projections	Α	Α	Α	n	Α			26		
		Defrost/demist	Α	Α	Α	n	Α					OK when an ECE Regulation is developed
	51	Washer/ wiper	Α	Α	Α	n	Α					OK when an ECE Regulation is developed
_	52	CO2 emissions/ fuel consumption	Α	Α	Α	Α	Α	84	84	84,101		OK for R101 (which supersedes R84)
	53	Arrangement of foot control	n	Α	n	n	Α	35	35	35		
	54	Headlamps (including bulbs)	Α	Α	Α	Α	Α	1,2,5,8, 20,31,		1,2, 5, 8, 20, 31, 37, 98, 99,		Individual lighting regulations not needed - covered by R48 approval

55 Advance warning triangle \*6 n n n A A 27 27 27 \*6:Built-in type only

	No.	Subject	EU WVTA	Rus-	Aus- tra- lia	South Afri- ca	Ja-	UN R no Validity OICA	UN R unne- cessary for IWVTA OICA	UN R	Note	
	56	Emissions (Euro 5 and 6) light duty vehicles/access to				А	В	15	15	83		
	56a	information Emissions (classic)	Α	Α	Α					15		No .
		Diesel emissions *7			İ					49	*7:M1 (only 3.5t or	OK for M1 > 3.5t
	300	Diesei emissions * /		<u> </u>	₩					49	more) *8:Japan has	OK 101 W1 > 3.5t
2) tems vith egion- illy app		Indirect vision devices	Α	Α	Α	Α	B*8			46	different requirements for radius curvature for mirrors.	OK, harmonised solution is needed
able equire nents		Rear registration plate lamps	А	Α	Α	Α	B*9			4	*9:Japan has registration plates of different size. Accordingly Japan needs different requirements for rear registration	Individual lighting regulations not needed - covered by R48 approval. Harmonised solution is needed.
	59	Masses and dimensions	Α	В	В	n	Α					OK, a harmonised solution would be welcome!
		Couplings	Α	Α	В	n	Α			55		OK if fitted
		Definition of terms	Α	Α	В	Α	Α					????????
3) Ion		Rear registration plate space	Α	n	С	n	n					OK, a harmonised solution would be welcome!
ech-		Statutory plates (VIN)	Α	В	С	n	n					OK, a harmonised solution would be welcome!
ical		Recyclability	Α	n	n	n	n					No
hame	65	Special warning lamps	n	В	n	n	n	65	65	65		No
	66	Fuel standards *10	n	n	n	n	А				*10:Fuel standards for testing should be included in "Emissions"	No
		Suspention system	n	n	n	n	С					No
	00	Auxiliary direction indicator lamps	n	n	n	n	С					No
)	69	Restriction of other lamps	n	n	n	n	С					No
on andi-	70	Emergency Signaling Device (Smoke maker)	n	n	n	n	С					No
ate		Minimum ground clearance	n	n	n	n	С					No
r WTA		Handling and stability	n	С	n	n	C					No .
		Minimum turning radius	n	n	n	n	С					No
		Ground-contact section	n	n	С	n	С					No No
	75	Internal noise	n	С	n	n	n					No
	76	Harmful substance of passenger compartment	n	С	n	n	n					No