

Distr.: Restricted
20 June 2016

English only

Working Party on Inland Water Transport

**Working Party on the Standardization of Technical
and Safety Requirements in Inland Navigation**

Forty-ninth session

Geneva, 22–24 June 2016

Item 5 (b) of the provisional agenda

**Inland waterways infrastructure: Inventory of Main Standards
and Parameters of the E Waterway Network (“Blue Book”)**

**Second draft of the Inventory of Main Standards and
Parameters of the E Waterway Network (“Blue
Book”), third revision**

Note of the secretariat

Following the decision of the Working Party on Inland Water Transport to prepare the third revision of the Blue Book and the road map approved by the Working Party on the Standardization of Technical and Safety Requirements in Inland Navigation at its forty-eighth session (ECE/TRANS/SC.3/WP.3/96, para. 22), the secretariat prepared the second draft of the third revision of the Inventory of Main Standards and Parameters of the E Waterway Network (“Blue Book”) based on ECE/TRANS/SC.3/WP.3/96, ECE/TRANS/SC.3/WP.3/2016/12, Informal documents SC.3/WP.3 No. 3, 4 and 24 (2016).

The consolidated text is represented in the annex (Chapters 1 and 2 of the Introduction are not reproduced here).

Annex

INVENTORY OF MAIN STANDARDS AND PARAMETERS OF THE E WATERWAY NETWORK ("BLUE BOOK")

INTRODUCTION

3. LIST OF BOTTLENECKS AND MISSING LINKS IN THE E WATERWAY NETWORK BY COUNTRY

Austria

Missing links: Danube-Oder-Elbe Connection (E 20).

Basic bottlenecks: none.

Strategic bottlenecks: Danube (E 80) from 2,037.0 km to 2,005.0 km and from 1,921.0 km to 1,873.0 km — low fairway depth (in some locations down to 2.20 m).

Belarus

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Mukhovets (E 40) from Brest to Kobrin — low maximum draught (1.70 m).
- Dneprovsko-Bugskiy Canal (E 40) from Kobrin to Pererub — low maximum draught (1.70 m); upgrading of locks to class Va is envisaged*.
- Pina (E 40) from Pererub to Pinsk — low maximum draught (1.70 m).
- Pripyat (E 40) from Stakhovo to Pkhov — low maximum draught (1.40m).
- Pripyat (E 40) from Pkhov to Belarus/Ukrainian border — low maximum draught (1.50 m).

Belgium

Missing links:

- Meuse — Rhine link.**
- Maldegem — Zeebrugge (E 07).

* Upgrading of lock No. 3 Ragodosch was started in 2015, the startup is planned for 2019; upgrading of lock No. 4 Ovzichi is planned for 2019–2020.

** This link is not mentioned in the AGN Agreement and its inclusion into the Inventory has been suggested by the Government of Belgium.

- Maldegem — Zeebrugge (E 07).

Basic bottlenecks:

- Bocholt — Herentals Canal (E 01–01), Bocholt — Dessel section.
- Zuid — Willemsvaart (E 01–01), section Bocholt — Belgium/Netherlands border.
- Gent — Oostende Canal (E 02), Brugge — Beernem section.
- Plassendale — Nieuwpoort Canal (E 02–02–01).
- Charleroi-Bruxelles Canal (E 04), Lembeek — Bruxelles section — upgrading the height under bridges up to 7 m and improvement of the waterway is required. Project is under study.
- Bossuit — Kortrijk Canal (E 05–01), Zwevegem — Kortrijk section — upgrading from class I to class Va. Project is under study.
- Dender (E 05–04), Aalst — Dendermonde section — upgrading from class II to class IV. Project is under study.
- Beneden-Nete (E 05–06) upgrading the height under bridges. Project is under way.

Strategic bottlenecks:

- Condé-Pommeroeul Canal (E 01) — re-opening of a section currently not in service.
- Nimy-Blaton — Peronne Canal (E 01) — upgrading from class IV to class Va is envisaged.
- Canal du Centre (E 01), Obourg Lock — construction of a new class Va lock is envisaged.
- Charleroi-Bruxelles Canal (E 01), Marchienne, Viesvilles and Gosselies Locks — construction of new class Va locks is envisaged.
- Meuse (E 01) — construction of class VIb locks is envisaged at Ivoz-Ramet and Ampsin-Neuville.
- Meuse (E 01) from Pont d'Ougrée to Liège — upgrading from class Vb to class VIb is envisaged.
- Canal de Lanaye (E 01) — construction of a class VIb lock is under way.
- Lys Mitoyenne — Lys (Menin — Deinze section) and Lys Derivation Canal up to Schipdonk (E 02) — upgrading from class IV to class Vb is envisaged within the Seine — Escaut link project. Project is under way.
- Roeselare-Leie Canal (E 02–04), Roeselare — Ooigem section — improvement of waterway for class Va. Project is under study.
- Sea Canal Bruxelles — Schelde (E 04) — improvement of section Wintam — Willebroek to class Vb. Project is under way.
- Haut Escaut (E 05) on section Bléharies-Hérinnes — Tournai passage — upgrading to class Va.

- Boven-Schelde (E 05), Kerkhove — Asper section — renewal of weirs and upgrading lock capacity to class Vb. Project is under study.
- Boven-Zeeschelde (E 05) on section Gent circular canal — Baasrode — upgrading from class IV to class Va. Project is under study.
- Albertkanaal (E 05), Wijnegem passage and section Kanne — Liège — upgrading from class Vb to class VIb is envisaged.

Bosnia and Herzegovina

Missing links: none.

Basic bottlenecks: Sava (E 80–12) 507.0–174.8 km — upgrading from classes III/IV to classes IV/Va.

Strategic bottlenecks: none.

Bulgaria

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: Danube (E 80) from 845.5 to 375.0 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) at several critical sections i.e.:

- from 845.5 to 610.0 km, with fairway depth limited to 2.10–2.20 m for 10–15 days a year, and
- from 610.0 to 375.0 km, with fairway depth limited to 1.80–2.00 m for 20–40 days a year.

Croatia

Missing links: Danube — Sava Canal (E 80–10) from Vukovar to Samac.

Basic bottlenecks: Sava (E 80–12) section between Sisak and Brčko — upgrading from class III to class IV;

- Drava (E 80–08) from 0 km to 14 km – 3 critical sections with inadequate fairway parameters.

Strategic bottlenecks: Sava (E 80–12) section between Brčko and Serbian/Croatian State border— upgrading from class IV to class Va;

-- Danube (E 80) from 1,433.1 km to 1,295.5 km – 17 critical sections with inadequate fairway parameters.

Czech Republic

Missing links: Danube — Oder — Elbe Connection (E 20 and E 30).

Basic bottlenecks: Elbe (E 20) from State border to Ústí nad Labem — extremely low fairway depth during dry seasons (0.9–2.0 m), in the years 1997–2004, the draught was less than 1.40 m during 160–262 days a year making the section commercially non-navigable; the construction of two locks is necessary.

Strategic bottlenecks:

- Elbe (E 20) from Mělník to Chvaletice — narrow width of lock gates (12.00 m); from Chvaletice to Pardubice the construction of a lock at Přelouč is necessary.
- Vltava (E 20–06) — From Mělník to Praha — low height under bridges (4.50 m) and narrow width of lock gates (11.00 m).

Finland

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: Saimaa Canal (E 60–11) from Vyborg (Russian Federation) to Kuopio/Joensuu — upgrading to class Va is envisaged.

France

Missing links:

- Seine — Moselle Link (E 80).*
- Seine — Nord Europe Link (E 05).**
- Saône — Moselle Link (E 10–02)/Saône — Rhine Link (E 10).***

Basic bottlenecks:

- Seine (E 80–04) between Bray-sur-Seine and Nogent — upgrading is envisaged. Public debate took place between the end of 2011 and the beginning of 2012.

Strategic bottlenecks:

- Condé — Pommeroeul Canal (E 01) — increasing the water depth up to 3.50 m is under consideration in the framework of the project on reopening this Canal for navigation.

* The secretariat was informed by the Government of France that the project concerning the Seine — Moselle link has been abandoned.

** Currently, Voies Navigables de France undertake preparatory works regarding the Seine-Schelde connection project, that includes a 106 km long Seine-Nord Europe Canal (E 05, class Vb). The Canal will provide a link from the Rhine basin to the currently isolated western part of E 80 and E 80–04. A procedure of competitive dialogue is under way for the Canal project. To become operational as of 2017.

*** Public debate on the possibility of a Saône-Moselle/Saône-Rhine Link is envisaged in 2013 in accordance with the Grenelle Law of 3 August 2009.

- Dunkerque — Escout link and Escaut (E 01) up to Condé — lifting of bridges up to 5.25 m is completed, lifting up to 7.00 m is envisaged.
- Deûle and Deûle Canal (E 02) from Quesnoy/Deûle to Lille — upgrading to class Va is under way, increasing the water depth up to 3.50 m is envisaged, from Lille to Bauvin — lifting of bridges up to 5.25 m is completed, lifting up to 7.00 m is envisaged.
- Lys mitoyenne (E 02) — increasing the water depth to 4.50 m is considered.
- Network Nord Pas-de-Calais (E 02 and E 05) — lifting of bridges and upgrading of links with Belgium to class Va. Lifting of bridges up to 5.25 m is being finalized (summer 2012), lifting up to 7.00 m is envisaged.
- Saône (E 10) — extension of the Couzon Lock to 195.00 m by 12.00 m is envisaged.
- Rhône — Sète Canal (E 10-04) — works on upgrading to class Va are under way.
- Oise (E 80) from Conflans to Creil — low draught and height under bridges (3.40 m and 5.18 m, respectively) — increasing the water depth up to 4.00 m is under way.
- Oise (E 80) from Creil to Compiègne — low draught (3.00 m), increasing the water depth up to 4.00 m is considered.

Germany

Missing links: none.

Basic bottlenecks:

~~— Saale (E 20-04) from Halle to Elbe upgrading to class IV is under way.~~

- Mittellandkanal (E 70) — sections which have not yet been modernized are being upgraded to class Vb. The project is under way.
- Elbe — Havel — Kanal (E 70) — upgrading from class IV to class Vb is under way.
- Untere Havel — Wasserstraße (E 70) from Plauen to Spree — upgrading from class IV to class Vb is under way.
- Berlin region waterways (connection to Westhafen Berlin) upgrading to classes IV and Vbis under way.
- Havel — Oder — Wasserstraße (E 70) — upgrading from class IV to class Va is under way.

Strategic bottlenecks:

- Rhine (E 10) — low fairway depth during dry seasons: from St. Goar to Mainz (1.90 m) and low height under bridges at Kehl/Strasbourg.
- Rhine — Herne Kanal (E 10-03) — upgrading to class Vb is under way.
- Dortmund — Ems Kanal (E 13) from 108.3 km to 21.5 km — upgrading to class Vb is under way.
- Weser (E 14) from 360.7 km to Minden — upgrade to Va under way.

- Elbe (E 20): middle Elbe from Lauenburg upstream to the border between Germany and the Czech Republic — low fairway depth during dry seasons (1.20 m).
- ~~Moselle (E 80) — construction of 10 second lock chambers is under way.~~
- Main (E 80) upstream from Würzburg — low fairway depth (2.50 m); project is under way).
- Danube (E 80) from Straubing to Vilshofen — low fairway depth (2.00 m at LNWL*).
- ~~Danube (E 80) — low height (4.70 m) under the railway bridge in Deggendorf (2,285.87 km) — upgrading to 7.00 m is under way.~~
- Danube (E 80) — low height under bridges at Bogen (2,311.27 km) — 5.00 m; at Passau (2,225.75 km) — 5.15 m — upgrading to 7.00 m is necessary.
 - Weser (E 14) — upgrading of Minden and Dörverden Locks is under way.

Other bottlenecks, the elimination of which is anticipated to become economically viable only in the framework of a replacement programme supported by a particular investment scheme:

- Dortmund — Ems Kanal (E 13) to the north of the Mittellandkanal.
- Datteln — Hamm Kanal (E 10-01) — to the east of the Hamm harbour.
- Neckar (E 10-07) — adaptation of fairway width and lock dimensions.
- Canals branching off from the Mittellandkanal (E 70-02, 70-04 and 70-06) — low fairway depth and height under bridges, insufficient dimensions of locks.
- ~~Oder — Spree Kanal (E 71) — upgrading from class III to class IV is required especially with regard to locks.~~

Hungary

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Danube (E 80), joint Slovak — Hungarian section from Sap (1,810.0 km) to 1,708.2 km — low maximum draught during dry seasons (1.50 m as registered in the course of years up to November 2011) and at a High Navigable Water Level (HNWL) — low height under bridges: road bridge Medved'ov (1,806.35 km) — 8.85 m between pillars* II — III and 9.19 m between pillars I and II; railway bridge Komárno (1,770.4 km) — 8.65 m between pillars IV — V and 8.68 m between pillars III — IV; road bridge Komárno (1,767.8 km) — 9.08 m at centre point of the arches between pillars II — III and III — IV, respectively. Upgrading of the draught to 2.50 m and the height under bridges to 9.10 m is required.
- Danube (E 80), the section from 1,708.2 km to 1,433.0 km — low maximum draught (1.50 m — as registered in the course of years up to November 2011).

* Low Navigable Water Level; see the explanations to Table 1, page 13.

* Numbering of pillars of bridges starts from the left bank on the Danube.

- Danube (E 80), at HNWL — low height under the road/rail bridge at Dunaföldvár (1,560.55 km) — 8.73 m between pillars II — III and III — IV, respectively. Upgrading to 9.10 m is required.
- Danube (E 80), at HNWL — low height under the road/rail bridge at Baja (1,480.22 km) — 8.09 m between pillars III — IV and 8.40 m between pillars II — III. Upgrading to 9.10 m is required.

Italy

Missing links:

- Milano — Po Canal (E 91) from Milano to Pizzighettone.
- Padova — Venezia Canal (E 91-05) from Romea lock to Padova.

Basic bottlenecks:

- Piacenza — Casale Monferrato (E 91-02) — upgrading from class III to class IV is envisaged.

Strategic bottlenecks:

- Mantova — Adriatic Sea Canal (E 91-03) from Ostiglia to Baricetta lock — adaptation to class Va is envisaged.
- Veneta Lateral Waterway (E 91) from Marghera to Porto Nogaro — upgrading from class IV to class Va is envisaged.

Lithuania

Missing links: none.

Basic bottlenecks: Nemunas (E 41) from Kaunas to Jurbarkas and from Jurbarkas to Klaipeda — insufficient depth of the fairway (1.20 m and 1.50 m, respectively; the depth of 12.5 km fairway stretch in Kaunas is less than 1.20 m)*.

Strategic bottlenecks: none.

Luxembourg

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: none.

* Nemunas (E 41): insufficient depth of the fairway stretch along 100 km of Nemunas river stretch in the border area and on the territory of the Russian Federation

Netherlands

Missing links: none.

Basic bottlenecks: Zuid-Willemsvaart up to Veghel (E 01–03) — upgrading to class IV is under way.

Strategic bottlenecks:

- IJssel (E 70) from Arnhem to Zutphen — upgrading to class Va is envisaged.
- Upgrading of the Zwartsluis at Meppel-Ramspol (E 12–02) is under way.
- Upgrading of the Lemmer-Delfzijl section (E 15) to class Va enabling 4-layer container transport is under way.
- Twente Canal (E 70) — upgrading to class Va is under way and an increase of the capacity of the Eefde lock to be carried out.
- Lekkanaal (E 11–02) — upgrading of the Beatrix lock.
- Maasroute (E 01) — upgrading to class Vb enabling 4-layer container transport is under way.
- E 06 waterway — increasing the capacity of the Kreekrak locks.
- E 03 waterway — increasing the capacity of the Volkerak locks and Terneuzen locks is under study.
- IJsselmeer — Meppel (E 12) — insufficient fairway depth and/or width, the project is under study.
- Amsterdam — Rijnkanaal (E 11) — removing bottlenecks at the Zeeburg locks (upgrading to class VIb).
- Zaan (E 11–01) — adaptation to class Va with regard to fairway depth and/or width — height under the bridges and lock capacity is required.
- Noordzeekanaal (E 11) — upgrading of sea locks at IJmuiden to class VIc is being studied.

Poland

Missing links: Danube — Oder — Elbe Connection (E 30).

Basic bottlenecks:

- Oder (E 30) from Widuchova to Kozle — upgrading from classes II and III to class Va is required.
- Glivice Canal (E 30–01) — upgrading from class III to class Va is required.
- Wisla (E 40) from Biala Gora to Wloclawek and from Plock to Warszawa — upgrading from classes I and II to class Va is required.
- Zeran Canal (E 40) from Zeran to Zegrze Lake — upgrading from class III to class Va is required.

- Bug (E 40) from Zegrze Lake to Brest — upgrading to class Va is required. The depth is limited to 0.80 m for 210 days a year.
- Warta — Notec — Bydgoski Canal (E 70) from Kostrzyn to Bydgoszcz — upgrading from class II to class Va is required.
- Wisla (E 70) from Bydgoszcz to Biala Gora — upgrading from class II to class Va is required.
- Szkarawa (E 70) from Gdanska Glova to Elblag — upgrading from class III to class Va is required.

Strategic bottlenecks: Oder (E 30) from Szczecin to Widuchowa — upgrading from class IV to class Vb is expected.

Republic of Moldova

Missing links: none.

Basic bottlenecks:

- Prut (E 80-07) from the mouth to Branest — upgrading from class II to class Va is required.
- Nistru (E 90-03) from Ukraine/Moldova State border to Bender — upgrading from class III to class Va is required.

Strategic bottlenecks: none.

Romania

Missing links:

- Danube — Bucuresti Canal (E 80-05).
- Olt (E 80-03) up to Slatina.

Basic bottlenecks:

- Prut (E 80-07) from the mouth to Ungheni.
- Bega Canal (E 80-01-02) up to Timisoara.

Strategic bottlenecks:

- Danube (E 80) from 863 to 175 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) at several critical sections, i.e.:

from 863 to 845.5 km, with fairway depth limited to 2.20–2.30 m for 7–15 days a year;

from 845.5 to 610 km, with fairway depth limited to 2.10–2.20 m for 10–15 days a year;

from 610 to 375 km, with fairway depth limited to 1.80–2.00 m for 20–40 days a year;

from 375 to 300 km, with fairway depth limited to 1.60–2.20 m for 30–70 days a year;

from 300 to 175 km, with fairway depth limited to 1.90–2.10 m for 15–30 days a year.

- Danube (E 80) from 170 km to the Black Sea — low fairway depth during dry seasons (below 7.30 m — value recommended by the Danube Commission) at several critical points, i.e. at 73, 57, 47, 41 and 37 nautical miles and at the Sulina bar at the mouth of the Sulina Canal where it meets the Black Sea, where the fairway depth is limited to 6.90–7.00 m for 10–20 days a year.

Russian Federation

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks:

- Don (E 90) from Kalach to Aksay — insufficient depth downstream of the Kochetovski lock (of 116.3 km long).*
- Volga (E 50) — low water depth from the Gorkovsky hydroelectric complex to Nizhni Novgorod.**
- Volgo — Baltijskiy waterway (E 50) — the Nijne-Svirski hydro-electrical complex.***

Serbia

Missing links: none

Basic bottlenecks: Begej (E 80-01-02) from its mouth to the Serbian/Romanian border — upgrading from class III to at least class Va is required.

Strategic bottlenecks:

- Danube (E 80) from 1,405.6 to 1,227.9 km — narrow fairway conditions.
- Danube (E 80) — low height under the railway bridge at Bogojevo (1,366.5 km) — 8.15 m — upgrading to 9.10 m is required.
- Danube (E 80) at Novi Sad (1,254.25 km) — low height under a temporary road/railway bridge (6.82 m).
- Danube (E 80) from 863 to 845.5 km — low fairway depth during dry seasons (below 2.50 m — value recommended by the Danube Commission) with fairway depth limited to 2.20–2.30 m for 7–15 days a year.

* In 2008 a second lock at the Kochetovsky hydraulic complex became operational. To eliminate the insufficient draught, the construction of a low-head hydraulic complex near the Bagaevsky village is being considered.

** Due to the fact that the Tcheboksary Reservoir is not filled up to the project level and that the water level of the Volga River at the Nijniy Novgorod — Gorodets section went down, the depth of 3.50 m at sill of the Gorodetski Lock is only ensured for 2–3 hours a day. To eliminate the insufficient draught, design works were started in 2014 to build a low-head hydraulic complex in the area of Bolshoye Kozino, the startup is planned for 2021.

*** The construction of a second parallel lock is in progress. The startup is planned for 2021. Error! Bookmark not defined.

- Sava (E 80-12) from its mouth to the State border — upgrading to at least class Va is required.
- Tisza (E 80-01) — upgrading from class IV to class Va is under study.

Slovakia

Missing links:

- Danube — Oder — Elbe Connection (E 20 and E 30).
- Váh — Oder Link (E 81).

Basic bottlenecks: none.

Strategic bottlenecks:

- Danube (E80) from Devín (1,880.26 km) to Bratislava(1,867.0 km) — insufficient depth at low water level and insufficient height 8.90 m at locks of Gabčíkovo Hydro Electrical Complex (1,819.3 km). Upgrading is required to 9.10 m.
- Danube (E 80) from Sap (1,811.0 km) to the mouth of the Ipel' River (1,708.2 km) — insufficient depth at low water level and insufficient height under the bridges.
- Váh (E 81), from Komárno (0.0 km) to Žilina (240.0 km) — insufficient fairway depth. Canalization of the river and its upgrading to class VIa (Komarno–Hlohovec) and Va (Hlohovec–Žilina) in conjunction with the construction of new locks, and reconstruction of existing locks, are required.

Switzerland

Missing links: none.

Basic bottlenecks: none.

Strategic bottlenecks: none.

Ukraine

Missing links: none.

Basic bottlenecks:

- Desna (E 40-01) from the mouth to Chernihiv — upgrading from class III to class IV is required.
- Danube, Kilia arm (E 80-09) — upgrading the fairway depth and/or width.
- Dnestr (E 90-03) from Belgorod Dnestrovsky to the Ukraine/Moldova border — upgrading from class III to class Va is required.

Strategic bottlenecks: none.

4. COASTAL ROUTES

Coastal routes mentioned in annex I to AGN are intended to ensure the continuity of the E waterway network throughout Europe and, in principle, do not impose any restrictions on vessels using them. However, in the event that these coastal shipping vessels are supposed to regularly use inland waterways (mixed river-sea navigation) their dimensions should, where possible and economically viable, meet the requirements for self-propelled units suitable for navigation on inland waterways of classes Va and VIb as indicated in annex III of the Agreement.

5. EXPLANATIONS OF TABLES 1, 2 AND 3

The three tables reproduced below reflect data on existing and target parameters of inland waterways, locks and ports of international importance as of 15 December 2011.

Table 1: Navigational Characteristics of Main Inland Waterways of International Importance

Data for each section of E waterways are given in two lines: the upper line represents target values to be achieved as a result of the envisaged modernization of existing waterways or construction of a new water link, while the lower one shows existing parameters. The maximum admissible length and width of vessels/convoy are separated by a slash.

The draught (d) and the minimum height under bridges (H) indicated in Table 1 are given in relation to the Low Navigable Water Level (LNWL) for the draught and the Highest Navigable Water Level (HNWL) for the height under bridges. The LNWL corresponds to a long-term mean water level reached or exceeded on all but 20 ice-free days per year (approximately between 5 per cent and 6 per cent of the ice-free period). The HNWL corresponds to a level existing for not less than 1 per cent of the navigation period, established on the basis of observations over a substantial number of years (30 to 40 years), excluding periods when there was ice.

The suitability of a particular waterway for combined transport is marked as follows:

- A — Waterways suitable for combined transport. This means that inland navigation vessels with a width of 11.40 or 11.45 m and a length of approximately 110 m are able to operate on such waterways carrying three or more layers of containers, 50 per cent of containers being empty. Otherwise a permissible length of pushed convoys of 185 m should be possible, in which case they could operate with two layers of containers, 50 per cent of containers being empty;
- B — Waterways suitable for combined transport but restrictions apply. This is mainly interpreted by Governments as inland waterways allowing the transport of at least two layers of containers, 50 per cent or less of them being empty, sometimes with the use of ballasting;
- C — Waterways not suitable for combined transport. These are the waterways where the transport of even two layers of containers is impossible.

Table 2: Parameters of locks of inland waterways of international importance

The table contains detailed data on some 630 locks or lock complexes, ship lifts and inclined planes situated on E waterways. This also includes data on locks which are under construction or planned.

Table 3: Technical characteristics of inland navigation ports of international importance

This table provides data on 439 European inland navigation ports of international importance. E ports are classified in the table in accordance with their annual cargo-handling capacity (0.5–3 million tons, 3–10 million tons and more than 10 million tons). The annual cargo-handling capacity should be interpreted as the potential of a particular port with regard to its existing equipment.

E WATERWAY	SECTION OF E WATERWAY	LENGTH (km)	MAXIMUM DIMENSIONS OF VESSELS AND PUSHED CONVOYS WHICH MAY BE ACCOMMODATED			MINIMUM HEIGHT UNDER BRIDGES**** (m)	CLASS	SUITABILITY FOR COMBINED TRANSPORT**	COMMENTS
			LENGTH*** (m)	WIDTH*** (m)	DRAUGHT (m)				
1	2	3	4	5	6	7	8	9	10
E 01	DUNKERQUE – VALENCIENNES CANAL Dunkerque – Bouchain	148.0	143.0/143.0	11.40/11.40	3.00	5.25	Va	B	Canalized
			143.0/143.0	11.40/11.40	3.00	5.25	Va	B	
	ESCAUT Bouchain – Condé	13.0	143.0/143.0	11.40/11.40	2.50	5.25	Va	B	
			143.0/143.0	11.40/11.40	2.50	5.25	Va	B	
	CONDÉ – POMMEROEUL CANAL Condé – Hensies ¹	5.9	143.0/143.0	11.40/11.40	2.50	5.30	IV	B	
			143.0/143.0	11.40/11.40	-	5.30	IV	B	
	CONDÉ – POMMEROEUL CANAL Hensies – Pommeroeul ¹	6.1	145.0/145.0	11.40/11.40	3.00	7.10	Va	A	
			145.0/145.0	11.40/11.40	3.00	7.10	Va	A	
	NIMY – BLATON – PERONNES CANAL Pommeroeul – Nimy	16.8	145.0/145.0	11.40/11.40	2.50	5.25	Va	A	
			145.0/145.0	11.40/11.40	2.50	5.25	Va	A	
	CANAL DU CENTRE Nimy – Seneffe	24.8	110.0/110.0	11.40/11.40	2.50	5.25	Va	A	
			110.0/110.0	11.40/11.40	2.50	5.25	Va	A	
	CHARLEROI – BRUXELLES CANAL Seneffe – Charleroi	26.2	110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
			110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
	SAMBRE Charleroi – Namur	48.8	110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
			110.0/110.0	11.40/11.40	2.50	6.05	Va	A	
	MEUSE Namur – Ivoz-Ramet	50.6	196.0/196.0	12.50/12.50	3.00	6.60	Vb	A	
			196.0/196.0	12.50/12.50	3.00	6.60	Vb	A	
	MEUSE Ivoz-Ramet – Liège	16.6	196.0/196.0	12.50/12.50	3.40	7.00	Vb	A	
			196.0/196.0	12.50/12.50	3.40	7.00	Vb	A	
	ALBERTKANAAL Liège – Lanaye	17.0	196.0/196.0	23.00/23.00	3.40	7.50	Vlb	A	
			196.0/196.0	23.00/23.00	3.40	7.50	Vlb	A	


* Upper line – target value,
Lower line – present value



** A – Suitable for combined transport.
B – Suitable, but restrictions apply.
C – Not suitable for combined transport.

*** Values applicable to single units/convoys.

**** In the middle of the bridge with due regard of the fairway and the shape of the bridge; it takes into account the security clearance of about 30 cm between the uppermost point of the vessel's structure or its load and a bridge.

E 01 (continued)	CANAL DE LANAYE Lanaye	1.9	196.0/196.0	23.00/23.00	3.20	8.50	Vlb	A	
			135.0/135.0	15.00/15.00	3.20	8.50	Va	A	
	MAAS Lanaye – Maastricht	12.3	137.5/185.0	14.00/12.50	3.00	6.70	Vb	A	
			137.5/100.0	14.00/12.00	3.00	6.70	Va	A	
	MAAS Maastricht – Heumen	119.6							
			125.0/185.0	13.50/13.50	3.00	7.00	Vb	A	
	MAAS Heumen – Moerdijk	84.9	110.0/137.5	12.00/11.50	3.00	7.00	Va	A	
			137.5/185.0	13.50/13.50	3.00	7.00	Vb	A	
			137.5/113.5	13.50/13.50	3.00	7.00	Va	A	
	DORDTSCHE KIL AND NOORD Moerdijk – Rotterdam	22.0	225.0/229.5	23.50/22.90	5.00	42.50 ²	Vlc	A	Sea vessels route 
			225.0/153.0	23.50/34.35 ³					
			225.0/229.5	23.50/22.90	5.00	42.50 ²	Vlc	A	
			225.0/153.0	23.50/34.35 ³					
E 01-02	MEUSE Namur – Givet (site of 3 fontaines)	46.4	98.0/99.70	11.80/11.80	2.50	5.63	IV	B	
			98.0/99.70	11.80/11.80	2.50	5.63	IV	B	
E 01-04	BASSE MEUSE Liège – Visé	13.8	135.0/135.0	15.00/15.00	2.80	7.90	Va	A	
			135.0/135.0	15.00/15.00	2.80	7.90	Va	A	
E 01-04-01	MONSIN CANAL	0.7	135.0/135.0	15.00/15.00	3.40	9.20	Va	A	
			135.0/135.0	15.00/15.00	3.40	9.20	Va	A	
E 01-01	KANAAL DESSEL – KWAADMECHELEN Kwaadmechelen – Kom van Dessel	15.8	110.0/110.0	11.50/11.50	2.80	5.50	Va	B	
			110.0/110.0	11.50/11.50	2.80	5.20	Va	C	
	KANAAL BOCHOLT – HERENTALS Kom Dessel – sluis 1 Lommel	4.1	85.0/85.0	9.50/9.50	2.80	5.50	IV	B	
			55.0/55.0	7.30/7.30	2.10	4.93	II	C	
	KANAAL BOCHOLT – HERENTALS Sluis 1 Lommel – Bocholt	27.1	85.0/85.0	9.50/9.50	2.80	5.50	IV	B	
			85.0/85.0	8.30/8.30	2.50	5.50	II	C	
			52.0/52.0	6.70/6.70	1.90	5.15	II	C	

E 01-01 (continued)	ZUID – WILLEMSVAART From the Belgium/Netherlands border to Nederweert	14.2	85.0/85.0	9.50/9.50	2.50	5.30	IV	B	
			65.0/65.0	7.25/7.25	2.10	5.30	II	C	
WESSEM – NEDERWEERT KANAAL		16.3	85.0/85.0	9.50/9.50	2.50	5.20	IV	B	
			65.0/65.0	7.25/7.25	2.10	5.20	II	C	
E 01-06	KANAAL VAN ST. ANDRIES	1.9	110.0/110.0	13.50/13.50	3.50	11.90	Va	A	
			110.0/110.0	13.50/13.50	3.50	11.90	Va	A	
E 01-03	ZUID – WILLEMSVAART Maas – 's Hertogenbosch	5.9	90.0/90.0	12.00/12.00	3.00	7.00	IV	B	
			90.0/90.0	12.00/12.00	2.70	5.80	IV	B	
ZUID – WILLEMSVAART 's Hertogenbosch – Veghel		19.0	85.0/85.0	9.50/9.50	3.00	7.00	IV	B	
			90.0/90.0	6.70/6.70	2.70	5.80	II	B	
E 02	BOUDEWIJN CANAL Zeebrugge – Brugge	12.0	.../...	.../...	Vlb	A	Sea vessels route 
			125.0/125.0	12.00/12.00	4.75	...	Va	A	
	GENT – OOSTENDE CANAL Brugge – Beernem	13.8	86.0	10.20/10.20	2.50	7.50	IV	B	
			86.0	10.20/10.20	2.50	7.29	IV	B	
	GENT – OOSTENDE CANAL Beernem – Schipdonk	18.4	100.0/100.0	10.20/10.20	2.70	7.00	IV	B	
			100.0/100.0	10.20/10.20	2.70	7.26	IV	B	
	LEIE BYPASS CANAL Schipdonk – Deinze	14.9	185.0/185.0	11.50/11.50	3.50	7.50	Vb	A	Seine-Escaut link
			110.0/110.0	11.50/11.50	2.80	7.60	Va	A	
	LEIE Deinze – Ooigem	15.5	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine-Escaut link
			110.0/110.0	11.50/11.50	2.80	7.08	Va	A	
	LEIE Ooigem – Harelbeke lock	5.6	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine-Escaut link
			110.0/110.0	11.50/11.50	2.80	5.63	Va	C	
	LEIE Harelbeke lock – Halluin	17.1	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	Seine-Escaut link
			110.0	9.60/9.60	2.50	5.06	IV	C	
	LYS MITOYENNE Halluin – Wervik	9.1	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	Seine-Escaut link
			110.0	9.60	2.40	4.75	IV	C	

E 02 (continued)	LYS MITOYENNE Belgian Commune of Comines	8.7	185.0/185.0	11.40/11.40	2.50	7.00	Vb	A			
			110.0/110.0	9.60/9.60	2.40	4.73	IV	C			
DEÛLE AND DEÛLE CANAL Deûlémont – Quesnoy	6.0	185.0/185.0	11.40/11.40	3.00	6.50	Vb	A	Upgrading to class Vb is under way			
		110.0/110.0	5.05/7.00	2.30	5.55	II	B				
DEÛLE AND DEÛLE CANAL Quesnoy/Deûle – Lille (Grand Carré)	8.7	185.0/185.0	11.40/11.40	3.00	6.50	Vb	A	Upgrading to class Vb is under way			
		110.0/110.0	11.40/11.40	2.30	5.25	Va	C				
DEÛLE AND DEÛLE CANAL Lille (Grand Carré) – Bauvin	19.2	143.0/143.0	11.40/11.40	3.00	6.50	Va	A				
		143.0/143.0	11.40/11.40	3.00	5.25	Va	B				
E 02-02	GENT – OOSTENDE CANAL Brugge – Oostende	17.0	110.0/110.0	11.50/11.50	3.50	7.00	Va	A			
			110.0/110.0	11.50/11.50	2.50	5.50	Va	B			
E 02-02-01	PLASSENDALE – NIEUWPOORT CANAL Plassendale – Gistelbrug	21.0	85.0/85.0	9.50/9.50	2.50	7.00	IV	B			
			38.5/38.5	5.10/5.10	2.00	5.28	I	C			
	PLASSENDALE – NIEUWPOORT CANAL Gistelbrug – Snaaskerke		85.0/85.0	9.50/9.50	2.50	7.00	IV	B			
			38.5/38.5	5.10/5.10	2.00	5.17	I	C			
	PLASSENDALE – NIEUWPOORT CANAL Snaaskerke – Nieuwpoort		85.0/85.0	9.50/9.50	2.50	7.00	IV	B			
			38.5/38.5	5.10/5.10	2.00	5.17	I	C			
E 02-04	ROESELARE – LEIE CANAL downstream Bruanebrug	15.4	110.0/110.0	11.50/11.50	3.50	7.00	Va	A			
			110.0/110.0	11.50/11.50	2.80	5.07	Va	B			
	ROESELARE – LEIE CANAL upstream Bruanebrug	1.1	86	9.60	2.80	6.14	IV				
			86	9.60	2.80	6.14	IV				
E 03	NIEUWE MERWEDE Gorinchem – Moerdijk	22.5	225.0/229.5	23.50/22.90	4.00	7.80	Vlb	A			
			225.0/153.0	23.50/34.35 ³							
	SCHELDE – RIJN CONNECTION Moerdijk – Terneuzen	101.7	225.0/229.5	23.50/22.90	4.00	7.80	Vlb	A			
			225.0/153.0	23.50/34.35 ³							
	GENT – TERNEUZEN CANAL	32.6	150.0/200.0	23.50/23.50	4.00	9.10	Vlb	A	Sea vessels route		
			150.0/200.0	23.50/23.50	4.00	9.10	Vlb	A			
			140.0/193.0	22.80/22.80	5.50–12.50	51.00	Vlb	A			
			140.0/193.0	22.80/22.80	5.50–12.50	51.00	Vlb	A			

E 03 (continued)	GENT CIRCULAR CANAL Gent – Terneuzen – ca (Noordervak)	5.3	185.0/185.0	11.50/11.50	3.50	7.00	Vb	A	Seine – Escaut link
			135.0/135.0	11.50/11.50	3.50	7.00	Va	A	
	GENT CIRCULAR CANAL Evergem lock – Boven-Schelde (Westervak)	11.9	110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
E 04			110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
WESTERSCHELDE Vlissingen – Terneuzen – Hansweert – Antwerpen	65.0	135.0/195.0	15.00/22.80	4.50	No restrictions	Vlb	A		
		E 04			135.0/195.0	15.00/22.80	4.50	No restrictions	Vlb
E 04	BENEDEN-ZEESCHELDE Antwerpen	30.8	135.0/195.0	15.00/22.80	4.50	No restrictions	Vlb	A	
			135.0/195.0	15.00/22.80	4.50	No restrictions	Vlb	A	Sea vessels route
E 04	BOVEN-ZEESCHELDE Antwerpen – Wintam	8.7	135.0/195.0	15.00/22.80	4.50	49.00	Vlb	A	
			135.0/195.0	15.00/22.80	4.50	49.00	Vlb	A	Sea vessels route
E 04	BRUXELLES – SCHELDE CANAL Wintam – Sauvegarde	6.3	220.0/220.0	23.00/23.00	9.00	45.00	Vlb	A	
			180.0/180.0	24.00/24.00	8.80	45.00	Vlb	A	
E 04	BRUXELLES – SCHELDE CANAL Sauvegarde – Willebroek	2.4	205.0/205.0	22.80/22.80	9.00	32.00	Vlb	A	
			140.0/140.0	24.00/24.00	6.00	32.00	Vla	A	
E 04	BRUXELLES – SCHELDE CANAL Willebroek – Bruxelles	18.3	205.0/205.0	22.80/22.80	5.80	32.00	Vlb	A	
			140.0/140.0	19.00/19.00	5.80	32.00	Va	A	
E 04	CHARLEROI – BRUXELLES CANAL Bruxelles – Clabecq	21.6	81.3/81.3	10.30/10.30	3.00	7.00	IV	B	Canal
			81.3	10.30	2.50	4.60	IV	C	
E 04	CHARLEROI – BRUXELLES CANAL Clabecq – Seneffe	19.7	85.0/85.0	10.30/10.30	2.50	4.75	IV	B	Dredging in progress
			85.0/85.0	10.30/10.30	2.50	4.75	IV	B	
E 05	CANAL SEINE – NORD EUROPE Compiègne – Aubencheul au Bac	106.0	185.0/185.0	11.40/11.40	4.50	7.00	Vb	A	Project of a new link
			.../...	.../...	
	HAUT ESCAUT Condé – Bléharies	15.0	110.0/110.0	11.40/11.40	2.50	5.80	Va	B	
			110.0/110.0	11.40/11.40	2.50	5.80	Va	B	
	HAUT ESCAUT Bléharies – Herinnes	32.8	110.0/110.0	11.40/11.40	2.60	6.18	Va	A	
			110.0/110.0	11.40/11.40	2.60	6.18	Va	A	

E 05 (continued)	BOVEN-SCHELDE Herinnes – Bossuit	5.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
			110.0/110.0	11.50/11.50	2.60	7.57	Va	B	
	BOVEN-SCHELDE Bossuit – Asper Lock	30.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
			110.0/110.0	11.50/11.50	2.60	7.11	Va	B	
	BOVEN-SCHELDE Asper Lock – Gent Circular Canal	14.6	110.0/110.0	11.50/11.50	3.50	7.00	Va	A	
			110.0/110.0	11.50/11.50	3.00	7.42	Va	A	
	GENT CIRCULAR CANAL Boven-Schelde – Merelbeke lock – Westervak	1.0	110.0/110.0	11.50/11.50	3.00	7.00	Va	A	
			110.0/110.0	11.50/11.50	3.00	6.98	Va	A	
	GENT CIRCULAR CANAL Merelbeke lock – Boven-Zeeschelde – Zuidervak	3.7	110.0/110.0	11.40/11.40	4	4	Va	A	The water level depends on the tide
			85.0/85.0	9.50/9.50	4	4	IV	B	
	BOVEN-ZEESCHELDE Gent Circular Canal – Dender	28.2	110.0/110.0	11.40/11.40	4	4	Va	A	The water level depends on the tide
			85.0/85.0	9.50/9.50	4	4	IV	B	
	BOVEN-ZEESCHELDE Dender – Baasrode	10.9	110.0/110.0	12.00/12.00	4	4	Va	A	The water level depends on the tide
			85.0/85.0	12.00/12.00	4	4	IV	B	
	BOVEN-ZEESCHELDE Baasrode – Durme	10.5	110.0/110.0	12.00/12.00	4	45.00	Va	A	The water level depends on the tide
			95.0/95.0	12.00/12.00	4	45.00	Va	A	
	BOVEN-ZEESCHELDE Durme – Wintam	10.9	135.0/195.0	15.00/24.00	4	45.00	Vlb	A	The water level depends on the tide
			135.0/195.0	15.00/24.00	4	45.00	Vlb	A	
	ALBERTKANAAL Antwerpen - Wijnegem	9.7	134.0/200.0	12.50/22.80	3.40	9.10	Vlb	A	
			134.0/200.0	12.50/12.50	3.40	6.70	Vb	A	
	ALBERTKANAAL Wijnegem – Lanaken	90.0	134.0/196.0	12.50/23.00	3.40	9.10	Vlb	A	
			134.0/196.0	12.50/23.00	3.40	6.90	Vlb	A	
	ALBERTKANAAL Lanaken	1.0	134.0/196.0	12.50/23.00	3.40	9.10	Vlb	A	
			134.0/134.0	12.50/12.50	3.40	7.00	Va	A	

	ALBERTKANAAL Lanaken – Kanne	10.0	134.0/196.0 134.0/196.0	12.50/23.00 12.50/23.00	3.40 3.40	9.10 6.90	Vlb Vlb	A A	
E 05 (continued)	ALBERTKANAAL Eben-Emael-Lanaye	1.7	196.0/196.0 196.0/196.0	23.00/23.00 23.00/23.00	3.40 3.40	7.50 7.50	Vlb Vlb	A A	
E 05-02	NIMY – BLATON – PERONNES CANAL Peronne – Pommeroeul	22.1	85.0/85.0 85.0/85.0	10.50/10.50 10.50/10.50	2.50 2.50	5.20 5.20	IV IV	B B	
E 05-01	BOSSUIT – KORTRIJK CANAL Bossuit – Zwevegem	12.7	110.0/110.0 110.0/110.0	11.50/11.50 11.50/11.50	3.50 2.60	7.00 5.26	Va Va	A C	
			BOSSUIT – KORTRIJK CANAL Zwevegem – Kortrijk	2.5	110.0/110.0 38.5/38.5	11.50/11.50 5.10/5.10	3.50 1.80	7.00 3.91	Va I
E 05-04	DENDER Aalst Lock – calibrated section of Dendermonde	11.7	110.0/110.0 55.0/55.0	9.50/9.50 7.50/7.50	3.00 2.50	7.00 3.97	IV II	B C	
			DENDER Calibrated section of Dendermonde – Dendermonde Lock (incl.)	2.0	110.0/110.0 110.0/110.0	11.50/11.50 11.50/11.50	3.00 2.50	7.00 8.11	Va Va
	NETEKANAAL Albertkanaal – Lier	9.5	81.3/81.3 81.3/81.3	10.30/10.30 10.30/10.30	2.50 2.50	7.00 5.00	IV IV	B C	
E 05-06	NETEKANAAL Lier – Duffelsluis	5.7	95.0/95.0 95.0/95.0	11.40/11.40 11.30/11.30	2.50 2.50	7.00 6.95	Va IV	A B	
			BENEDEN – NETE	14.4	110.0/110.0 85.0/85.0	11.40/11.40 9.50/9.50	⁴ ⁴	4 4	Va IV
	RUPEL	11.8	110.0/110.0 110.0/110.0	11.50/11.50 11.50/11.50	⁴ ⁴	31.00 31.00	Va Va	A A	The water level depends on the tide
									The water level depends on the tide
E 06	SCHELDE – RIJN CONNECTION Antwerpen – Moerdijk	37.8	150.0/200.0 150.0/200.0	23.00/23.00 23.00/23.00	4.00 4.00	9.10 9.10	Vlc Vlc	A A	
E 07	GENT – OOSTENDE CANAL Gent Circular Canal – Lovendegem (Bierstalkade)	1.7	185.0/185.0 110.0/110.0	11.50/11.50 11.50/11.50	3.50 3.00	7.50 No restrictions	Vb Va	A A	Seine – Escout link

	GENT – OOSTENDE CANAL Lovenegem (Bierstalkade)– Schipdonk	5.2	185.0/185.0 110.0/110.0	11.50/11.50 11.50/11.50	3.50	7.50	Vb	A	Seine – Escaut link
	LEIE BYPASS CANAL Schipdonk – Maldegem	13.4	185.0/185.0 38.50/38.50	11.40/11.40 5.10/5.10	3.50 1.60	7.00 4.36	Vb	A	
E 10	LEIE BYPASS CANAL Maldegem – Zeebrugge	25.6 ⁵	185.0/185.0	11.40/11.40	3.50	7.00	Vb	A	New link to be built
			.../...	.../...	
E 10	HARTELKANAAL Rotterdam/Europoort – Hartelmond	23.7	125.0/269.5 125.0/193.0	22.80/22.80 22.80/34.20	4.00	4.00 ⁶	Vlc	A	
			110.0/269.5 110.0/193.0	22.80/22.80 22.80/34.20	4.00	4.00 ⁶	Vlc	A	
			225.0/229.5 ⁷ 225.0/153.0	23.50/22.90 ⁷ 23.50/34.35	5.00 ⁷	42.50 ²	Vlc	A	
			225.0/229.5 ⁷ 225.0/153.0	23.50/22.90 ⁷ 23.50/34.35	5.00 ⁷	42.50 ²	Vlc	A	
	OUDE MAAS 976.2 km – 1 007.0 km	30.8	225.0/229.5 225.0/153.0	23.50/22.90 23.50/34.35 ³	3.80 ⁸	No restrictions ⁹	Vlc	A	
			225.0/229.5 225.0/153.0	23.50/22.90 23.50/34.35 ³	3.80 ⁸	No restrictions ⁹	Vlc	A	
			225.0/229.5 225.0/153.0	23.50/22.90 23.50/34.35 ³	4.15 ¹⁰	No restrictions ¹¹	Vlc	A	
			225.0/229.5 225.0/153.0 ⁷	23.50/22.90 23.50/34.35 ³	4.15 ¹⁰	No restrictions ¹¹	Vlc	A	
E 10	BENEDEN MERWEDE 961.3 km – 976.2 km	14.9	225.0/229.5 225.0/153.0	23.50/22.90 23.50/34.35 ³	9.00 ¹³	Vlc	A		
			225.0/229.5 225.0/153.0	23.50/22.90 23.50/34.35 ³	9.00 ¹³	Vlc	A		
			225.0/229.5 225.0/153.0 ⁷	23.50/22.90 23.50/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
			225.0/229.5 225.0/153.0 ⁷	23.50/22.90 23.50/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
E 10	WAAL 867.4 km – 952.5 km	85.1	135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
			135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
			135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
			135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	2.50 ¹²	9.00 ¹³	Vlc	A	

	BOVEN-RIJN 857.0 km – 867.4 km	10.4	135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	3.50 ¹²	9.00 ¹³	Vlc	A	
			135.0/269.5 135.0/193.0	22.80/22.90 22.80/34.35 ³	3.50 ¹²	9.00 ¹³	Vlc	A	
E 10 (continued)	RHINE Lobith – Köln (863.0 km – 688.0 km)	175.0	135.0/193.0 /269.5	22.80/34.35 /22.90	2.50 ¹⁴	9.10	Vlc	A	
			135.0/193.0 /269.5	22.80/34.35 ¹⁵ /22.90	2.50 ¹⁶	9.10	Vlc	A	
	RHINE Köln (688.0 km) – 564.3 km	123.7	135.0/193.0 /269.5	22.80/34.35 /22.90	2.50 ¹⁶	9.10	Vlc	A	
			135.0/193.0 /269.5	22.80/34.35 ¹⁵ /22.90	2.50 ¹⁶	9.10	Vlc	A	
	RHINE 564.3 km – 540.2 km	24.1	135.0 ¹⁷ /116.5	22.80/22.90	2.10 ¹⁶	9.10	Vla	A	When going downstream
			135.0 ¹⁷ /116.5	22.80/22.90	2.10 ¹⁸	9.10	Vla	A	
			135.0 ¹⁷ /186.5	22.80/22.90	2.10 ¹⁶	9.10	Vlb	A	When going upstream
			135.0 ¹⁷ /186.5	22.80/22.90	2.10 ¹⁸	9.10	Vlb	A	
	RHINE 540.2 km – 359.8 km	180.4	135.0/193.0 /153.0	22.80/22.90 /34.35	2.10 ¹⁶	9.10	Vlb	A	
			135.0/193.0 /153.0	22.80/22.90 /34.35	2.10 ¹⁸	9.10	Vlb	A	
	RHINE 359.8 km – Iffezheim (334.0 km)	25.8	135.0/193.0	22.80/22.90	2.10 ¹⁶	9.10	Vlb	A	
			135.0/193.0	22.80/22.90	2.10 ¹⁶	9.10	Vlb	A	
	RHINE Iffezheim (334.0 km) – 287.4 km	46.6	135.0/270.0	22.80/22.90	3.00	7.00	Vlc	A	
			135.0/270.0	22.80/22.90	3.00	7.00 ¹⁹	Vlc	A	
	RHINE 287.4 km – Niffer (186.0 km)	101.4	135.0/183.0	22.80 ²⁰ /22.80 ²⁰	3.00	7.00	Vlb	A	
			135.0/183.0	22.80 ²⁰ /22.80 ²⁰	3.00	7.00	Vlb	A	
	CANAL NIFFER – MULHOUSE	15.5	110.0/190.0	11.45/11.45	4.00	6.75	Vb	A	
			110.0/190.0	11.45/11.45	4.00	6.75	Vb	A	

	SAÔNE – RHINE CONNECTION	206.0 ⁵	.../...	.../...	Project of a new link
			-	-	-	-	-	-	
	SAÔNE	81.0	185.0/185.0	11.40/11.40	3.50	4.80	Vb	B	
	St. Symphorien – Chalon-sur-Saône		110.0/110.0	11.40/11.40	3.50	4.80	Va	B	
E 10 (continued)	SAÔNE	138.0	185.0/185.0	11.40/11.40	3.50	4.40	Vb	C	
	From Chalon to the confluence with the Rhône		185.0/185.0	11.40/11.40	3.50	4.40	Vb	C	
	RHÔNE	244.0	190.0/190.0	11.40/11.40	3.00	6.30 ²¹	Vb	A	
	Lyon (0.00 km) – Avignon (244.0 km)		190.0/190.0	11.40/11.40	3.00	6.30 ²¹	Vb	A	
	RHÔNE	22.0	190.0/190.0	11.40/11.40	3.00	7.40 ²¹	Vb	A	
	Avignon (244.0 km) – Tarascon (268.0 km)		190.0/190.0	11.40/11.40	3.00	7.40 ²¹	Vb	A	
	RHÔNE	15.0	190.0/190.0	11.40/11.40	3.00	7.88 ²¹	Vb	A	
	Tarascon (268.0 km) – Arles (283.0 km)		190.0/190.0	11.40/11.40	3.00	7.88 ²¹	Vb	A	
	RHÔNE	43.0	190.0/190.0	11.40/11.40	3.20	No restrictions	Vb	A	
	Arles (283.0 km) – Fos ²² via the Rhône – Fos Canal		190.0/190.0	11.40/11.40	3.20	No restrictions	Vb	A	
E 10-01	WESEL – DATTELN – KANAL	60.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			110.0/185.0	11.45/11.45	2.80	4.50	Vb ²³	C	
	DORTMUND – EMS – KANAL	2.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			110.0/185.0	11.45/11.45	2.80	4.25	Vb ²³	C	
	DATTELN – HAMM – KANAL	36.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
	To the West of Hamm Harbour		86.0/86.0	9.60/9.60	2.50	4.00	IV ^{23, 24}	C	
	DATTELN – HAMM – KANAL	11.0	85.0/85.0	9.50/9.50	2.50	4.00	IV ^{23, 24}	C	
	To the East of Hamm Harbour		82.0/82.0	9.50/9.50	2.50	4.00	IV ^{23, 24}	C	
E 10-03	RHEIN – HERNE – KANAL	39.8	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
	0.16 km (Duisburg) – 39.97 km		110.0/185.0	11.45/11.45	2.50 ²⁵	4.50	Vb ^{23, 24}	C	
	RHEIN – HERNE – KANAL	5.6	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
	39.97 km – Henrichenburg		105.0/160.0	9.60/9.50	2.50	4.50	IV ²³	C	
E 10-05	RUHR	4.5	110.0/185.0	12.00/12.00	2.80	6.50	Vb	B	
	0.01 km – 4.51 km		110.0/185.0	12.00/12.00	2.80	6.50	Vb	B	

	RUHR 4.51 km – 11.65 km	7.2	110.0/110.0 110.0/110.0	12.00/12.00 12.00/12.00	2.80 2.80	6.50 6.50	Va Va	B B	
E 10-07	NECKAR 0.0 km – 136.1 km	136.1	105.0/105.0 105.0/105.0	11.45/11.45 11.45/11.45	2.60 2.60	6.00 ²⁶ 6.00 ²⁶	Va Va	B B	
	NECKAR 136.1 km – 201.5 km	65.4	105.0/105.0 105.0/105.0	11.45/11.45 11.45/11.45	2.60 2.60	5.50 5.50	Va Va	B B	
E 10-09	RHINE Niffer (Kembs) – Huningue	9.1	110.0/183.0 110.0/183.0	11.40/22.80 11.40/22.80	3.00 ²⁷ 3.00 ²⁷	8.00 8.00	Vlb Vlb	A A	
	RHINE Huningue – Bâle (Mittlere Brücke)	3.4	135.0/180.0 135.0/180.0	11.40/22.90 11.40/22.90	3.00 3.00	7.00 7.00	Vlb Vlb	A A	
	RHINE Bâle (Mittlere Brücke) – Rheinfelden	17.4	110.0/110.0 110.0/110.0	11.45/11.45 11.45/11.45	2.25 ²⁸ 2.25 ²⁸	5.10 ²⁹ 5.10 ²⁹	Va Va	A A	
E 10-02	SAÔNE – MOSELLE LINK	304.0	.../185.0 38.5/38.5	11.40/11.40 5.00/5.00	3.00 1.80	7.00 3.50	Vb I	A C	Project of a new link
E 10-04	PETIT RHÔNE Fourques – Saint-Gilles	21.0	190.0/190.0 190.0/190.0	11.40/11.40 11.40/11.40	2.20 2.20	5.24 5.24	Vb Vb	B B	
	RHÔNE – SÈTE CANAL Saint-Gilles – Sète	70.0	190.0/190.0 110.0/110.0	11.40/11.40 9.50/9.50	2.50 2.50	5.94 4.95	Va IV	B B	Modification in progress
E 10-06	RHÔNE AND SAINT-Louis CANAL Barcarin – Fos	45.0	135.0/135.0 135.0/135.0	19.00/19.00 19.00/19.00	4.25 4.25	No restrictions No restrictions	Va Va	A A	Sea vessels route 
E 11	NOORDZEekaANAL AND AMSTERDAM – RIJNKANAAL IJmuiden – Zeeburg (Amsterdam) 5.9 km – 31.7 km	25.8	125.0/195.0 ³⁰ 110.0/195.0 ³⁰	22.80/22.80 22.80/22.80	4.00 ³⁰ 4.00 ³⁰	No restrictions No restrictions	Vlb Vlb	A A	Noordzeekanaal and Binnen-IJ
	AMSTERDAM – RIJNKANAAL Zeeburg – Tiel	70.8	200.0/200.0 200.0/200.0	23.50/23.50 23.50/23.50	4.00 4.00	9.05 9.05	Vlb Vlb	A A	Amsterdam-Rijnkanaal
E 11-01	Zaan Noordzeekanaal – Noord Hollands Kanaal	20.3	110.0/110.0 110.0/110.0	11.50/11.50 11.50/11.50	2.80 2.80	2.35 ^{3,6} 2.35 ^{3,6}	Va Va	A A	
E 11-02	LEKKANAAL	4.2	200.0/200.0 200.0/200.0	17.70/17.70 17.70/17.70	3.50 3.50	9.05 9.05	Vb Vb	A A	

E 12	MAAS – WAAL KANAAL Maas – Nijmegen Haven	10.72	137.5/193.0	15.50/13.50	3.20	9.79	Vb	A	
			137.5/193.0	15.50/13.50	3.20	9.79	Vb	A	
	MAAS – WAAL KANAAL Nijmegen Haven – Waal	2.65	193.0/193.0	15.50/15.50	3.70	12.30	Vb	A	
			193.0/193.0	15.50/15.50	3.70	12.30	Vb	A	
	WAAL Maas-Waal Kanaal – Pannerdense Kop	19.36	125.0/269.5	22.80/22.80	2.50 ¹²	9.00 ¹³	Vlc	A	
			125.0/193.0	22.80/34.20 ³	2.50 ¹²	9.00 ¹³	Vlc	A	
	NEDER-RIJN Pannerdensche Kop – IJsselkop	11.0	110.0/185.0	17.00/17.00	2.80	9.10	Va	A	
			110.0/110.0	17.00/17.00	2.50 ¹²	9.10	Va	A	
	IJSEL IJsselkop – Ketelmeer	118.5	110.0/110.0	12.00/12.00	3.00	9.10	Va	A	
			110.0/110.0	12.00/12.00	3.00	9.10	Va	A	
	IJSELMEER Ketelmeer – Lorentzsluis	62.5	120.0/190.0	13.00/23.00	3.90	12.70	Vb	A	
			120.0/120.0	13.00/13.00	3.50	12.70	Vb	A	
E 12-02	ZWARTE WATER AND MEPPELERDIEP Zwolle – Meppel	22.7	110.0/110.0	12.00/12.00	3.25	5.00 ³	Va	A	Via Meppelerdiep lock
E 12-04	RAMSDIEP Ketelmeer – Zwartsluis	23.8	110.0/110.0	11.50/11.50	3.00	5.00	Va	A	
E 13	EMS North Sea – Papenburg	68.0					Vb	A	Sea vessels route 
							Vb	A	
	DORTMUND – EMS KANAL 225.82 km (Papenburg) – 108.35 km	117.5	95.0/95.0	9.50/9.50	2.50	4.50	IV ²³	C	
			95.0/95.0	9.50/9.50	2.50	4.25	IV ^{23, 24}	C	
	DORTMUND – EMS KANAL 108.35 km – 21.50 km	86.9	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
			110.0/185.0	11.45/11.45	2.50/2.00	4.25	IV ²³	C	
	DORTMUND – EMS KANAL 21.50 km – 1.44 km	20.1	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
			110.0/185.0	11.45/11.45	2.80	4.50	Vb ^{23, 24}	C	
E 14	WESER North Sea – Bremen (Railway bridge)	84.0					Vlb	A	Sea vessels route 
							Vlb	A	

E 14 (continued)	WESER Bremen (Railway bridge) – 360.7 km	7.0	220.0/220.0	12.00/12.00	3.00	4.50	Vb	A	
			110.0/172.0	11.45/11.45	3.00	4.50	Vb ^{23, 24}	A	
	WESER 360.7 km – Mittellandkanal	136.0	110.0/110.0	11.45/11.45	2.50	4.50	Va ^{23, 24}	C	
			85.0/85.0	9.50/9.50	2.20	4.50	IV ^{23, 31}	C	
E 15	IJSELMEER Oranjesluizen – Prinses Margrietsluis	77.5	190.0/190.0	17.50/17.50	3.50	No restrictions	Vb	A	
			190.0/190.0	17.50/17.50	3.50	No restrictions	Vb	A	
	PRINSES MARGRIET KANAAL	65.0	110.0/110.0	11.40/11.40	3.50	7.30 ³	Va	A	
			110.0/110.0	11.40/11.40	3.20	7.30 ³	Va	A	
	VAN STARKENBORGH KANAAL	27.3	110.5/110.5	11.54/11.54	3.50	9.10	Va	A	
			110.5/110.5	11.50/11.50	3.20	6.80	Va	A	
	EEMSKANAAL Groningen – Woldbrug	19.7	144.0/144.0	13.00/13.00	4.50	No restrictions	Va	A	
			144.0/144.0	13.00/13.00	4.50	No restrictions	Va	A	
	EEMSKANAAL Woldbrug – Delfzijl	7.0	144.0/144.0	13.00/13.00	5.00	No restrictions	Va	A	
			144.0/144.0	13.00/13.00	5.00	No restrictions	Va	A	
E 15-01	EMS Ems Kanal – Papenburg	53.0					Vb	A	Sea vessels route
							Vb	A	
	DORTMUND – EMS KANAL 225.8 km (Papenburg) – 200.0 km	25.8	86.0/86.0	9.60/9.60	2.50	4.50	IV ²³	C	
			86.0/86.0	9.60/9.60	2.50	4.25	IV ^{23, 24}	C	
	KÜSTENKANAL 69.6 – 0.0 km	69.6	86.0/86.0	9.60/9.60	2.50	4.50	IV ^{23, 24}	C	
			86.0/86.0	9.60/9.60	2.50	4.50	IV ^{23, 24}	C	
	HUNTE	24.0					Va	A	Sea vessels route
							IV	B	
E 15-01	VAN HARINXMA CANAL Fonejacht – Harlingen	37.8	90.0/90.0	10.50/10.50	2.75	5.45 ³	IV	B	
			90.0/90.0	10.50/10.50	2.75	5.45 ³	IV	B	
E 20	ELBE Lower Elbe	89.0					Vlb	A	Sea vessels route
							Vlb	A	
	ELBE Hamburg – Lauenburg	38.0	110.0/190.0	11.45/24.00	2.70	5.50/9.50 ³²	Vlb ³¹	A	
			110.0/190.0	11.40/24.00	2.70	5.50/9.50 ³²	Vlb ³¹	A	

E 20 (continued)	ELBE Lauenburg – Wittenberge	113.0	110.0/190.0	11.45/24.00	1.60 ³³	6.50	Vlb ³¹	B	
			110.0/190.0	11.45/24.00	1.40 ³³	5.29/8.49 ³²	Vlb ³¹	B	
	ELBE Wittenberge – German/Czech State border	455.0	110.0/137.0	11.45/11.45	1.60 ³³	6.50	Va ³¹	B	
			110.0/137.0	11.45/11.45	1.40 ³³	4.33/6.93 ³²	Va ³¹	B	
	ELBE German/Czech State border – Ústí nad Labem	40.0	110.0/137.0	11.50/23.00	2.80	7.00	Vla	A	Regularized, canalization necessary
			110.0/137.0	11.50/23.00	0.90 – 2.80 ³⁴	6.50	Va	B	
	ELBE Ústí nad Labem – Mělník	69.0	110.0/185.0 ³⁵	11.50/22.80 ³⁵	2.80	7.00	Vlb	A	Canalized
			110.0/170.0	11.50/23.00	2.00 – 2.20 ³⁴	5.66	Va	VA	
	ELBE Mělník – Chvaletice	102.2	110.0/185.0	12.00/12.00	2.80	7.00	Vb	A	Canalized
			85.0/85.0	12.00/12.00	2.10	4.70	IV	C	
	ELBE Chvaletice – Pardubice	24.8	110.0/185.0	12.00/12.00	2.80	7.00	Vb	A	Canalized. Přelouč II lock in project
			.../...	.../...	IV ⁵	...	
	ELBE – DANUBE CONNECTION Pardubice – Přerov – Bratislava	325.0	110.0/185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built
			-	-	-	-	-	-	
E 20-02	ELBE – SEITENKANAL Lauenburg – Mittellandkanal	115.0	100.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			100.0/185.0	11.45/11.45	2.80	5.25	Vb ³⁶	B	
E 20-04	SAALE 0.0 km – 88.0 km	88.0	90.0/100.0	9.50/9.50	2.00	5.25	IV ^{24, 31}	B	
			85.0/110.0	9.50/9.50	1.00	4.10	IV ²⁴	C	
E 20-06	VLTAVA Mělník – Praha – (Slapy)	91.0	.../...	.../...	
			.../...	.../...	I ⁵	...	
E 21	TRAVE	21.0	110.0/110.0	11.40/11.40	2.50	5.25	Va	B	Sea vessels route 
			110.0/110.0	10.50/10.50	(1.20) 1.80 ³⁸	4.50	IV	C	
	KANALTRAVE, ELBE – LÜBECK KANAL Lübeck – Lauenburg	68.0	80.0/80.0	9.50/9.50	2.00	4.40	IV ^{23, 31, 39}	C	
			80.0/80.0	9.50/9.50	2.00	4.40	IV ^{23, 31, 39}	C	

E 30	ODER Swinoujscie – Szczecin	67.0	110.0/185.0	22.80/22.80	4.00	11.00	Vlb	A	Sea vessels route 
			110.0/185.0	22.80/22.80	4.00	11.00	Vlb	A	
	ODER Szczecin – Widuchova (741.6 km – 704.1 km)	37.5	82.0/156.0	11.45/11.45	3.50	5.25	Va	B	Free-flowing
			82.0/156.0	11.45/11.45	2.50	5.17	IV	B	
	ODER Widuchova – Mouth of the Warta River 704.1 km – 617.6 km	86.5	82.0/125.0	11.45/11.45	2.50	5.25	Va ⁴⁰	B	When going downstream
			82.0/125.0	11.45/18.00	1.80 ³⁴	4.54	IV	C	
			/137.0	/11.45					
			82.0/125.0	11.45/11.45	2.50	5.25	Va ⁴⁰	B	When going upstream
			82.0/125.0	11.45/11.45	1.50 ³⁴	4.54	IV	C	
			/137.0	/11.45					
	ODER Mouth of the Warta River – Mouth of the Nysa Luzycka River 617.6 km – 542.4 km	75.2	82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴⁰	B	When going downstream
			82.0/125.0	11.45/11.45	1.40 ³⁴	4.47	III	C	
			82.0/125.0	11.45/11.45	1.80	5.25	IV ⁴⁰	B	When going upstream
			82.0/125.0	11.45/11.45	1.30 ³⁴	4.47	III	C	
			/137.0	/11.45	1.30				
			/156.0	/9.50	1.30				
	ODER, Mouth of the Nysa Luzycka River – Brzeg Dolny (542.4 km – 282.6 km)	259.8	70.0/118.0	9.00/9.00	1.60 ³⁴	4.00	III	C	Free-flowing
			70.0/118.0	9.00/9.00	1.20 ³⁴	3.72	II	C	
	ODER Brzeg Dolny – Kozle (282.6 km – 95.6 km)	187.0	70.0/118.0	9.00/9.00	1.70	5.25	IV	B	Canalized
			70.0/118.0	9.00/9.00	1.60	3.72	III	C	
	ODER – DANUBE CONNECTION Kozle – Přerov	154.4	.../185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built
			-	-	-	-	-	-	
	ODER – DANUBE CONNECTION Přerov – Bratislava	173.0	.../185.0	11.40/11.40	2.80	7.00	Vb	A	New link to be built
			-	-	-	-	-	-	
E 30-01	GLIWICE CANAL	41.2	70.0/118.0	11.40/11.40	2.50	4.04	IV	C	Canal
			70.0/118.0	11.40/11.40	1.70	4.04	III	C	

E 31	WESTODER	33.35	110.0/156.0	11.45/11.45	3.50	5.25	Va ³¹	B		
			82.0/156.0	11.45/11.45	2.50	4.25	IV ^{23, 31}	C		
	HOHNSAATEN – FRIEDRICHSTHALER WASSERSTRÄÙE	43.0	110.0/156.0	11.45/9.50	2.20	5.25	Va ³¹	B		
E 40	WISLA Gdansk – Mouth of the Wda River (813.5 km)	141.1	110.0/125.0	11.40/25.00	2.50	5.28	Vla	B	Free-flowing	
			110.0/125.0	11.40/25.00	2.50	5.28	Vla	B		
E 40	WISLA Mouth of the Wda River – Bydgoszcz (813.5 km – 772.4 km)	41.1	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Free-flowing	
			85.0/110.0	11.40/11.40	1.40 ³⁴	5.13	IV	B		
E 40	WISLA Bydgoszcz – Wloclawek (772.4 km – 674.8 km)	97.6	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Practically non-navigable free-flowing section	
			85.0/110.0	11.40/11.40	0.80 ³⁴	4.90	II	C		
E 40	WISLA Wloclawek – Plock (674.8 km – 632.8 km)	42.0	110.0/110.0	11.40/11.40	2.50	7.00	Va	B	Canalized	
			110.0/110.0	11.40/11.40	2.50	7.00	Va	B		
E 40	WISLA Plock – Warszawa (632.8 km – 520.0 km)	112.8	.../...	.../...	Practically non-navigable free-flowing section	
			85.0/-	11.40/-	0.80 ³⁴	5.80	-	B		
E 40	ZERAN CANAL Zeran – Zegrze Lake	25.0	83.0/83.0	11.40/11.40	2.50	5.90	IV	B		
			83.0/83.0	11.40/11.40	2.00	5.90	IV	B		
E 40	BUG Zegrze Lake – Brest ⁴¹	220.0	.../...	.../...	Free-flowing Canalization necessary	
			-	-	0.80 ³⁴	-	< I	C		
E 40	MUKHOVETS Brest – Kobrin	62.6	.../...	.../...	Va	...	Canalized	
			100.0/100.0 ⁴²	10.20/10.20	1.70	8.70	Va ³¹	B		
E 40	DNEPROVSKO – BUGSKIY CANAL Kobrin – Pererub	91.4	.../...	.../...	Va	...		
			100.0/100.0 ⁴²	10.20/10.20	1.70	10.00	IV ³¹	B		
E 40	PINA Pererub – Pinsk	40.0	.../...	.../...	Va	...	Canalized	
			100.0/100.0 ⁴²	10.20/10.20	1.70	10.10	IV ³¹	B		
E 40 (continued)	PRIPYAT Stakhovo – Mouth of the Mikashevichi Canal	49.2	.../...	.../...	Va	...	Canalized	
			100.0/100.0	10.20/10.20	2.10	No restrictions	Va ³¹	B		
E 40 (continued)		64.9	.../...	.../...		
			100.0/100.0	10.20/10.20	2.00	10.00	IV ³¹	B		

PRIPYAT	216.6	.../...	.../...	
		100.0/100.0	20.00/20.00	2.00	10.20	IV ³¹	B	
PRIPYAT	107.0	.../...	.../...	
		100.0/100.0	20.00/20.00	1.45/1.50	No restrictions	IV ³¹	B	
PRIPYAT Belarus/Ukrainian state border – mouth of the Pripyat River	62.5	.../...	.../...	
		100.0/100.0	20.00/20.00	1.50	No restrictions	IV ³¹	B	
DNIPRO	83.0	150.0/150.0	18.00/18.00	2.65	No restrictions	Va	A	Canalized
		85.2/114.8	15.30/15.20	2.65	No restrictions	Va	A	
DNIPRO Kyiv – Kanev Hydroelectric Power Plant (GES) (856.0 km – 722.0 km)	134.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized
		114.1/170.0	13.23/15.20	3.65	No restrictions	Vb	A	
DNIPRO, Kanev GES – Kremenchuk GES 722.0 km – 556.0 km	166.0	270.0/270.0	18.00/18.00	3.65	13.20	Vb	A	Canalized
		114.0/170.0	13.23/15.20	3.65	13.20	Vb	A	
DNIPRO Kremenchuk GES – Dniprozherzhynsk GES (556.0 km – 433.0 km)	123.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized
		138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A	
DNIPRO, Dniprozherzhynsk GES – Dnipro GES 433.0 km – 305.0 km	128.0	270.0/270.0	18.00/18.00	3.65	14.70	Vb	A	Canalized
		138.3/170.0	16.70/15.20	3.65 ⁴³	14.70	Vb	A	
DNIPRO	212.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Canalized
		138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A	
DNIPRO	65.0	270.0/270.0	18.00/18.00	3.65	No restrictions	Vb	A	Free-flowing
		138.3/170.0	16.70/15.20	3.65	No restrictions	Vb	A	
DNIPRO	28.0	200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	Sea vessels route
		200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	
KHERSON MARITIME CANAL, entry to Rvach Branch – clearing line of Adzhigolskaya Spit	40.0	200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	Sea vessels route
		200.0/200.0	32.50/32.50	7.60	No restrictions	VII	A	
E 40-01	DESNA	198.0	.../...	1.60	IV	...	Free-flowing	
			.../...	1.30	III	...		
E 40-02	PIVDENNY BUH	81.4	215.0/215.0	32.50/32.50	10.30	No restrictions	VII	Sea vessels route
			215.0/215.0	32.50/32.50	10.30	No restrictions	VII	

E 41	KURSHSKIY ZALIV AND NEMUNAS Klaipeda seaport – Nida – Nemunas mouth	65.3	110.0/110.0	12.00/12.00	1.80	No restrictions	IV	A	Free-flowing
			100.0/100.0	10.00/10.00	1.30	No restrictions	IV	A	
	NEMUNAS Nemunas mouth – Rusnė	13	110.0/110.0	12.00/12.00	1.80	7.50	IV	B	Free-flowing
			100.0/100.0	10.00/10.00	1.30	7.50	IV	B	
	NEMUNAS Rusnė – Smalininkai (Lithuania/Russian Federation State border)	100	110.0/110.0	12.00/12.00	1.80	2.50	IV	C	Free-flowing
			100.0/100.0	10.00/10.00	1.30	2.50	IV	C	
	NEMUNAS Smalininkai – Jurbarkas	13	110.0/110.0	12.00/12.00	1.80	10.80	IV	A	Free-flowing
			100.0/100.0	10.00/10.00	1.30	10.80	IV	A	
	NEMUNAS Jurbarkas – Kaunas	99.9	110.0/110.0	12.00/12.00	1.80	3.40	IV	C	Free-flowing
			100.0/100.0	10.00/10.00	1.00	3.40	IV	C	
E 50	VOLGO – BALTIJSKIY WATERWAY AND RYBINSK RESERVOIR, St. Petersburg – Rybinsk Lock	947.0	170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	Canalized
			170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	
	VOLGA Rybinsk Lock – Krasnoarmeysk	2 158Error! Bookmark not defined.	280.0/280.0	28.50/28.50	3.10	11.70	Vlc	A	
			280.0/280.0	28.50/28.50	3.10 ⁴⁴	11.70	Vlc	A	
	VOLGA Krasnoarmeysk - Streletskoye	445.0	269.0/269.0	28.50/28.50	3.50	11.70	Vlc	A	
			269.0/269.0	28.50/28.50	3.50	11.70	Vlc	A	
E 50-02	VOLGA Rybinsk – Dubna	257.0	280.0/280.0	29.00/29.00	3.60	13.60	Vlc	A	Canalized
			280.0/280.0	29.00/29.00	3.60	13.60	Vlc	A	
	KANAL IMENI MOSKVI Dubna – Moscow Northern Port	126.0	290.0/290.0	29.00/29.00	3.60	13.60	Vlc	A	
			290.0/290.0	29.00/29.00	3.60	13.60	Vlc	A	
E 50-02-02	KANAL IMENI MOSKVI AND MOSKVA Moscow Northern Port – Moscow Southern Port	45.6	290.0/290.0	29.00/29.00	2.80	8.60 ⁴⁵	Vlc	A	
			290.0/290.0	29.00/29.00	2.80	8.60 ⁴⁵	Vlc	A	
	Dubna – Tver	115.0	135.0/135.0	29.00/29.00	3.70	No restrictions	Vla	A	Canalized
			135.0/135.0	29.00/29.00	3.70	No restrictions	Vla	A	
E 50-01	KAMA	1 112.0	230.0/230.0	27.90/27.90	2.90 ⁴⁶	11.00	Vlb	A	Canalized

	Mouth of the Kama River – Solikamsk		230.0/230.0	27.90/27.90	2.90 ⁴⁶	11.00	Vlb	A	
E 50-01-01	BELAYA	34.0	166.0	27.00	3.40	11.00	Vlb	A	Free-flowing
	Mouth of the Belaya River – mouth of Agidel canal, 1 786.3 km; Agidel canal – oil loading terminal	34.0	166.0	27.00	3.40	11.00	Vlb	A	
E 60	KIEL CANAL	99.0					Vlb	A	Sea vessels route
	Brunsbüttel – Kiel – Holtenau						Vlb	A	
	VOLGO – BALTIJSKIY WATERWAY	503.0	170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	Canalized
	St. Petersburg – Vytegra		170.0/170.0	16.80/16.80	3.60	14.60	Vb	A	
	ONEGA LAKE	217.0	250.0/250.0	23.00/23.00	3.70	No restrictions	Vlb	A	
	Vytegra – Povenets		250.0/250.0	23.00/23.00	3.70	No restrictions	Vlb	A	
E 60 (continued)	BELOMORSKO – BALTIJSKIY CANAL	221.0	126.0/126.0	13.20/13.20	3.60	No restrictions	Va	A	
	Povenets – Belomorsk		126.0/126.0	13.20/13.20	3.60	No restrictions	Va	A	
E 60-02	GUADALQUIVIR	80.0	.../220.0	.../24.36	7.00	42.00	Vlb	A	Sea vessels route
	From the mouth to Sevilla		.../220.0	.../24.36	7.00	42.00	Vlb	A	
E 60-04	DOURO	210.0	.../...	.../...	Canalized
	Porto – Spanish border		83.0/83.0 ⁴⁷	11.40/11.40	3.80 ⁴⁸	7.00 ⁴⁹	IV	B	
E 60-06	GIRONDE AND GARONNE	70.0					VII	A	Sea vessels route
	From the mouth to Bec d'Ambès/le Verdon						VII	A	
	GIRONDE AND GARONNE	49.0	100.0/100.0	15.00/15.00	3.50	6.50	Va	A	
	Bec d'Ambès/le Verdon – Cadillac		100.0/100.0	15.00/15.00	3.50	6.50	Va	A	
	GIRONDE AND GARONNE	19.0	90.0/90.0	15.00/15.00	2.50	7.00	IV	B	
	From Cadillac to Castets-en-Dorthe		90.0/90.0	15.00/15.00	2.50	7.00	IV	B	
E 60-08	LOIRE	52.0					VII	A	Sea vessels route
	From Saint-Nazaire to Nantes						VII	A	
E 60-10	WADDENZEE	44.6	140.0/140.0	No restrictions	6.00	No restrictions	Vlc	A	Sea vessels route
	From Outer Buoy to Harlingen		140.0/140.0	No restrictions	6.00	No restrictions	Vlc	A	
E 60-12	WADDENZEE	60.0	260.0/260.0	40.00/40.00	10.60	No restrictions	Vlc	A	Sea vessels route
	From Outer Buoy to Delfzijl		260.0/260.0	40.00/40.00	10.60	No restrictions	Vlc	A	

E 60-01	MERSEY Waterway Limit – Eastham Locks	17.0			10.00		Vla	A	Sea vessels route
					10.00		Vla	A	
	MANCHESTER SHIP CANAL Eastham Locks – Ince	8.0	170.7/170.7	21.94/21.94	8.78	No restrictions	Vla	A	Sea vessels route
			170.7/170.7	21.94/21.94	8.78	No restrictions	Vla	A	
	MANCHESTER SHIP CANAL Ince – Runcom	10.0	161.5/161.5	19.35/19.35	8.07	No restrictions	Vla	A	Sea vessels route
			161.5/161.5	19.35/19.35	8.07	No restrictions	Vla	A	
	MANCHESTER SHIP CANAL Runcom – Mode Wheel Locks	36.0	161.5/161.5	19.35/19.35	7.31	21.33	Vla	A	Sea vessels route
			161.5/161.5	19.35/19.35	7.31	21.33	Vla	A	
E 60-01 (continued)	MANCHESTER SHIP CANAL Mode Wheel Locks – Trafford Road Bridge	2.0	161.5/161.5	19.35/19.35	5.48	21.33	Vla	A	Sea vessels route
			161.5/161.5	19.35/19.35	5.48	21.33	Vla	A	
E 60-03	HUMBER Up to Hull	18.0					Vlb	A	Sea vessels route
							Vlb	A	
	HUMBER Hull – Trent Falls	27.0				30.00	Vlb	A	Sea vessels route
						30.00	Vlb	A	
E 60-03-01	OUSE (YORKSHIRE) Goole – Howdendyke	4.5	88.0/88.0	14.00/14.00	5.00	No restrictions	Va	A	Sea vessels route
			88.0/88.0	14.00/14.00	5.00	No restrictions	Va	A	
E 60-03-01	MEDWAY/SWALE Sheerness – Ridham	10.0	102.0/102.0	17.00/17.00	6.20	No restrictions	Va	A	Sea vessels route
			102.0/102.0	17.00/17.00	6.20	No restrictions	Va	A	
E 60-03-03	MEDWAY Sheerness – Kings North	11.0			13.00	No restrictions	Vlb	A	Sea vessels route
					13.00	No restrictions	Vlb	A	
	MEDWAY Kings North – Rochester	11.0	118.8/118.8	No restrictions	8.00	No restrictions	Vla	A	Sea vessels route
			118.8/118.8	No restrictions	8.00	No restrictions	Vla	A	
E 60-03-05	THAMES Canvey Point – Thames Barrier	50.0			13.00 ⁴	54.00	Vlb	A	Sea vessels route
					13.00 ⁴	54.00	Vlb	A	
	THAMES Thames Barrier – London Bridge	14.0	160.0/160.0	30.00/30.00	4.20 ⁴	42.00	Vla	A	Sea vessels route
			160.0/160.0	30.00/30.00	4.20 ⁴	42.00	Vla	A	
	THAMES London Bridge – Hammersmith Bridge	15.0	90.0/90.0	20.00/20.00	1.40 ⁴	4.90 ⁵⁰	Va	B	
			90.0/90.0	20.00/20.00	1.40 ⁴	4.90 ⁵⁰	Va	B	

E 60-03-07	COLNE Up to Rowhedge	12.0	96.0/96.0 96.0/96.0		4.50 4.50	No restrictions No restrictions	Va Va	A A	Sea vessels route
E 60-03-09	STOUR (SUFFOLK) Up to Mistley	15.0	75.0/75.0 75.0/75.0	18.00/18.00 18.00/18.00	4.00 4.00	No restrictions No restrictions	IV IV	B B	Sea vessels route
E 60-03-11	ORWELL Up to Ipswich	20.0	140.0/140.0 140.0/140.0		7.40 7.40		Vla Vla	A A	Sea vessels route
E 60-03-13	GREAT OUSE The Wash – Kings Lyn	3.0	140.0/140.0 140.0/140.0	20.00/20.00 20.00/20.00	5.52 5.52	No restrictions No restrictions	Vla Vla	A A	Sea vessels route
E 60-03-15	NENE The Wash – Bevis Hill (near Wisbech)	23.0	120.0/120.0 120.0/120.0	17.00/17.00 17.00/17.00	6.00 6.00	No restrictions No restrictions	Va Va	A A	Sea vessels route
E 60-03-17	WELLAND The Wash – Fossdyke Bridge	8.0	90.0/90.0 90.0/90.0			No restrictions No restrictions	Va Va	A A	Sea vessels route
E 60-03-19	WITHAM The Wash – Boston (i.e., the Haven)	8.0	120.0/120.0 120.0/120.0	13.60/13.60 13.60/13.60	5.30 5.30	No restrictions No restrictions	Va Va	A A	Sea vessels route
E 60-03-21	TRENT Trent Falls – Keadby Bridge	15.0			5.00 5.00	No restrictions No restrictions	Va Va	A A	Sea vessels route
	TRENT Keadby Bridge – Gainsborough	27.0			3.05 3.05	5.10 5.10	IV IV	C C	Sea vessels route
E 60-03-02	TAY Buddon Ness – Tay Road Bridge	12.0	240.0/240.0 240.0/240.0	40.00/40.00 40.00/40.00	8.90 8.90	No restrictions No restrictions	Vlb Vlb	A A	Sea vessels route
	TAY Tay Road Bridge – Balmerino	10.0	240.0/240.0 240.0/240.0	40.00/40.00 40.00/40.00	8.90 8.90	22.00 22.00	Vlb Vlb	A A	Sea vessels route
	TAY Belmerino – Perth	28.0	90.0/90.0 90.0/90.0	13.50/13.50 13.50/13.50	4.90 4.90	22.00 22.00	Va Va	A A	Sea vessels route
	FORTH Inland Waterway Limit – Grangemouth	21.0	183.0/183.0 183.0/183.0	26.20/26.20 26.20/26.20	11.00 11.00	No restrictions No restrictions	Vlb Vlb	A A	Sea vessels route
E 60-03-06	TYNE Mouth – Newcastle	18.0			11.00 11.00	No restrictions No restrictions	Vlb Vlb	A A	Sea vessels route

E 60-03-08	TEES Mouth – Middlesbrough	14.0			10.90	No restrictions	Vlb	A	Sea vessels route
E 60-05	OSLOFJORD	100.0 ⁵	.../...	.../...	A	Sea vessels route
			.../...	.../...	A	
E 60-07	GÖTA ÄLV	11.0 ⁵	125.0/125.0	16.50/16.50	5.40	...	Va	A	
			125.0/125.0	16.50/16.50	5.40	...	Va	A	
E 60-07	TROLLHÄTTE CANAL	82.0	89.0/89.0	13.40/13.40	5.40	...	IV	B	
			89.0/89.0	13.40/13.40	5.40	...	IV	B	
E 60-09	SÖDERTÄLJE CANAL ⁵¹	6.0	124.0/124.0	18.00/18.00	6.50	...	Va	A	
			124.0/124.0	18.00/18.00	6.50	...	Va	A	
E 60-09	LAKE MÄLAREN	120.0 ⁵	.../...	.../...	...	Va ⁵	...		
			.../...	.../...	...	Va ⁵	...		
E 60-14	Stralsund – Peenemünde – Wolgast – Szczecin	60.0 ⁵					Vlb	A	Sea vessels route
							Vlb	A	
E 60-11	SAIMAA CANAL Vyborg – Mälkiä Lock	40.0	110.0/110.0	15.00/15.00	4.35	24.50	Va	A	Canalized
			82.5/82.5	12.60/12.60	4.35	24.50	IV	B	
	Mälkiä Lock – Kuopio	300.0	110.0/110.0	15.00/15.00	4.35	24.50	Va	A	
			110.0/110.0	12.60/12.60	4.35	24.50	Va	A	
E 60-11-02	Kuopio – Iisalmi	100.0	110.0/110.0	12.60/12.60	3.60	12.00	Va	A	
			110.0/110.0	12.60/12.60	2.40	12.00	Va	A	
	From E 60-11 to Joensuu	140.0	110.0/110.0	12.60/12.60	4.35	24.50	Va	A	Canalized
			110.0/110.0	12.60/12.60	4.35	24.50	Va	A	
E 60-11-02	Joensuu – Nurmes	150.0	80.0/80.0	11.80/11.80	2.40	10.50	IV	B	Partly canalized
			80.0/80.0	11.80/11.80	2.40	10.50	IV	B	
	PEENE From Peenestrom to Demmin	65.0	82.0/156.0	9.50/9.50	2.20	5.00	IV ²³	C	
			82.0/156.0	9.50/9.50	2.20	5.00	IV ²³	C	
E 70	NIEUWE WATERWEG Europoort – Botlek	19.7	200.0/200.0	23.50/23.50	12.20	No restrictions	Vlb	A	
			200.0/200.0	23.50/23.50	12.20	No restrictions	Vlb	A	

	NIEUWE MAAS Botlek – Krimpen	23.8	200.0/200.0 200.0/200.0	23.50/23.50 23.50/23.50	6.00 6.00	11.50 ³ 11.50 ³	Vlb Vlb	A A	Sea vessels route
E 70 (continued)	LEK Krimpen – Wijk bij Duurstede	60.7	110.0/185.0 110.0/185.0	11.50/22.80 11.50/22.80	3.00 3.00	9.10 9.10	Vlb Vlb	A A	
	NEDER-RIJN Wijk bij Duurstede – IJsselkop	52.7	110.0/185.0 110.0/185.0	11.50/17.00 11.50/17.00	3.00 3.00	9.10 9.10	Vb Vb	A A	Canalized
	IJssel IJsselkop – Zutphen	43.6	110.0/110.0 110.0/110.0	11.50/11.50 11.50/11.50	3.00 3.00	9.10 9.10	Va Va	A B	Bridge height in closed position 5.25 m
	TWENTEKANAAL Zutphen – Enschede	49.8	110.0/110.0 110.0/110.0	9.50/9.50 9.50/9.50	2.50 2.50	6.00 6.00	IV IV	B B	
	TWENTE – MITTELLANDKANAL ³⁷ Enschede – Bergeshövede	55.0	110.0/185.0 -	11.45/11.45 -	2.80 -	5.25 -	Vb -	B -	
	MITTELLANDKANAL (including the Rothenseer – Verbindungskanal)	326.0	110.0/185.0 110.0/185.0	11.45/11.45 11.45/11.45	2.80 2.50	5.25 4.00	Vb IV ^{23, 31}	B C	
	ELBE – HAVEL KANAL	56.0	110.0/185.0 80.0/125.0	11.45/11.45 9.00/8.25	2.80 2.00	5.25 4.30	Vb IV ^{23, 31, 52}	B C	
	UNTERE HAVEL – WASSERSTRASSE Plaue – Spree	68.0	110.0/185.0 86.0/86.0	11.45/11.45 9.50/9.50	2.80 1.90	5.25 3.55	Vb IV ^{23, 31}	B C	
	HAVEL – ODER-WASSERSTRASSE 0.0 km – 92.5 km	92.5	110.0/110.0 /156.0	11.45/11.45 /9.00	2.20	5.25	Va ³¹	B	Spandau Lock not in operation
	ODER Mouth of the Havel – Oder-Wasserstraße – Kostrzyn	49.4	82.0/125.0 /137.0	11.45/11.45 /11.45	1.80 1.60	5.25 4.54	IV ⁴⁰	B	When going downstream
			82.0/125.0 .../156.0	11.45/11.45 .../9.50	1.80	5.25	IV ⁴⁰	B	
			82.0/125.0 /156.0	11.45/11.45 /9.50	34 1.60	4.54	IV	C	When going upstream

E 70 (continued)	WARTA – NOTEC – BYDGOSKI CANAL – BRDA Kostrzyn – Bydgoszcz	294.0	.../...	.../...	Canal and free-flowing rivers
			57.0/96.0	9.00/9.00	1.30	3.57	II	C	
	WISLA Mouth of Brda River – Mouth of Wda River	41.1	85.0/110.0	11.40/11.40	2.50	5.25	IV	B	Free-flowing
			85.0/110.0	11.40/11.40	1.40 ³⁴	5.13	IV	B	
	WISLA Mouth of Wda River – Biala Góra	73.0	110.0/125.0	11.40/25.00	2.50	5.28	Vla	B	Free-flowing
			110.0/125.0	11.40/25.00	2.50	5.28	Vla	B	
	WISLA Biala Góra – Gdanska Glova (886.6 km – 931.0 km)	44.4	110.0/125.0	11.40/25.00	2.50	5.28	Vla	B	Free-flowing
			110.0/125.0	11.40/25.00	2.50	5.28	Vla	B	
	SZKARPAWA Gdanska Glova – Elblag	25.4	85.0/118.0	11.40/11.40	2.50	7.08	IV	B	
			85.0/118.0	11.40/11.40	1.60	7.08	II	B	
	NOGAT Biala Góra – Elblag ⁵³	62.0	56.0/118.0	9.00/9.00	2.00	4.60	III	C	Canalized
			56.0/118.0	9.00/9.00	1.60	4.60	II	C	
	ZALEW WISLANY Elblag – Kaliningrad	96.0	110.0/185.0	11.40/11.40	2.50	No restrictions	Vb	A	
			110.0/185.0	11.40/11.40	2.50	No restrictions	Vb	A	
	PREGEL Kaliningrad – Gvardeysk	56.7	.../...	.../...	IV	B	Modernization and reconstruction necessary
			60.0/80.0	6.60/6.60	1.40 ⁵⁴	5.70	II	B	
	DAYMA Gvardeysk – Mouth of Dayma	37.5	.../...	.../...	IV	B	
			60.0/80.0	5.05/5.05	1.20 ⁵⁴	7.54	I	B	
	KURSHSKIY ZALIV Mouth of Deyma – Lithuania/Russian Federation State border	77.9 ⁵⁵	.../...	.../...	...	No restrictions	IV	A	
			.../...	.../...	...	No restrictions	IV	A	
	KURSHSKIY ZALIV Lithuania/Russian Federation State border – Nida	4	.../...	.../...	1.80	No restrictions	IV	A	
			.../...	.../...	1.30	No restrictions	IV	A	
	KURSHSKIY ZALIV Nida – Klaipeda sea port	39.1	110.0/110.0	12.00/12.00	1.80	No restrictions	IV	A	
			100.0/100.0	10.00/10.00	1.30	No restrictions	IV	A	
E 70-01	HOLLANDSCHE IJSSEL Krimpen – Gouda	19.7	110.0/110.0	11.50/11.50	3.60	8.50 ³	Va	A	
			110.0/110.0	11.50/11.50	3.60	8.50 ³	Va	A	
E 70-03	ZIJKANAAL From Twentekanaal to Almelo	17.6	110.0/110.0	9.75/9.75	2.50	6.00	IV	B	
			110.0/110.0	9.75/9.75	2.50	6.00	IV	B	

E 70-02	Mittellandkanal branch to Osnabrück	13.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
			82.0/82.0	9.50/9.50	2.00	4.00	IV ^{23, 24, 31}	C	
E 70-04	Mittellandkanal branch to Hannover – Linden	10.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			82.0/82.0	9.50/9.50	2.20	4.00	IV ^{23, 31}	C	
E 70-06	Mittellandkanal branch to Hildesheim	15.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
			82.0/82.0	9.50/9.50	2.20	4.00	IV ^{23, 31}	C	
E 70-08	Mittellandkanal branch to Salzgitter	18.0	100.0/185.0	11.45/11.45	2.80	5.25	Vb	B	
			100.0/185.0	11.45/11.45	2.50	5.25	Vb	B	
E 70-05	HAVELKANAL	35.0	110.0/110.0	11.45/11.45	2.00	5.25	Va ^{24, 31, 55}	B	
			86.0/125.0	9.50/8.25	1.90	4.50	IV ^{23, 31}	C	
E 70-10	SPREE From km 0.0 to Westhafenkanal and Westhafenkanal	9.0	110.0/110.0	11.45/11.45	2.80	5.25	Va/Vb	B	
			110.0/185.0						
			82.0/82.0	9.50/9.50	1.90	4.60	IV ^{23, 31}	C	
	SPREE From Westhafen Berlin to Britzer Verbindungskanal	14.0	85.0/85.0	9.50/9.50	2.00	4.00	IV ^{23, 31}	C	
E 70-12	BERLIN – SPANDAUER SCHIFFAHTSKANAL From km 0.0 to Westhafen Berlin	8.0	82.0/82.0	9.50/9.50	2.00	3.51	IV ^{23, 31}	C	
			110.0/110.0 /156.0	11.45/11.45 /9.00	2.20	4.00	Va ^{23, 31}	C	
			67.0/91.0	9.00/9.00	2.00	3.72	III	C	
E 71	TELTKANAL AND BRITZER VERBINDUNGSKANAL	31.0	110.0/185.0	11.45/11.45	2.80	5.25	Vb ²⁴	B	
			80.0/91.0	9.00/9.00	1.75	4.40	IV ^{23, 31}	C	
	SPREE – ODER – WASSERSTRASSE From the Britzer Verbindungskanal to Oder – Spree Kanal	18.0	82.0/156.0 /91.0	9.50/8.25 /9.00	2.00	2.97	IV ^{23, 31}	C	
			82.0/125.0 /91.0	9.50/8.25 /9.00	2.00	2.97	IV ^{23, 31}	C	
			67.0/91.0	8.25/8.25	2.00	4.00	III	C	
E 71-02	SPREE – ODER – WASSERSTRASSE From Oder – Spree Kanal to Oder	86.0	67.0/91.0	8.25/8.25	1.85	4.00	III	C	
			67.0/91.0	8.25/8.25	1.85	4.00	III	C	
			86.0/86.0	9.50/9.50	1.90	3.80	IV ^{23, 31}	C	

E 71-04	TELTKANAL – OSTSTRECKE	7.0	82.0/82.0 82.0/82.0	9.50/9.50 9.50/9.50	2.00 1.75	4.30 4.30	IV ^{23, 31} IV ^{23, 31}	C C	
E 71-06	DAHME – WASSERSTRASSE From 0.0 km to 8.65 km and Notte	10.0	82.0/82.0 /156.0	9.50/9.50 /8.25	2.00	3.95	IV ^{23, 31}	C	
			82.0/82.0 /156.0	9.50/9.50 /8.25	1.90	3.95	IV ^{23, 31}	C	
E 80	LE HAVRE – TANCARVILLE CANAL	19.0	185.0/185.0 185.0/185.0	14.00/14.00 14.00/14.00	3.50 3.50	7.00 ⁵⁶ 7.00 ⁵⁶	Vb Vb	A A	
	SEINE Tancarville – Rouen	96.1					VII	A	Free-flowing Sea vessels route
	SEINE Rouen – Conflans	171.0	180.0/180.0 180.0/180.0	11.40/15.00 11.40/15.00	3.50 3.50	5.95–11.82 5.95–11.82	Vb Vb	A A	Canalized
	OISE Conflans – Creil	59.0	180.0/180.0 180.0/180.0	11.40/11.40 11.40/11.40	3.00 2.50	6.50 5.25	Vb Vb	A B	Works in progress
	OISE Creil – Compiègne	39.7	180.0/180.0 180.0/180.0	11.40/11.40 11.40/11.40	3.00 2.50	6.50 5.25	Vb Vb	A B	
	SEINE – MOSELLE LINK ⁵⁷ Compiègne – Neuves Maisons	250.0	.../... -	.../... -	Project of a new link
	MOSELLE Neuves Maisons – Metz	96.0	170.0/170.0 170.0/170.0	11.40/11.40 11.40/11.40	3.00 3.00	6.17 ⁵⁸ 6.17 ⁵⁸	Vb Vb	A A	
	MOSELLE Metz – Apach	55.0	170.0/170.0 170.0/170.0	11.40/11.40 11.40/11.40	3.00 3.00	6.17 ⁵⁸ 6.17 ⁵⁸	Vb Vb	A A	
	MOSELLE Apach – Koblenz (242.4 km – 0.0 km)	242.4	110.0 ⁵⁹ /185.0 110.0 ⁵⁹ /172.1	11.45/11.45 11.45/11.45	2.80 2.80	6.17 ⁵⁸ 6.17 ⁵⁸	Vb Vb	A A	
E 80 (continued)	RHINE Koblenz (596.0 km) – 564.3 km	31.7	135.0/193.0 /269.5	22.80/34.35 ¹⁵ /22.90	2.50 ¹⁶	9.10	Vlc	A	
			135.0/193.0 /269.5	22.80/34.35 ¹⁵ /22.90	2.50 ¹⁶	9.10	Vlc	A	

RHINE 564.3 km – 540.2 km	24.1	135.0 ¹⁷ /116.5	22.80/22.90	2.10 ¹⁶	9.10	Vla	A	When going downstream
		135.0 ¹⁷ /116.5	22.80/22.90	2.10 ¹⁸	9.10	Vla	A	
		135.0 ¹⁷ /186.5	22.80/22.90	2.10 ¹⁶	9.10	Vlb	A	When going upstream
		135.0 ¹⁷ /186.5	22.80/22.90	2.10 ¹⁸	9.10	Vlb	A	
RHINE 540.2 km – Mainz (500.0 km)	40.2	135.0/193.0 /153.0	22.80/22.90 /34.35	2.10 ¹⁶	9.10	Vlb	A	
		135.0/193.0 /153.0	22.80/22.90 /34.35	2.10 ¹⁸	9.10	Vlb	A	
MAIN 0.0 km – 37.2 km	37.2	110.0/190.0	14.00/14.00	2.90	6.00	Vb	B	
		110.0/190.0	14.00/14.00	2.70	6.00	Vb	B	
MAIN 37.2 km – 84.0 km	46.8	110.0/190.0	11.45/11.45	2.90	6.00 ⁶⁰	Vb	B	
		110.0/190.0	11.45/11.45	2.70	6.00 ⁶⁰	Vb	B	
MAIN 84.0 km – 260.0 km	176.0	110.0/190.0	11.45/11.45	2.70	6.00	Vb	B	
		110.0/190.0	11.45/11.45	2.70	6.00	Vb	B	
MAIN 260.0 km – 384.0 km	124.0	110.0/190.0	11.45/11.45	2.70	6.00	Vb ²⁴	B	
		110.0 ⁶¹ /110.0	11.45/11.45	2.30	6.00	Va ^{24, 31}	B	
MAIN – DONAU KANAL 0.0 km – 7.4 km	7.4	110.0 ⁶¹ /190.0	11.45/11.45	2.80	6.00 ⁶²	Vb ²⁴	B	
		110.0 ⁶¹ /190.0	11.45/11.45	2.60	6.00 ⁶²	Vb ²⁴	B	
MAIN – DONAU KANAL 7.4 km – 171.0 km	163.6	110.0 ⁶¹ /190.0	11.45/11.45	2.80 ⁶³	6.00	Vb ²⁴	B	
		110.0 ⁶¹ /190.0	11.45/11.45	2.70 ⁶³	6.00	Vb ²⁴	B	
DANUBE 2 411.6 km – 2 376.8 km	34.8	110.0/185.0	11.45/11.45	2.70 ⁶⁴	6.00	Vb ²⁴	B	
		110.0/185.0	11.40/11.40	2.70 ⁶⁴	6.00	Vb ²⁴	B	
DANUBE 2 376.8 km – 2 328.4 km	48.4	110.0/185.0	11.45/22.90	2.70 ⁶⁴	8.00	Vlb ⁶⁵	A	
		110.0/185.0	11.40/22.80	2.70 ⁶⁴	5.75 ⁶⁶	Vlb ⁶⁵	A	
E 80 (continued)	79.4	110.0/185.0	11.45/22.90 ⁶⁷	2.70 ⁶⁴	8.00	Vlb ^{24, 65}	A	
		110.0/110.0	11.40/22.80 ⁶⁷	2.70 ⁶⁴	4.74 ^{66, 68}	Vla ^{23, 24, 31}	B	
DANUBE 2 249.0 km – 2 201.8 km	47.2	120.0/180.0	22.90/22.90	2.70 ⁶⁴	8.00	Vlb ^{23, 24, 31}	A	
		120.0/185.0	22.80/22.80	2.70 ⁶⁴	4.61 ⁶⁹	Vlb ^{23, 24, 65}	B	

DANUBE 2 201.8 km – 2 038.2 km	163.6	.../230.0	23.00/23.00	3.00 ⁷⁰	8.00	Vlb	A	
DANUBE 2 038.2 km – 2 008.0 km	30.2	.../230.0	23.00/23.00	3.00 ⁷²	8.00	Vlb	A	
DANUBE 2 008.0 km – 1 949.2 km	58.8	.../230.0	23.00/23.00	3.00 ⁷⁰	8.00	Vlb	A	
DANUBE 1 949.2 km – 1 921.0 km	28.2	.../230.0	23.00/23.00	3.00 ⁷⁰	7.67 ⁷⁴	Vlb	A	
DANUBE 1 921.0 km – 1 880.3 km	40.7	.../275.0	23.00/23.00	3.00 ⁷⁰	8.00	Vlc	A	U6 bridge at Wien
		.../275.0	23.00/23.00	3.00 ⁷⁰	7.71 ⁷⁵	Vlc	A	
		.../195.0	23.00/23.00	3.00 ⁷²	10.00	Vlb	A	When going downstream Maximum 4 barges/cargo vessels
		.../110.0	23.00/35.00					
		.../195.0	23.00/23.00	3.00 ⁷³	10.00	Vlb	A	When going upstream Maximum 4 barges/cargo vessels
		.../110.0	23.00/35.00					
		.../275.0	23.00/12.00	3.00 ⁷²	10.00	Vlb	A	
		.../195.0	23.00/23.00					
		.../275.0	23.00/12.00	3.00 ⁷³	10.00	Vlb	A	
		.../195.0	23.00/23.00					
DANUBE Devín – Bratislava (1 880.3 km – 1 862.0 km)	18.3	.../275.0	22.80/22.80	3.50	9.10	Vlc	A	
DANUBE DERIVATION CANAL Bratislava – Sap (1 862.0 km – 1 811.0 km)	51.0	.../210.0	22.80/22.80	2.50	9.10	Vlc	A	
E 80 (continued)	DANUBE Sap – Bánkeszi ⁷⁶ (1 811.0 km – 1 784.0 km)	27.0	.../275.0	22.80/34.20	3.50	Vlc	A	When going downstream
		.../275.0	22.80/34.20	2.50	8.90	Vlc	A	When going upstream
		160.0/210.0	38.00/24.00	2.50	8.51	Vlb	A	
		160.0/210.0	38.00/24.00	1.80	8.51	Vlb	A	
		/220.0	/24.00	2.50	9.18	Vlb	A	When going upstream
		/220.0	/24.00	1.80	9.18	Vlb	A	
	DANUBE Bánkeszi– Ipoly mouth ⁷⁷ (1 784.0 km – 1 708.2 km)	75.8	/220.0	/38.00	2.50	Vlb	A	When going downstream
		/220.0	/38.00	2.00	8.86	Vlb	A	
		220.0/285.0	38.00/24.00	2.50	8.83	Vlb	A	When going upstream
		220.0/285.0	38.00/24.00	2.00	8.83	Vlb	A	

E 80 (continued)	DANUBE	56.2	/225.0	/38.00	2.50	8.81	Vlb	A	When going downstream
	Ipoly mouth – Budapest (1 708.2 km – 1 652.0 km)		/225.0	/38.00	2.00	8.81	Vlb	A	
	DANUBE ⁷⁸	76.2	225.0/285.0	38.00/27.00	2.50	8.78	Vlb–Vlc (1 641 km)	A	When going upstream
	Ipoly mouth – Budapest (1 708.2 km – 1 632.0 km)		225.0/285.0	38.00/27.00	2.00	8.78	Vlb–Vlc (1 641 km)	A	
	DANUBE ⁷⁹	20.0	195.0/220.0	46.00/27.00	2.50	8.87	Vlb–Vlc (1 641 km)	A	When going downstream
	Budapest (1 652.0 km – 1 632.0 km)		195.0/220.0	46.00/27.00	2.00	8.87	Vlb–Vlc (1 641 km)	A	
	DANUBE ⁸⁰	183.0	/225.0	/48.00	2.50	8.47	Vlc	A	When going downstream
	Budapest – Mohács (1 632.0 km – 1 449.0 km)		/225.0	/48.00	1.90	8.47	Vlc	A	
			/300.0	/38.00	2.50	8.78	Vlc	A	
			/300.0	/38.00	1.90	8.78	Vlc	A	
	DANUBE ⁸¹	16.0	-	-	-	-	Vlc	A	When going upstream
	Mohács – South border (1 449.0 km – 1 433.0 km)		/(300.0)	/(38.00)	2.50	-	Vlc	A	
	DANUBE	67.0	110.0/280.0	11.40/34.20	2.50	9.10	Vlc	A	Free-flowing
	1 433.0 km – 1 366.0 km		No restrictions	No restrictions	2.50	8.15	Vlc	A	
	DANUBE	70.5	110.0/280.0	11.40/34.20	2.50	9.10	Vlc	A	Free-flowing
	1 366.0 km – 1 295.5 km		No restrictions	No restrictions	2.50	9.70	Vlc	A	
	DANUBE	80.5	110.0/285.0	11.40/22.80	...	9.10	Vlc	A	Free-flowing
	1 295.5 km – 1 215.0 km		110.0/285.0	11.40/22.80	2.50	6.82 ⁸²	Vlc	B	
	DANUBE	40.0	110.0/285.0	11.40/34.20	A	Free-flowing
	1 215.0 km – 1 175.0 km		No restrictions	No restrictions	2.50	No restrictions	Vlc	A	
	DANUBE	100.0	.../...	.../...	VII	A	Canalized
	1 175.0 km – 1 075.0 km		No restrictions	No restrictions	3.50	9.15	VII	A	

	DANUBE 1 075.0 km – 947.0 km	128.0	.../...	.../...	VII	A	Canalized
			No restrictions	No restrictions	3.50	No restrictions	VII	A	
	DANUBE 947.0 km – 931.0 km	16.0	.../...	.../...	VII	A	Canalized
			.../300.0	.../33.00	4.50 ⁸³	10.00 ⁸³	VII	A	
E 80 (continued)	DANUBE 931.0 km – 866.0 km	65.0	.../...	.../...	VII	A	Canalized
			No restrictions	No restrictions	3.50	No restrictions	VII	A	
	DANUBE 866.0 km – 860.0 km	6.0	.../...	.../...	VII	A	Free-flowing from 863.0 km
			.../300.0	.../33.00	4.50 ⁸³ 3.50 ⁸⁴	10.00 17.70 ⁸⁴	VII	A	
	DANUBE 860.0 km – 845.0 km	15.0	.../...	.../...	VII	A	Free-flowing
			No restrictions	No restrictions	2.50	No restrictions	VII	A	
	DANUBE 845.0 km – 170.0 km	675.0	.../...	.../...	VII	A	Free-flowing
			No restrictions	No restrictions	2.50 ⁵⁴	9.50	VII	A	
	DANUBE 170.0 km – 0.0 km	170.0	.../...	.../...	VII	A	Free-flowing
			No restrictions	No restrictions	7.30 ⁵⁴	38.00	VII	A	
E 80-02	SEINE Tancarville – Estuary	26.0					VII	A	Free-flowing Sea vessels route
							VII	A	
E 80-04	SEINE Conflans – Paris	62.0	180.0/180.0	11.40/11.40	3.00–3.50	5.15 ⁸⁵	Vb	A	Canalized
			180.0/180.0	11.40/11.40	3.00–3.50	5.15 ⁸⁶	Vb	A	
	SEINE Paris – Montereau (178.0 km – 68.0 km)	110.0	180.0/180.0	11.40/11.40	2.80	5.50	Vb	B	Canalized
			180.0/180.0	11.40/11.40	2.80	5.50	Vb	B	
	SEINE Montereau – Bray (68.0 km – 46.0 km)	22.0	180.0/180.0	11.40/11.40	2.80	5.25	Vb	B	Canalized
			180.0/180.0	11.40/11.40	2.20–2.80	5.20	Vb	B	
	SEINE Bray – Nogent (46.0 km – 19.0 km)	27.0	180.0/180.0	11.40/11.40	2.80	5.25	Va	B	Link needs to be significantly improved
			120.0/120.0	8.00/8.00	2.00	5.25 ⁸⁶	II	C	
E 80-06	SAAR Moselle – Völklingen	73.7	110.0/185.0	11.45/11.45	2.80	5.75	Vb	B	
			110.0/185.0	11.45/11.45	2.80	5.75	Vb	B	

	SAAR Völklingen – Saarbrücken	17.7	110.0/185.0 110.0/185.0	11.45/11.45 11.45/11.45	2.80 2.80	5.25 5.25	Vb ²⁴ Vb ²⁴	B B	
E 80-08	DRAVA ⁸⁷ From the mouth of the Danube to Nemetin Port	14.0	85.0 85.0	9.50 9.50	2.50 2.50	No restrictions No restrictions	IV IV	A A	Free-flowing
E 80-10	DANUBE – SAVA CANAL Vukovar – Samac	61.0	110.0/185.0 -	11.40/11.40 -	2.50 -	9.60 -	Vb -	A -	New link to be built
E 80-01	TISZA 0.0 km – 63.4 km	63.4	.../...	.../...	B	Free-flowing
	TISZA 63.4 km – 160.0 km	96.6	85.0/172.0 85.0/172.0	8.20/11.40 8.20/11.40	2.50 2.50	No restrictions 7.76	Va Va	B B	
	TISZA ⁸⁸ 160.0 km – 173.0 km	13.0					Vla IV	A A	
			140	22.80	2.50				
E 80-01-02	BEGEJ From the mouth to the Klek Lock	34.1	.../...	.../...	B	Canalized
	BEGEJ From the Klek Lock to the Itebej Lock	31.5	85.0/132.0 70.0/...	8.20/11.40 8.20/9.00	2.50 2.00	...	Va III	B B	
	BEGA Up to Timisoara	35.0 ⁵	.../...	.../...	Lock Itebej is out of order
			.../...	.../...	II	...	
E 80-12	SAVA 0.0 km – 107.0 km	107.0	110.0/110.0 85.0/85.0	11.40/11.40 9.50/9.50	2.50 2.00	7.00 6.96	Va IV	B B	Canalized
	SAVA 107.0 km – 210.8 km	103.8	110.0/110.0 85.0/85.0	11.40/11.40 9.50/9.50	2.50 2.00	7.00 6.46	Va IV	B B	
	SAVA ⁸⁹ Račinovci – Gunja (210.8 km – 234.0 km)	23.2	110.0/110.0 85.0/85.0	11.40/11.40 9.50/9.50	2.50 2.50	7.00 7.60	Va IV	A A	Free-flowing
	SAVA ⁹⁰ Ganja – Slavonski Šamac (234.0 km – 313.7 km)	79.7	85.0/85.0 85.0/85.0	9.50/9.50 9.50/9.50	2.50 2.50	8.14 8.14	IV IV	A A	

	SAVA ⁹¹ Slavonski Šamac – Oprisavci (313.7 km – 338.2 km)	24.5	85.0/85.0 70.0/85.0	9.50/9.50 9.00/9.00	2.50 1.60	No restrictions No restrictions	IV III/II	B B	Free-flowing. Limited depth, reduced class
	SAVA Oprisavci – Slavonski Brod (338.2 km – 371.2 km)	33.0	85.0/85.0 85.0/85.0	9.50/9.50 9.50/9.50	2.50 2.50	No restrictions No restrictions	IV IV	A A	Free-flowing
E 80-12 (continued)	SAVA ⁹² Slavonski Brod – Sisak (Galdovo) (371.2 km – 594.0 km)	222.8	85.0/85.0 70.0/85.0	9.50/9.50 9.00/9.00	2.50 2.00	7.00 6.16	IV III	A A	Free-flowing. Smaller radius, in some places, one way navigation
E 80-03	OLT Up to Slatina	135.0 ⁵	.../... .../...	.../... .../...	
E 80-05	DANUBE – BUCURESTI CANAL	73.0	.../106.6 -	.../11.40 -	3.00 -	11.00 -	Va -	A -	Under construction
E 80-14	DANUBE – BLACK SEA CANAL	64.4	138.3/296.0 138.3/296.0	16.80/23.50 16.80/23.50	5.50/3.80 5.50/3.80	16.50 16.50	Vlc Vlc	A A	
E 80-14-01	POARTA ALBA-MIDIA – NAVODARI CANAL	27.5	110.0/120.0 110.0/120.0	11.50/11.50 11.50/11.50	3.80 3.80	12.50 12.50	Va Va	A A	
E 80-07	PRUT From the mouth to Kakhul	85.0	.../... 42.0/60.3	.../... 7.80/7.80	... 1.00	... 9.00	... II	... C	Free-flowing
	PRUT From Kakhul to Ungheni	322.0	.../... 42.0/60.3	.../... 7.80/7.80	... 1.00	... 8.50	... II	... C	Free-flowing
E 80-09	DANUBE – KILIA ARM ⁹³ Ismail Cape – Chatal – Vilkovo (116.0 km – 18.0 km)	98.0	125.0/300.0 125.0/300.0	17.50/40.00 17.50/40.00	7.20 7.20	No restrictions No restrictions	VII VII	A A	Free-flowing
	DANUBE – KILIA ARM, Vilkovo – Bistroe Arm Outlet (Old Istanbul Arm) (18.0 km – 11.0 km)	7.0	125.0/300.0 125.0/300.0	17.50/40.00 17.50/40.00	7.20 7.20	No restrictions No restrictions	VII VII	A A	Free-flowing
	DANUBE – KILIA ARM, Bistroe Arm Outlet – Sea approach canal (11.0 km – 1.57 km)	9.43	125.0/300.0 125.0/300.0	17.50/40.00 17.50/40.00	7.20 5.85	No restrictions No restrictions	VII VII	A A	Free-flowing
	SEA APPROACH CANAL (1.57 km – (-1.85 km))	3.42	125.0/300.0 125.0/300.0	17.50/40.00 17.50/40.00	7.20 5.85	No restrictions No restrictions	VII VII	A A	Sea vessels route
E 80-16	DANUBE – ST. GEORGE ARM 0.0 km – 89.0 km	89.0	.../... .../...	.../... .../...	... 2.50 Vb	Free-flowing

	DANUBE – ST. GEORGE ARM 89.0 km – 108.0 km	19.0	.../...	.../...	Free-flowing
			.../...	.../...	2.50	...	Vlb	...	
E 81	VÁH Komárno – Kolarovo (0.0 km – 27.4 km)	27.4	110.0/110.0	22.80/22.80	2.50	7.00	Vla	A	New lock planned
			110.0/110.0	22.80/22.80	1.60 ⁹⁴	10.20 ⁹⁵	Vla	...	
	VÁH Kolarovo – Selice (27.4 km – 42.1 km)	14.7	110.0/110.0	22.80/22.80	2.50	7.00	Vla	A	Modernization necessary
			110.0/110.0	22.80/22.80	Vla	...	
	VÁH Selice – Kráľová (42.1 km – 63.1 km)	21.0	110.0/110.0	22.80/22.80	2.50	7.00	Vla	A	Local navigation only
			110.0/110.0	22.80/22.80	Vla	...	
	VÁH Kráľová – Hlohovec (63.1 km – 101.9 km)	38.8	110.0/110.0	22.80/22.80	2.50	7.00	Vla	A	Partly canalized
			110.0/110.0	22.80/22.80	Vla	...	Modernization necessary
	VÁH Hlohovec – Žilina (101.9 km – 240.0 km)	138.1	110.0/110.0	11.40/11.40	2.50	7.00	Va	A	Modernization, construction and reconstruction necessary
			110.0/110.0	11.40/11.40	Va	...	Modernization necessary
	VÁH – ODER LINK	80.0 ⁵	110.0/110.0	11.40/11.40	Va	...	New link planned
			
E 90	KORINTHOS CANAL	6.4 ⁵	.../...	24.60/24.60	6.70	...	Vlc	...	
			.../...	24.60/24.60	6.70	...	Vlc	...	
	DON AND VOLGO – DONSKOY KANAL Aksay – Krasnoarmeysk	531.3	141.0/141.0	16.20/16.20	3.20 ⁹⁶	13.50	Va	A	Canalized upstream from Oust-Donetsk
			141.0/141.0	16.20/16.20	3.20 ⁹⁶	13.50	Va	A	
	VOLGA Krasnoarmeysk – Streletskoye	453.3	280.0/280.0	28.50/28.50	3.60	12.30	Vlc	A	
			280.0/280.0	28.50/28.50	3.60	12.30	Vlc	A	
E 90-03	DNESTR Belgorod Dnestrovskiy – Ukraine/Moldova border	39.0	65.0/85.0	14.00/14.00	1.80	6.30	III	B	Free-flowing
			.../85.0	.../14.00	1.70	6.30	III	B	
	NISTRU (DNESTR) Ukraine/Moldova border – Reskeet	98.0	.../...	.../...	Free-flowing
			85.0/85.0	14.00/14.00	1.80	6.30	III	B	
	NISTRU (DNESTR) Reskeet – Bender	103.0	.../...	.../...	Free-flowing
			85.0/85.0	14.00/14.00	1.80	13.50	III	B	

E 91	MILANO – PO CANAL Milano-Pizzighettone	96.0	110.0/110.0 .../...	12.00/12.00 .../...	2.50 ...	6.50 ...	Va ...	B ...	Project under development
E 91 (continued)	MILANO – PO CANAL Pizzighettone-Cremona	14.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	A	Canalized
			110.0/110.0	12.00/12.00	2.50 ⁹⁷	6.50	Va	A	
	PO Cremona-Casalmaggiore	54.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	
			110.0/110.0	12.00/12.00	2.50 ⁹⁷	6.50	Va	B	
	PO Casalmaggiore-mouth of the Mincio River (Mantova)	77.0	110.0/110.0	12.00/12.00	3.00	6.50	Va	B	
			110.0/110.0	12.00/12.00	2.50	6.50	Va	B	
	PO Mouth of the Mincio River (Mantova)-Volta Grimana	129.0	110.0/110.0	12.00/12.00	3.50	6.80	Va	B	
			80.0/80.0	11.00/11.00	2.50	6.80	IV	B	
	PO – BRONDOLO CANAL Volta Grimana (Po)-Marghera (Venezia)	70.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	
			99.0/99.0	10.00/10.00	2.50	6.50	IV	B	
E 91-02	LAGUNA VENETA Marghera-Porto Nogaro (Punta Sdobba)	120.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	Punta Sdobba – Trieste: coastal route
			80.0/80.0	9.50/9.50	2.50	6.50	IV	B	
	LAGUNA VENETA Porto Nogaro (Punta Sdobba)-Monfalcone-Trieste	60.0					VII	A	
							VII	A	
E 91-02	PO Cremona-Piacenza	37.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	Trieste: coastal route
			80.0/80.0	9.50/9.50	2.50 ⁹⁸	6.50	IV	B	
	PO Piacenza-Pavia	60.0	80.0/80.0	9.50/9.50	2.50	6.50	IV	B	
			70.0/70.0	8.00/8.00	2.50 ⁹⁸	6.50	III	C	
E 91-01	PO Pavia-Casale Monferrato	85.0	80.0/80.0	9.50/9.50	2.50	6.50	IV	B	
			70.0/70.0	8.00/8.00	2.50 ⁹⁹	6.50	III	C	
	MINCIO Mouth - Lago Inferiore (Mantova)	17.0	80.0/80.0	11.00/11.00	2.50	6.50	IV	B	
			80.0/80.0	11.00/11.00	2.50 ¹⁰⁰	6.50	IV	B	
E 91-04	FERRARA WATERWAY Ferrara-Porto Garibaldi/Ravenna	80.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	Upgrading to class Va is envisioned
			96.0/96.0	12.00/12.00	2.50	4.10	IV	B	
E 91-06	PO GRANDE ¹⁰¹ Volta Grimana-mouth	35.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	
			110.0/110.0	12.00/12.00	2.80	6.36	Va	B	

E 91-03	MANTOVA-ADRIATIC SEA CANAL Mantova-Valdaro Lock-Ostiglia	25.0	110.0/110.0	12.00/12.00	3.50	6.50	Va	A	
			110.0/110.0	12.00/12.00	3.00	6.50	Va	A	
E 91-03	MANTOVA-ADRIATIC SEA CANAL Ostiglia-Baricetta Lock	80.0	110.0/110.0	12.00/12.00	3.50	6.50	Va	A	
			110.0/110.0	12.00/12.00	2.50	5.50	Va	B	
E 91-03	MANTOVA-ADRIATIC SEA CANAL Baricetta Lock-Porto Levante	33.0	195.0/195.0	23.00/23.00	3.50	7.00	Vlb	A	Upgrading is envisaged
			110.0/110.0	12.00/12.00	2.80	5.50	Va	B	
E 91-03-02	PO – MANTOVA-ADRIATIC SEA CANAL Via S. Leone link	2.2 ⁵	195.0/195.0	12.00/12.00	Vb	...	Canal
			195.0/195.0	12.00/12.00	Vb	...	
E 91-05	PADOVA – VENEZIA CANAL	27.0	110.0/110.0	12.00/12.00	2.50	6.50	Va	B	Under construction
			.../...	.../...	

Table 2: Parameters of Locks of Inland Waterways of International Importance

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2	3	4	5	6
E 01	DUNKERQUE-VALENCIENNES CANAL Dunkerque – Bouchain 148.0 km – 0.0 km	144.6 143.3	12.00 12.00	3.50 3.50	Flandres locks
	ESCAUT Bouchain – Condé	144.6	12.00	3.50	
	CONDÉ – POMMEROEUL CANAL Pommeroeul – Hensies	149.0 151.75	12.50 12.50	4.00 4.00	Hensies lock Pommeroeul lock
	CANAL DU CENTRE Nimy – Seneffe	96.0 149.0 124.0 2 x 112.0	12.00 12.50 12.50 2 x 12.0	4.00 4.50 4.00 4.00	Obourg lock Project Obourg lock Havre lock Strépy-Thieu I lift
	CHARLEROI – BRUXELLES CANAL Seneffe – Charleroi	85.92 112.0 85.80 112.0 85.10 112.0	11.50 12.50 11.50 12.50 11.50 12.50	4.20 4.50 4.30 4.50 3.50 4.50	Viesville lock Project Viesville lock Gosselies lock Project Gosselies lock Marchienne lock Project Marchienne lock
	SAMBRE Charleroi – Namur	119.40 112.00 111.90 136.30 111.90 111.90 136.90	12.50 12.50 12.50 12.50 12.50 12.50 12.50	3.44 3.50 3.50 3.10 4.00 3.55 3.25	Marcinelle lock Montignies lock Roselies locks Auvelais lock Mornimont lock Floriffoux lock Salzinnes lock
	MEUSE Namur – Liège	200.0 200.0 136.0 225.0 136.0 225.0	25.00 25.00 16.00 25.00 16.00 25.00	4.95 3.90 4.00 4.50 3.80 4.50	Grands Malades lock Andenne-Seilles lock Ampsin-Neuville parallel locks Project Ampsin-Neuville parallel locks Ivoz-Ramet parallel locks Project Ivoz-Ramet parallel locks
	LANAYE CANAL	136.0 225.0	16.00 25.00	4.00 4.50	Lanaye lock Project Lanaye lock
	JULIANAKANAAL	136.0 136.0	16.00 16.00	3.60 3.60	Limmel lock complex
	JULIANAKANAAL	142.0 136.0	16.00 16.00	4.00 3.60	Born lock complex
	JULIANAKANAAL	142.0 142.0 142.0	16.00 16.00 16.00	7.90 7.90 7.90	Drielingsluis lock complex
	MAAS LATERAL CANAL	142.0 142.0	16.00 16.00	4.00 4.00	Heel lock complex

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m)	WIDTH (m)	DEPTH AT SILLS (m)	
		3	4	5	
1	2	3	4	5	6
E 01 (continued)	MAAS	260.0	16.00	3.30	Belfeld lock complex
		142.0	16.00	6.75	
		142.0	16.00	6.75	
	MAAS	260.0	16.00	3.30	Sambeek lock complex
		142.0	16.00	6.75	
		142.0	16.00	6.75	
E 01-02	MEUSE Namur – Dinant	100.0	12.00	2.79	La Plante lock
		100.0	12.00	2.75	Tailfer lock
		100.0	12.00	2.75	Rivière lock
		100.0	12.00	2.75	Hun lock
		100.0	12.00	2.76	Houx lock
		100.0	12.00	2.75	Dinant lock
	MEUSE Dinant – Hastière	100.0	12.00	2.75	Anseremme lock
		100.0	12.00	2.75	Waulsort lock
		100.0	12.00	2.75	Hastière lock
	CANAL DE L'EST Givet (0.0 km – Quai des 3 fontaines (7.1 km))				
		100.0	12.00	3.00	Quatre Cheminées lock (1.9 km)
E 01-04-01	MONSIN CANAL	136.0	16.00	3.10	Monsin lock
E 01-01	CANAL BOCHOLT – HERENTALS	55.0	7.50	2.50	Mol and Lommel locks (Nos. 1, 2 and 3)
	ZUID – WILLEMSVAART	65.0	7.50	2.50	Lock No. 15
		70.0	7.50	2.50	Lock No. 16
		50.0	7.00	1.90	Bocholt and Lozen locks (Nos. 18 and 17)
	KANAAL WESSEM – NEDERWEERT	150.0	12.60	3.95	Panheel lock Complex
E 01-06	KANAAL VAN ST. ANDRIES	110.0	14.00	3.00	St. Andries lock
E 01-03	ZUID – WILLEMSVAART	82.0	9.50	1.90	Lock No. 13
		82.0	9.50	1.90	Lock No. 12
		82.0	9.50	1.90	Lock No. 11
		82.0	9.50	1.90	Lock No. 10
		110.0	12.60	1.90	Helmond lock
		110.0	12.60	1.90	Lock No. 6
		110.0	12.60	1.90	Lock No. 5
		110.0	12.60	1.90	Lock No. 4
		110.0	12.60	2.10	Schijndel lock
		124.2	26.40	2.10	Lock No. 0
		92.0	18.00	2.70	Engelen lock
E 02	BOUDEWIJN CANAL Zeebrugge – Brugge (12.0 km)	500.0	57.00	15.00	Vandamme lock
		210.0	19.70	5.50	Visart lock
		125.0	12.00	4.75	Boudewijn lock
	GENT – OOSTENDE CANAL	89.7	10.20	2.50	Dammepoort lock
	LEIE	136.0	16.00	2.50	Sint-Baafs-Vijve lock
		115.0	12.40	3.50	Harelbeke lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
E 02 (continued)	LYS MITOYENNE	195.0	12.50	2.30	Menin lock
		185.0	12.50	4.50	Comines lock
	DEÛLE AND DEÛLE CANAL	110.0	12.00	4.20	Quesnoy lock
		195.0	12.50	5.00	Project Quesnoy/Deûle lock
		144.6	12.00	4.00	Grand Carré lock
		146.2	12.00	3.50	Don lock
E 02-02	GENT – OOSTENDE CANAL Brugge-Oostende	120.0	17.50	4.70	Demey lock
		282.5	18.00	...	Dok lock
E 02-02-01	PLASSENDALE – NIEUWPOORT	90.0	6.35	...	Plassendale lock
		124.0	12.50	...	Saint. Joris lock
E 02-04	ROESELARE – LEIE CANAL	115.0	12.50	3.50	Ooigem lock
E 03	SCHELDE – RIJN CONNECTION	325.0	24.00	6.25	Volkeraksluizen
		325.0	24.00	6.25	
		325.0	24.00	6.25	
	SCHELDE – RIJN CONNECTION	280.0	24.00	5.05	Krammersluizen
		280.0	24.00	5.05	
	ZUID – BEVELAND CANAL Hansweert	280.0	24.00	7.30	
		280.0	24.00	7.30	
	GENT – TERNEUZEN CANAL	290.0	38.00	13.50	Terneuzen Westsluis Complex
		140.0	18.00	8.35	Middensluis
		280.0	24.00	6.63	Oostsluis
	GENT CIRCULAR CANAL	230.0	25.00	5.00	Lock 1
		136.0	16.00	3.80	Lock 2
E 04	BRUXELLES – SCHELDE CANAL	250.0	25.00	9.50	Wintam lock
		205.0	24.90	6.50	Zemst lock
	CHARLEROI – BRUXELLES CANAL Bruxelles – Clabecq				
		81.6	10.50	3.70	Six locks
	CHARLEROI – BRUXELLES CANAL Clabecq – Seneffe	90.0	12.00	3.48	Ittre lock
		2 x 85.5	2 x 11.60	4.20	Ronquières inclined plan
E 05	HAUT ESCAUT Blénaries – Herinnes	125.0	14.05	2.89	Herinnes lock
		124.5	14.00	2.89	Kain lock
	BOVEN-SCHELDE Herinnes – Gent Circular Canal	124.5	14.05	3.50	Kerkhove lock
		125.0	14.00	3.50	Oudenaarde lock
		125.0	14.00	3.50	Asper lock
	GENT CIRCULAR CANAL	180.0	18.00	variable	Two Merelbeke locks
	BENEDEN – ZEESCHELDE Port of Antwerpen	180.0	22.00	variable	Royers lock
	ALBERTKANAAL Antwerpen – Eben – Emael				Six lock complexes of:
		136.0	16.00	5.00	Two locks
		200.0	24.00	5.00	One lock
E 05-02	NIMY-BLATON-PERONNES CANAL Péronnes – Pommeroeul	86.0	12.00	3.50	Peronne I lock
		86.0	12.00	3.50	Peronne II lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
E 05-01	BOSSUIT – KORTRIJK CANAL	38.7	5.15	1.80	Three locks
		115.0	12.50	3.50	Zwevegem lock
		115.0	12.50	3.50	Bossuit lock
		115.0	12.50	3.50	Moen lock
E 05-04	DENDER	55.0	7.50	...	Denderbelle lock
	Aalst – Dendermonde	168.0	16.00	variable	Dendermonde lock
E 06	SCHELDE – RIJN CONNECTION	318.0	24.00	5.05	Kreekraksluizen
		318.0	24.00	5.05	
E 10	HARTELKANAAL	280.0	24.00	5.50	Grote Hartelsluis ¹
	HARTELKANAAL	306.3	24.00	6.50	Rozenburgsesluis
	RHINE, downstream of Strasbourg	270.0	24.00	3.30 ²	Iffezheim and Gamburgsheim locks
	RHINE Strasbourg – Niffer	189.0	24.00	3.50	Strasbourg, large lock
		189.0	12.00	3.50	Strasbourg, small lock
		190.0	24.00	4.25	Gerstheim, large lock
		190.0	12.00	4.25	Gerstheim, small lock
		185.0	24.00	5.20	Rhinau, large lock
		185.0	12.00	5.20	Rhinau, small lock
		185.0	23.00	5.30	Markolsheim, large lock
		185.0	12.00	5.30	Markolsheim, small lock
		185.0	23.00	5.75	Vogelgrun, large lock
		185.0	12.00	5.75	Vogelgrun, small lock
		185.0	23.00	5.65	Fessenheim, large lock
		185.0	12.00	5.65	Fessenheim, small lock
		185.0	23.00	5.05	Ottmarsheim, large lock
		185.0	12.00	5.85	Ottmarsheim, small lock
		182.9	25.00	5.00	Kembs, western lock ³
		190.0	25.00	5.00	Kembs, eastern lock ³
CANAL NIFFER – MULHOUSE	190.0	12.00	5.05	Large chamber, draught 4.0 m	
		85.0	12.00	3.50	Small chamber, draught 3.0 m
SAÔNE St. Symphorien – Lyon 219.0 km – 0.0 km	187.0	12.00	3.50	Seurre lock	
		191.0	12.00	3.50	Ecuelle lock
		196.0	12.00	3.50	Omes lock
		196.0	12.00	3.50	Dracé lock
		184.0	12.00	3.50	Couzon lock
RHÔNE AND RHÔNE-FOS CANAL Lyon – Fos via the Rhône-Fos canal	190.0	12.00	3.00/3.20	Pierre-Bénite, Vaugris, Sablons, Gervans, Bourg-lès-Valence, Beauchastel, Logis-Neuf, Chateauneuf, Bollène, Caderousse, Avignon, Beaucaire et Barcarin locks	
E 10-01	WESEL – DATTELN KANAL	222.0	12.00	4.00 ⁴	
	DATTELN – HAMM KANAL	82.0	9.90	3.05 ⁴	Hamm lock
E 10-03	RHEIN – HERNE KANAL	190.0	12.00	4.00 ⁴	
E 10-05	RUHR	127.0	12.80	5.11 ⁵	Raffelberg lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
E 10-07	NECKAR downstream of Plochingen	106.0	11.88	3.20 ⁵	Besigheim lock
E 10-09	RHINE Niffer – Huningue	183.0	25.00	5.00	Kembs
	RHINE Huningue – Birsfelden	190.0	25.00	5.00	Two large locks
	RHINE Birsfelden – Rheinfelden	180.0/187.5	11.45	3.20	
	RHINE Birsfelden – Rheinfelden	110.0	11.45	3.20	
E 10-04	RHÔNE – SÈTE CONNECTION Saint-Gilles lock – Espeyran	195.0	12.00	3.60	
E 10-06	RHÔNE AND PORT SAINT-LOUIS CANAL Lyon – Fos via the Port Saint-Louis Canal	135.0	19.00	5.25	Port Saint-Louis lock
E 11	AMSTERDAM – RIJNKANAAL	-	50.00	5.13	Keersluis Zeeburg ⁶ (no longer in use)
		120.0	14.00	4.20	Zeeburg lock complex (no longer in use)
	AMSTERDAM – RIJNKANAAL	260.0	24.00	5.10	Prinses Irenesluis
		350.0	18.00	4.20	
	AMSTERDAM – RIJNKANAAL	...	80.00	2.35	Keersluis ⁶
		260.0	18.00	2.35	Prinses Marijkesluis
		260.0	18.00	2.35	Two chambers
	AMSTERDAM – RIJNKANAAL	260.0	24.00	2.35	Prins Bernardsluis
		350.0	18.00	2.35	
E 11-01	ZAAN	116.8	12.00	3.10	Wilhelminasluis
E 11-02	LEKKANAAL	225.0	18.00	4.20	Prinses Beatrixsluizen (two chambers)
E 12	MAAS – WAALKANAAL	270.0	16.00	3.80	Heumen lock ⁷
		262.0	16.00	4.50	Weurt lock complex
		266.0	16.00	6.00	Two chambers
	IJsselmeer	137.8	14.00	4.40	Lorentzsluis Complex
		67.1	9.00	4.40	
E 12-02	MEPPEDIEP	142.0	14.00	4.50	Spooldersluis
E 13	DORTMUND – EMS KANAL To the North of the Mittellandkanal	165.0	12.00	3.50 ^{5, 8}	Herbrum locks
		163.0	9.93	3.50 ⁴	Gleesen lock
	DORTMUND – EMS KANAL To the South of the Mittellandkanal	190.0	12.50	4.00 ⁴	Münster lock
		190.0	12.00	4.00 ⁴	Henrichenburg lock
E 14	WESER From estuary to Minden	350.0	12.40	4.50 ^{5, 8}	Hemelingen locks
		85.0	12.30	3.25 ⁵	Dörverden Kleine Schleuse
		85.0	10.00	4.00 ⁵	Minden Schachtschleuse
		214.0	12.30	3.00 ⁵	Other locks
E 15	IJsselmeer Oranjesluizen	205.0	24.00	4.70	
		72.0	14.00	4.50	
		95.0	18.00	4.50	
		72.0	14.00	4.50	
	IJsselmeer	190.0	17.50	4.50	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m)	WIDTH (m)	DEPTH AT SILLS (m)	
		3	4	5	
1	2	3	4	5	6
	Houtribsluizen	190.0	17.50	4.50	
E 15 (continued)	PRINSES MARGRIET KANAAL				
	Prinses Margrietsluis	260.0	15.90	3.84	
	PRINSES MARGRIET KANAAL				
	Terhornstersluis	260.0	16.00	4.00	Gates are kept open
	VAN STARKENBORGH KANAAL	190.0	16.00	4.77/5.04	Gaarkeukensluis
		190.0	16.00	4.22/6.22	Oostersluis
	EEMSKANAAL	123.0	7.00	3.02/4.20	
	Zeesluizen Farmsum	144.0	16.00	5.45/6.07	
	DORTMUND – EMS – KANAL	165.0	12.00	3.50 ^{5, 8}	Herbrum locks
	KÜSTENKANAL	104.0	11.90	3.00 ⁴	Dörpen lock
		102.0	12.00	3.00 ^{4, 8}	Oldenburg lock
E 15–01	VAN HARINXMA CANAL	127.5	12.00	3.75	Lock 1
	Tjerk Hiddes Locks	40.0	7.00	2.05	Lock 2
E 20	ELBE				
	From estuary to Czech border	220.0	25.00	4.00 ⁵	Geesthacht locks
	ELBE				
	German border – Ústí nad Labem	200.0	24.00	4.00	Děčín lock in project
	ELBE	173.7	13.00	2.60	Střekov parallel locks
	Ústí nad Labem – Střekov – Mělník	170.0	24.00	2.60	
		155.0	22.00	2.50	Lovosice parallel locks
		110.0	12.00	2.50	
		85.0	11.00	2.80	České Kopisty parallel locks
		155.0	22.00	3.00	
		85.0	11.00	2.70	Roudnice nad Labem parallel locks
		155.0	22.00	3.00	
		85.0	11.00	2.70	Štětí parallel locks
		155.0	22.00	2.70	
		85.0	11.00	3.00	Dolní Beršovice parallel locks
		200.0	22.00	3.25	
E 20–02	ELBE	85.0	12.00	3.30	Three locks
	Mělník – Chvaletice	85.0	12.00	3.00	Twelve locks
	ELBE	115.0	12.50	4.00	Přelouč II lock (in project)
	Chvaletice – Pardubice	85.0	12.00	3.00	Přelouč I lock
		85.0	12.00	3.00	Srnecedy lock
E 20–04	ELBE – SEITENKANAL	100.0	12.00	3.50 ⁴	Lüneburg shiplift
		185.0	12.00	4.00 ⁴	Uelzen lock
E 20–06	SAALE (0.0 km – 88.0 km)	102.5 ⁹	12.00 ⁹	3.31 ⁵	Wettin lock
E 20–06	VLAVA	73.0	11.00	2.50	Hořín parallel locks ¹⁰
	Mělník – Praha – Slapy	137.0	20.00	2.50	
		69.0	11.00	2.50	Miřejovice double locks ^{10, 11}
		133.0	20.00	2.50	
		52.0	11.00	2.50	Dolánky double locks ^{10, 11}
		133.0	11.00	2.50	
		59.0	11.00	2.50	Roztoky double locks ^{10, 11}
		133.0	20.00	2.50	

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
E 20–06 (continued)		73.0	11.00	2.50	Podbaba parallel locks ¹⁰
		135.0	12.00	4.00	
		115.0	11.00	2.50	Štvanice parallel locks
		175.0	11.00	2.50	
		174.0	11.00	2.50	Smíchov double locks 98 + 72
		192.0	12.00	3.50	Modřany lock
		134.0	12.00	3.00	Vrané nad Vltavou parallel locks
		85.0	12.00	3.00	
		118.4	12.00	2.50	Štěchovice lock
E 21	TRAVE, ELBE – LÜBECK KANAL	80.0	12.00	2.44 ⁴	Büssau lock
E 30	ODER Brzeg Dolny – Kozle				
		187.0	9.60	2.50	Twenty-three locks
E 30–01	GLIWICKI CANAL	72.0	12.00	3.50	Six parallel locks
E 31	WESTODER, HOHNSAATEN – FRIEDRICHSTHALER WASSERSTRÄßE	172.0	11.92	4.07 ⁵	Hohnsaaten West lock
E 40	WISLA				
	Gdansk – Bydgoszcz	192.0	12.00	3.60	Przegalina lock
	Bydgoszcz – Warszawa	115.0	12.00	3.50	Włocławek lock
	ZERAN CANAL	85.0	12.00	3.00	One lock
E 40	MUKHOVETS Brest – Kobrin	120.0	12.90	2.40/2.70	Lock No. 10 Trishin
		120.0	12.70	2.75/2.40	Lock No. 9 Novosady
		120.0	12.90	2.50/2.70	Lock No. 8 Zaluzje
E 40	DNEPROVSKO – BUGSKIY KANAL Kobrin – Pererub	120.0	12.70	2.70/2.55	Kobrin lock
		79.80	11.10 ¹²	4.10/2.17	Lock No. 5 Lyakhovichi
		79.85	11.10 ¹²	3.80/2.00	Lock No. 4 Ovzichi
		79.85	11.10	3.85/1.95	Lock No. 3 Ragodosch
		80.0	11.30 ¹²	3.90/1.76	Lock No. 2 Pererub
	PINA				
	Pererub – Pinsk	120.0	12.70	2.45/2.60	Lock No. 1 Duboy
PRIPYAT		110.0	11.90	4.40/2.20	Lock No. 11 Kachanovichi
	Pinsk – Stakhovo	110.0	12.00	5.20/2.20	Lock No. 12 Stakhovo
	DNIPRO	150.0	18.00	4.00	Kyiv lock
	Mouth of the Pripyat River – Kherson	270.0	18.00	4.25	Kanev lock
		270.0	18.00	3.85	Kremenchuk lock
		270.0	18.00	3.65	Dniprozherzhynsk lock
		120.0	18.00	4.40	Zaporizhya three chambers lock
		290.0	18.00	5.50	Zaporizhya one chamber lock
		270.0	18.00	3.65	Kakhovka lock
E 50	VOLGO – BALTIJSKIY WATERWAY St. Petersburg – Cherepovets				
		198.0	17.80	4.00	Nine locks
	VOLGA				
	Rybinsk – Astrakhan	280.0	29.50	3.50 ¹²	Eight locks
E 50–02	VOLGA				
	Rybinsk – Dubna	290.0	29.00	4.00	One lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
	KANAL IMENI MOSKVI AND RIVER MOSKVA Dubna – Moskva (Southern Port)				
		290.0	29.00	3.00 ¹³	Nine locks
E 50–01	KAMA Mouth of the Kama – Solikamsk				
		240.0	28.90	3.30	Three locks
E 60	KIEL CANAL BELOMORSKO – BALTIJSKIY CANAL Povenets – Belomorsk	310.0 130.0	42.00 13.50	14.00 ^{4, 8} 4.00	
E 60–02	GUADALQUIVIR	293.6	35.00	9.00	One lock
E 60–04	DOURO Porto – Spanish border 0.0 km – 210.0 km	86.0–92.0	12.10	4.20	In total there are five locks on the Douro River
E 60–07	TROLLHÄTTE CANAL	90.0	13.07	5.85	Six locks
E 60–09	SÖDERTÄLJE CANAL	135.0	19.60	8.00	One lock
E 60–11	SAIMAA CANAL Vyborg – Mälkiä Lock Mälkiä Lock – Kuopio/Joensuu Kuopio – Iisalmi	85.0 160.0 165.0	13.20 13.20 16.00	4.80 4.80 4.00	
E 60–11–02	Joensuu – Nurmekoski	165.0 85.0	16.00 16.00	3.00 3.00	Joensuu lock Other two locks
E 70	NEDER-RIJN Driel, 891.2 km Amerongen, 922.0 km Hagestein, 946.8 km	260.0 260.0 260.0	18.00 18.00 18.00	3.50 3.50 3.50	Normally passage through weir openings: 2 x 48.0 m
	TWENTEKANAAL	200.0 133.0 133.0 133.0	24.00 12.00 12.00 12.00	1.30 3.50 3.45 3.75	Eefde lock complex (normally open, only closed at low water) Eefde lock complex Delden lock complex Hengelo lock complex
	MITTELLANDKANAL	220.0 224.0	12.00 12.00	3.50 ⁴ 3.00 ⁴	Arderten locks Sülfeld locks
	MITTELLANDKANAL Rothensee – Verbindungskanal	190.0	12.50	4.25	Rothensee lock
	MITTELLANDKANAL	190.0	12.50	4.25	Hohenwarthe parallel locks
	ELBE – HAVEL – KANAL	165.0 220.0 220.0	11.70 12.00 12.00	3.49 ⁴ 3.05 ⁴ 3.25 ⁴	Niegripp lock Zerben lock Wusterwitz lock
	UNTERE HAVEL – WASSERSTRASSE	210.0 167.4	9.93 12.10	3.24 ⁵ 3.74 ⁵	Southern Brandenburg lock Northern Brandenburg lock
	HAVEL – ODER – WASSERSTRASSE	Spandau lock not in operation
		82.0	11.90	2.50 ⁵	Niederfinow shiplift
	WARTA – NOTEC – BYDGOSKI CANAL Kostrzyn – Bydgoszcz	57.4 115.0	9.60 12.00	2.50 3.50	Twenty one locks Czersko Polskie lock
	SZKARPAWA				

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
	Gdanska GLOWA – Elblag	61.0/88.2 ¹⁴	12.50	3.00	One lock ¹⁴
	NOGAT				
	Biala Gora – Elblag	56.6–57.3	9.50	2.50	Four locks
E 70-01	HOLLANDSCHE IJssel	112.0 (ebb) 135.0 (flood)	23.90	5.20	Algera lock. Normally passage through barrier opening of 80.0 m width
E 70-02	Mittellandkanal branch to Osnabrück	82.0	10.00	3.50 ⁴	Hollage lock
					Haste lock
E 70-04	Mittellandkanal branch to Hannover – Linden	83.0	10.00	3.50 ⁴	Hannover-Linden lock
E 70-06	Mittellandkanal branch to Hildesheim	82.0	12.00	3.00 ⁴	Bolzum lock
E 70-08	Mittellandkanal branch to Salzgitter	223.0	12.00	3.30	Wedtlenstedt locks
E 70-05	Havelkanal	82.2	12.00	3.21 ⁴	Schönwalde lock
E 70-10	Spree	82.0	10.00	2.30 ⁴	Charlottenburg lock
E 70-12	BERLIN – SPANDAUER SCHIFFFAHRTSKANAL	67.2	10.00	3.00 ⁴	Plötzensee locks
E 71	TELTKANAL, BRITZER VERBINDUNGSKANAL	83.5	12.00	3.48	Northern Kleinmachnow lock
	SPREE – ODER – WASSERSTRASSE	54.1	9.70	3.06 ⁵	Northern Kersdorf lock
		65.6	8.54	2.49 ⁵	Southern Kersdorf lock
E 80	LE HAVRE – TANCARVILLE CANAL	205.3	24.00	10.40	New lock
		180.0	30.00	7.85	Old lock
	SEINE	220.0	17.00	4.50	Poses-Amfreville lock
		140.0	12.00	4.00	
		185.0	24.00	5.00	Notre-Dame-de-la-Garenne lock
		185.0	12.00	5.00	
		171.0	12.00/17.00	3.20	
		42.0	8.00	3.20	
		185.0	12.00/17.00	4.50	Méricourt lock
		160.0	17.00	4.50	
		140.0	12.00/17.00	2.50	
		185.0	24.00	3.50	Andrésy lock
		160.0	12.00	3.50	
	OISE	185.0	12.00	3.00	Pontoise lock
		125.0	12.00	2.20	Ile Adam lock
		180.0	11.40	3.00/2.50	Boran/Oise lock
		125.0	12.00	2.50	Creil lock
	OISE	180.0	11.40	3.00/2.50	Saron lock
		125.0	12.00	2.50	Verberie and Venettes locks
	MOSELLE	185.0	12.00	8.65	17 locks altogether
		180.0	12.00	2.70	
		170.0	12.00	8.65	
	Fontenoy – Apach	170.0	12.00	2.70	
	MOSELLE	170.0	12.00		
		100.0	12.00		
	Access to the Port of Clévant				

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
MOSELLE	Apach – Koblenz	172.0	12.00	3.20 ⁵	
	MAIN, downstream of Frankfurt/Main	341.5	15.00	4.66 ⁵	Northern Kostheim lock
	MAIN, upstream of Frankfurt/Main	289.8	12.00	3.00 ⁵	Viereth lock
	MAIN – DONAU KANAL	190.0	12.00	4.00 ⁴	Sixteen locks
	DANUBE				
	Upstream of Regensburg	190.0	12.00	4.005	Bad Abbach lock
E 80 (continued)	DANUBE, Downstream of Regensburg to 2 201.8 km	226.5	24.00	4.70 ⁵	Kachlet locks
		230.0	24.00	3.65 ¹⁵	Geisling lock
	DANUBE				
	2 201.8 km – 1 880.3 km				
	Aschach, 2 162.7 km	230.0	24.00	4.00	Two locks at each power station
	Ottensheim – Wilhering, 2 146.7 km	230.0	24.00	4.00	
	Abwinden – Asten, 2 119.5 km	230.0	24.00	4.00	
	Wallsee – Mitterkirchen, 2 094.5 km	230.0	24.00	4.00	Depth at sills referring to LNWL
	Ybbs Persenbeug, 2 060.4 km	230.0	24.00	4.00	
	Melk, 2 038.2 km	230.0	24.00	3.40	
	Altenwörth, 1 979.8 km	230.0	24.00	4.00	
	Greifenstein, 1 949.2 km	230.0	24.00	4.00	
	Wien Freudeneau, 1 921.0 km	275.0	24.00	4.00	
	DANUBE				
Čunovo, 1 851.75 km ¹⁶	Čunovo, 1 851.75 km ¹⁶	130.7	24.00	3.50	One lock (divided 130.70/55.70 m)
	DERIVATION CANAL GABČÍKOVO, 1 819.3 km	275.0	34.00	4.50	Two locks
	DANUBE	310.0	34.00	4.50	Iron Gates I locks, 942.95 km
	1 075.0 km – 0.0 km	310.0	34.00	5.00	
		310.0	34.00	4.50	Iron Gates II locks, 864.00 km
		310.0	34.00	4.50	863.00 km
		140.0	17.00	2.50	Iron Gates II reserve lock
E 80-01	TISZA, 164.0 km – 0.0 km	85.0	12.00	3.00	Becej lock
E 80-01-02	BEGEJ, 65.6 km – 0.0 km	72.1	10.00	2.40	Itebej lock (out of order)
		72.1	10.00	2.40	Klek lock
		85.0	12.00	3.00	Stojcevo lock
E 80-02	SEINE Tancarville – Estuary	180.0	24.00	3.50	Access to the Port of Le Havre
					(Seine, 338.5 km)
E 80-04	SEINE Conflans – Paris	220.0	12.00/17.00	3.20	Bougival locks
		113.5	12.00	2.00	
		41.6	8.00	3.20	
		185.0	18.00	5.00	Chatou lock
		185.0	18.00	5.00	Suresnes locks
		160.5	12.00/17.00	4.10	
		160.5	12.00	2.10	
	SEINE Paris – Montereau, 165.2 km – 67.7 km	180.0	12.00/16.00	3.20	Port à l'Anglais
		180.0	12.00/16.00	3.50	Ablon

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2	6			
		180.0	12.00	3.30	Evry
		180.0	18.00	3.50	Le Coudray
		185.0	18.00	3.50	Vives-Eaux
		185.0	18.00	3.50	La Cave
		185.0	18.00	3.50	Champagne
E 80-04 (continued)	SEINE Montereau – Bray, 67.7 km – 45.0 km	180.0	16.00	3.50	Varennes
		185.0	12.00	4.00	Marolles
		185.0	12.00	4.00	La Grande Bosse
		121.0	10.50	2.76	Jaulnes
		185.0	12.00	4.00	Le Vezoult
	SEINE Bray – Nogent 45.0 km – 18.72 km	121.0	10.50	2.24	Villiers
		121.0	10.30	2.73	Melz
		121.0	10.30	2.50	Beaulieu
E 80-06	SAAR, downstream of Völklingen	190.0	12.00	4.00 ⁵	
E 80-05	DANUBE – BUCURESTI CANAL	130.0	12.50	5.00	Four double locks under construction
E 80-14	DANUBE – BLACK SEA CANAL	310.0	25.00	7.50	Cernavoda (60.0 km) and Agigea (1.3 km) locks
E 80-14-01	POARTA ALBA – MIDIA – NAVODARI CANAL	145.0	12.50	6.50	Navodari lock (1.5 km) and Ovidiu lock (11.0 km)
E 81	VÁH Kolárovo, 27.4 km Selice, 43.9 km Kráľová, 63.15 km Sered' – Hlohovec 79.5 km Medunice, 106.6 km				
		110.0	24.00	4.00	One lock is planned
		110.0	24.00	4.00	One lock
		110.0	24.00	4.00	One lock
		110.0	24.00	4.00	One lock is planned
		110.0	12.00	4.00	Reconstruction and modernization planned
	Horná Streda, 130.90 km	85.0	12.00	4.00	Not yet in operation
		110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Nové Mesto nad Váhom, 143.70 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Kostolná, 157.10 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Trenčianske Biskupice, 161.90 km		12.00		Weir sluice planned for navigation
			12.00		Not yet in operation
	Trenčín (Skalka), 168.80 km	110.0	12.00	4.00	Reconstruction and modernization planned
		85.0	12.50	4.00	Not yet in operation
	Dubnica, 179.40 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m)	WIDTH (m)	DEPTH AT SILLS (m)	
		3	4	5	
1	2				6
	Ilava, 187.45 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation
E 81 (continued)	Ladce, 194.25 km	110.0	12.00	4.00	Reconstruction and modernization planned
		31.00	7.00	4.00	Not yet in operation
	Dolné Kočkovce canal, 200.20 km		8.00		Weir sluice planned for navigation
	Nosice, 199.80 km	110.0	12.00	4.00	Missing lock / lift planned
	Považská Bystrica, 212.80 km	110.0	12.00	4.00	Missing lock planned
	Mikšová, 221.33 km	110.0	12.00	4.00	Missing lock planned
	Hričov, 237.70 km	110.0	12.00	4.00	Missing lock planned
E 90	DON	145.0	17.80	4.00	Five locks
	Aksay – Kalach				
	VOLGO – DONSKOY CANAL	145.0	17.80	4.00	Thirteen locks
	Kalach – Krasnoarmeysk				
E 91	MILANO – PO CANAL Milano – Cremona	197.0	12.00	3.50	Cremona lock. The lock has two preterlocks of 110.0 x 12.00 x 3.50 m
		200.0	12.50	3.50	Acquanegra lock
	PO – BRONDOLO CANAL	100.0	10.50	3.50	Cavanella d'Adige right lock
		110.0	12.50	3.50	Cavanella d'Adige right new lock under construction
		100.0	10.50	3.50	Cavanella d'Adige left lock
		110.0	12.50	3.50	Cavanella d'Adige left new lock under construction
		100.0	10.50	3.50	Brondolo lock
		110.0	12.50	3.50	Brondolo new lock under construction
	LAGUNA VENETA	81.0	20.00	3.50	Cavallino lock. Used for touristic purposes
		81.0	10.00	3.50	Cortellazzo lock. Used for touristic purposes.
		81.0	10.00	3.50	Revedoli lock. Used for touristic purposes.
		81.0	10.00	3.50	Bavazzana lock. Used for touristic purposes.
E 91-02	PO From Cremona lock to Casale Monferrato	85.0	11.50	2.50	Isola Serafini lock. Improvement to class Va 110.0 x 12.50 x 3.5 m is under way
E 91-01	MINCIO	80.0	10.00	3.50	Governolo locks
E 91-04	FERRARA WATERWAY Ferrara – Porto Garibaldi	110.0	12.50	3.50	Pontelagoscuro lock
		98.0	12.00	3.50	Valpagliaro lock
		98.0	12.00	3.50	Vallelepri lock
E 91-03	MANTOVA – ADRIATIC SEA CANAL	110.0	12.50	3.50	Valdaro lock under construction
		110.0	12.50	3.50	Trevenzuolo lock
		110.0	12.50	3.50	Torrenta lock

E WATERWAY	SECTION OF E WATERWAY	DIMENSION OF LOCKS			COMMENTS
		LENGTH (m) 3	WIDTH (m) 4	DEPTH AT SILLS (m) 5	
1	2				6
		110.0	12.50	3.50	Canda lock
		110.0	12.50	3.50	Bussari lock
		110.0	12.50	3.50	Barricetta lock
		224.5	24.00	3.50	Volta Grimana lock
E 91-03-02	PO – MANTOVA-ADRIATIC SEA CANAL	225.0	12.50	3.50	S. Leone lock
E 91-05	PADOVA – VENEZIA CANAL	80.0	10.00	3.50	Romea lock

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1	2	3	4	5	6	7	8	9			
P 01–01	Dunkerque (Dunkerque-Valenciennes Canal, 20.5 km)			x	x	x	x	x			
P 01–02	Charleroi (Sambre, 48.6 km)		x		x	x	x	x			
P 01–02bis	Charleroi (Charleroi-Bruxelles Canal, 5.6 km)		x		-	-	-	-			
P 01–03	Namur (Sambre, 65.5 km)		x		x	x	-	x			
P 01–03bis	Namur (Meuse, 54.5 km)		x		-	-	-	-			
P 01–04	Liège (Meuse, 105.0 km)			x	x	x	x	x			
P 01–04bis	Liège (Albert Canal, 9.6 km)			x	x	x	x	x			
P 01–05	Maastricht (Maas, 4.5 km)	x			-	-	-	x			
P 01–06	Stein (Maas, 21.9 km)	x			x	x	-	x			
P 01–07	Born/Sittard-Geleen (Maas, 29.7 km)	x			x	x	x	x			
P 01–08	Maasbracht (Maas, 41.8 km)	x			-	-	-	x			
P 01–09	Roermond (Maas, 74.3 km)	x			-	-	-	-			
P 01–09bis	Venlo (Maas, 108.0–111.0 km)	x			x	x	-	x			
P 01–09ter	Meerlo/Wanssum (Maas, 133.0 km)	x			x	x	-	-			
P 01–09quater	Gennep (Maas, 153.0 km)		x		-	-	-	-			
P 01–09quinquies	Cuijk (Maas, 167.0 km)		x		-	-	-	-			
P 01–09sexies	Grave (Maas, 174.0 km)	x			-	-	-	-			
P 01–10	Oss (Maas, 193.0 km)		x		x	x	-	x			
P 01–10bis	Maasdriel (Maas, 212.0 km)	x			-	-	-	-			
P 01–10ter	Waalwijk (Bergsche Maas, 236.0 km)	x			x	x	-	-			
P 01–10quater	Geertruidenberg (Bergsche Maas, 251.0 km)	x			-	-	-	-			
P 01–11	Dordrecht (Merwede, 974.4 km)		x		-	-	-	x			
P 01–12	Zwijndrecht (Oude Maas, 980.6 km)	x			-	-	-	x			
P 01–13	Vlaardingen (Nieuwe Waterweg, 1 010.5 km)		x		-	-	x	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4		5	6	7	8	9
P 01–14	Maassluis (Nieuwe Waterweg, 1 018.7 km)	x			x	x	-	-	
P 01–01–01	Overpelt (Kanaal Bocholt-Herentals, 14.8 km)	
P 01–03–01	's-Hertogenbosch (Zuid-Willemsvaart, 4.0 km)	x			x	x	-	-	
P 01–03–02	Veghel (Zuid-Willemsvaart, 24.0 km)	x			x	x	-	-	
P 02–01	Zeebrugge (North Sea)	x		x ¹	x	x	x	x	
P 02–02	Aalter (Gent – Oostende Canal, 22.5 km)	x			-	-	-	-	
P 02–03	Lille (Deûle, 42.0 km)	x			x	x	-	x	
P 02–02–01	Oostende (North Sea)	
P 02–04–01	Roeselare (Roeselare-Leie Canal, 0.5 km)		x		-	-	-	-	
P 02–04–02	Izegem (Roeselare – Leie Canal, 6.4 km)		x		-	-	-	-	
P 03–01	Moerdijk (Hollands Diep, 986.0 km)			x	x	x	x	x	
P 03–02	Terneuzen (Gent – Terneuzen Canal, 32.5 km)			x	x	x	x	x	
P 03–03	Zelzate (Gent – Terneuzen Canal, 19.6 km)	
P 03–04	Gent (Gent – Terneuzen Canal, 4.6 km)	x			-	-	-	-	
P 04–01	Vlissingen (Westerschelde, 14.0 km from the mouth)	x			x	x	x	x	
P 04–02	Beveren (Beneden Zeeschelde, 22.9 km)	
P 04–03	Ruisbroek (Charleroi-Bruxelles Canal, 58.8 km)	x			-	-	-	-	
P 04–03bis	Willebroek (Bruxelles-Schelde Canal, 61.3 km)	x			x	x	x	x	
P 04–04	Grimbergen (Bruxelles-Schelde Canal, 75.8 km)	x			-	-	-	-	
P 04–05	Bruxelles (Bruxelles-Schelde Canal, 81.5 km)	
P 05–01	Avelgem (Boven-Schelde, 35.7 km)	x			x	x	-	-	
P 05–02	Melle (Boven-Zeeschelde, 9.9 km)	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4		5	6	7	8	9
P 05–03	Meerhout (Albertkanaal, 80.7 km)	x			x	x	
P 05–04	Ham (Albertkanaal, 73.7 km)	x			
P 05–05	Hasselt (Albertkanaal, 51.5 km)	x			
P 05–06	Genk (Albertkanaal, 42.9 km)	x			
P 05–07	Centre and West (Schelde, 10.0 km)		x		x	x	x	x	
P 05–08	Centre and West (Canal du Centre, 10.0 km)		x		x	x	x	x	
P 05–01–01	Bossuit Kortrijk (Bossuit – Kortrijk Canal, 7.6 km)		x		-	-	-	-	Building materials, petroleum products and metal ores. Agricultural products, food products and chemicals
P 05–04–01	Aalst (Dender, 53.7 km)	x			-	-	-	-	
P 06–01	Antwerpen (Schelde, 102.9 km)	
P 06–02	Bergen op Zoom (Schelde-Rijn Connection, 1 031.8 km)	x			x	x	-	-	
P 10–01	Rotterdam (Nieuwe Maas, 1 002.5 km)			x	x	x	x	x	
P 10–02	Albllasserdam (Noord, 981.1 km)	x			x	x	-	-	
P 10–02bis	Gorinchem (Merwede, 956.0 km)	x			x	x	-	-	
P 10–02ter	Zaltbommel (Waal, 935.0 km)	x			-	-	-	-	
P 10–03	Tiel (Waal, 914.6 km)	x			-	-	x	-	
P 10–04	Emmerich (Rhine, 852.0 km)	x			x	x	...	x	
P 10–05	Wesel (Rhine, 814.0 km)	x			x	x	...	x	
P 10–06	Rheinberg-Ossenberg* (Rhine, 806.0 km)	x			
P 10–07	Orsoy (Rhine, 794.0 km)	x			
P 10–08	Walsum-Nordhafen* (Rhine, 793.0 km)	x			
P 10–09	Walsum-Sud* (Rhine, 791.0 km)	x			
P 10–10	Schwelgern* (Rhine, 790.0 km)			x	
P 10–11	Homberg, Sachtleben* (Rhine, 774.0 km)			x	x	x	x	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 10-12	Duisburg-Ruhrort Häfen (Rhine, 774.0 km)			x	x	x	x	x	
P 10-13	Krefeld (Rhine, 762.0 km)	x			x	x	...	x	
P 10-14	Düsseldorf (Rhine, 743.0 km)	x			x	x	...	x	
P 10-15	Neuss (Rhine, 740.0 km)		x		x	x	...	x	
P 10-16	Stürzelberg* (Rhine, 726.0 km)	x			x	
P 10-17	Leverkusen* (Rhine, 699.0 km)	x			x	x	...	x	
P 10-18	Köln (Rhine, 688.0 km)			x	x	x	...	x	
P 10-19	Wesseling-Godorf* (Rhine, 672.0 km)	x			x	
P 10-20	Bonn (Rhine, 658.0 km)	x			x	x	-	-	
P 10-21	Andernach (Rhine, 612.0 km)	x			-	-	-	x	
P 10-22	Neuwied (Rhine, 606.0 km)	-	-	-	x	
P 10-23	Bendorf (Rhine, 599.0 km)	x			-	-	-	x	
P 10-24	Koblenz (Rhine, 596.0 km)	x			x	x	-	x	
P 10-25	Bingen (Rhine, 527.0 km)	-	-	-	x	
P 10-26	Wiesbaden (Rhine, 500.0 km)	x			-	-	-	x	
P 10-27	Gernsheim (Rhine, 462.0 km)	x			-	-	-	x	
P 10-28	Worms (Rhine, 444.0 km)	x			-	-	-	x	
P 10-29	Mannheim (Rhine, 424.0 km)		x		x	x	x	x	
P 10-30	Ludwigshafen (Rhine, 420.0 km)		x		x	x	x	x	
P 10-31	Speyer (Rhine, 400.0 km)	x			-	-	-	x	
P 10-32	Germersheim (Rhine, 385.0 km)	x			x	x	-	x	
P 10-33	Wörth (Rhine, 366.0 km)	x		x	x	x	-	x	
P 10-34	Karlsruhe (Rhine, 360.0 km)	x	x	x	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1	2	3	4	5	6	7	8	9			
P 10-35	Kehl (Rhine, 297.0 km)	x			x	x	-	x			
P 10-36	Strasbourg (Rhine, 296.0 km)		x		x	x	x	x	Sand, gravel, oil products, cereals, heavy packages		
P 10-37	Breisach (Rhine, 226.0 km)	x			-	-	-	-			
P 10-38	Colmar-Neuf Brisach (Rhine, 225.8 km)	x			x	x	-	x	Minerals, gravel, aluminium, cereals		
P 10-39	Mulhouse-Ottmarsheim (Grand Canal d'Alsace, 21.0 km)		x		x	x	-	x	Minerals, agricultural products, metallurgical products and chemicals		
P 10-40	Fort Louis Stattmatten (Grand Canal d'Alsace, 322.0 km)	x					
P 10-41	Ile Napoléon (Niffer – Mulhouse Canal, 37.6 km)	x			-	-	-	x	Oil products, minerals, fertilizers		
P 10-42	Aproport (Chalon-sur-Saône, Mâcon, Villefranche-sur-Saône) (Saône, 230.0 km, 296.0 km and 335.0 km)	x			x	x	-	x	Bulk cargoes, construction materials		
P 10-43	Pagny (Saône, 192.75 km)	x			x	x	x	-			
P 10-44	Lyon (Rhône, 375.0 km)	x			x	x	x	x	Oil and metallurgical products, minerals		
P 10-45	Marseille-Fos (Marseille-Rhône Canal, 0.0 km)	x			x	x	x	x	Oil products, minerals		
P 10-01-01	Rhein-Lippe-Hafen* (Wesel-Datteln Kanal, 1.0 km)	x			x			
P 10-01-02	Marl Hüls-AG* (Wesel-Datteln Kanal, 38.0 km)		x		x			
P 10-01-03	Auguste Victoria* (Wesel-Datteln Kanal, 39.0 km)	x					
P 10-01-04	Lünen (Datteln-Hamm Kanal, 11.0 km)	x			x			
P 10-01-05	Berkamen* (Datteln-Hamm Kanal, 22.0 km)	x					
P 10-01-06	Hamm (Datteln-Hamm Kanal, 34.0 km)	x			x	x	...	x			
P 10-01-07	Schmehausen* (Datteln-Hamm Kanal, 47.0 km)	x					
P 10-03-01	Essen (Rhein-Herne Kanal, 16.0 km)	x			x			
P 10-03-02	Coelln-Neuessen* (Rhein-Herne Kanal, 17.0 km)	x					
P 10-03-03	Ruhr-Oel* (Rhein-Herne Kanal, 22.0 km)	x			x	x	...	x			
P 10-03-04	Gelsenkirchen (Rhein-Herne Kanal, 24.0 km)		x		x	x	...	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 10-03-05	Wanne-Eickel (Rhein-Herne Kanal, 32.0 km)	x			x	
P 10-05-01	Mühlheim (Ruhr, 8.0 km)	x			x	x	
P 10-07-01	Heilbronn (Neckar, 110.0 km)		x		x	x	x	x	
P 10-07-02	Stuttgart (Neckar, 186.0 km)	x			-	-	-	x	
P 10-07-03	Plochingen (Neckar, 200.0 km)	x			-	-	-	x	
P 10-09-01	Huningue (Rhine, 168.4 km)	x			-	-	-	x	Oil products, minerals, fertilizers
P 10-09-02	Swiss Rhine Ports (Schweizerische Rheinhäfen) (Rhine, 159.15 km – 170.0 km)			x	x	x	x	x	
P 10-04-01	Sète (Rhône-Sète Canal, 96.0 km)	x			x	x	x	x	Coal, cereals, oilcake
P 10-06-01	Fos (Fos Bay, sea section)			x	x	x	x	x	
P 11-01	IJmond (Noordzeekanaal, 4.7 km)			x	x	x	x	x	
P 11-02	Zaanstad (Zaan, 1.4 km)		x		x	x	-	x	
P 11-02bis	Beverwijk (Noordzeekanaal, 4.5 km)	x			x	x	-	-	
P 11-03	Amsterdam (Noordzeekanaal, 20.6 km)			x	x	x	x	x	
P 11-04	Utrecht (Amsterdam-Rijnkanaal, 35.0 km)		x		x	x	-	x	
P 11-01-01	Zaandam (Zaan, 2.0 km)	x			-	-	-	-	
P 12-01	Nijmegen (Waal, 884.6 km)	x			x	x	-	-	
P 12-02	Arnhem (Neder-Rijn, 885.8 km)	x			-	-	-	-	
P 12-02bis	Deventer (Geldersche IJssel, 57.3 km)	x			-	-	-	-	
P 12-03	Zwolle (IJssel, 980.7 km)	x			-	-	-	-	
P 12-04	Kampen (Geldersche IJssel, 106.8 km)	x			-	-	-	-	
P 12-02-01	Meppel (Meppelerdiep, 10.5 km)	x			x	x	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4		5	6	7	8	9
P 13-01	Emsland* (Dortmund-Ems-Kanal, 151.0 km)	x			x	
P 13-02	Münster (Dortmund-Ems-Kanal, 68.0 km)	x			x	
P 13-03	Dortmund (Dortmund-Ems-Kanal, 1.0 km)	x			x	x	...	x	
P 14-01	Bremerhaven (Weser, 66.0–68.0 km)	x			x	x	x	x	
P 14-02	Nordenham (Weser, 54.0–64.0 km)	x			x	x	-	x	
P 14-03	Brake (Weser, 41.0 km)	x			x	x	-	x	
P 14-04	Bremen (Weser, 4.0–8.0 km)		x		x	x	x	x	
P 15-01	Almere (IJsselmeer, 15.0 km)	x			-	-	-	-	
P 15-01bis	Lelystad (IJsselmeer, 32.0 km)	x			-	-	-	-	
P 15-02	Lemmer (Prinses Margrietkanaal, 90.5 km)	x			-	-	-	-	
P 15-02bis	Sneek (Prinses Margrietkanaal, 43.7 km)	x			x	x	-	-	
P 15-02ter	Zuidhorn (Van Starckenborghkanaal, 15.0 km)	x			-	-	-	-	
P 15-03	Groningen (Van Starkenborghkanaal, 7.0 km)	x			-	-	-	x	
P 15-04	Emden (Ems, 41.0 km)	x			x	x	x	x	
P 15-05	Leer (Ems, 14.0 km)	-	-	-	x	
P 15-06	Oldenburg* (Hunte, 0.0–5.0 km)	x			-	-	-	x	
P 15-01-01	Leeuwarden (Haringsmakanaal, 23.7 km)	x			-	-	-	x	
P 20-01	Cuxhaven (Elbe, 724.0 km) ²	x			x	x	x	x	
P 20-02	Brunsbüttel (Elbehafen, 693.0 km) ²	x			-	-	-	-	
P 20-03	Bützfleet* (Elbe, 668.0 km) ²		x		-	-	-	-	
P 20-04	Hamburg (Elbe, 618.0–639.0 km) ²			x	x	x	x	x	
P 20-05	Lauenburg (Elbe, 568.0 km) ²	x			-	-	-	-	
P 20-06	Tangermünde (Elbe, 388.0 km) ²	-	-	-	-	
P 20-07	Kieswerk Rogätz* (Elbe, 354.0 km) ²	x			-	-	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1		2	3	4	5	6	7	8	9		
P 20-08	Magdeburger Häfen (Elbe, 330.0 and 333.0 km) ²	x			-	-	-	x			
P 20-09	Schönebeck (Elbe, 315.0 km) ²	x			-	-	-	-			
P 20-10	Aken (Elbe, 277.0 km) ²	-	-	-	-			
P 20-11	Torgau (Elbe, 154.0 km) ²	-	-	-	-			
P 20-12	Kieswerk Mühlberg* (Elbe, 125.0 km) ²	x			-	-	-	x			
P 20-13	Riesa (Elbe, 109.0 km) ²	-	-	-	-			
P 20-14	Dresden (Elbe, 57.0 and 61.0 km) ²	-	-	-	-			
P 20-15	Děčín (Elbe, 737.3 and 739.3 km) ²	x			x	x	-	x	Bulk cargoes		
P 20-16	Ústí nad Labem (Elbe, 761.5 and 764.0 km) ²	x			x	x	-	x	Bulk cargoes		
P 20-17	Mělník (Elbe, 834.4 km) ²	x			x	x	x	x	Bulk cargoes		
P 20-18	Týnec nad Labem (Elbe, 933.7 km) ²	x			-	-	x	-			
P 20-04-01	Halle-Trotha (Saale, 86.0 km)	x			-	-	-	-			
P 20-06-01	Miřejovice (Vltava, 18.9 km)	x			-	-	x	-			
P 20-06-02	Praha (Vltava, 47.4 and 55.5 km)	x			-	-	-	-	Bulk cargoes		
P 21-01	Lübeck (Trave, 2.0–8.0 km)	x			x	x	x	x			
P 30-01	Swinoujscie (Baltic Sea-mouth of the Oder)		x		x	x	x	x			
P 30-02	Szczecin (Oder, 741.0 km)			x	x	x	x	x			
P 30-03	Kostrzyn (Oder, 617.0 km)	x			-	-	-	x			
P 30-04	Wrocław (Oder, 255.0 km)	x			-	-	-	x			
P 30-05	Kozle (Oder, 96.0 km)	x			-	-	-	x			
P 30-01-01	Gliwice (Gliwicki Canal, 41.0 km)	x			-	-	-	x			
P 40-01	Gdansk (Baltic Sea- mouth of the Wisla)			x	x	x	x	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 40-02	Bydgoszcz (Wisla, 772.3 km and Brda, 2.0 km)	x			-	-	-	-	
P 40-03	Brest (Mukhovets, 1.5 km)	x			-	-	-	-	General and bulk cargo
P 40-04	Pinsk (Pina, 9.0 km)	x			-	-	-	-	General and bulk cargo
P 40-04bis	Mikashevichi (Pripyat, 40.5 km and Mikashevichi Canal, 7.0 km)	x			-	-	-	-	Bulk cargo
P 40-04ter	Mozyr (Pripyat, 188.0 km)	x			-	-	-	x	General and bulk cargo
P 40-05	Kyiv (Dnipro, 856.0 km)			x	x		-	x	Bulk and general cargo
P 40-06	Cherkassy (Dnipro, 653.0 km)		x		x	-	-	x	Bulk and general cargo
P 40-07	Kremenchuk (Dnipro, 541.0 km)			x	x	-	-	x	Bulk and general cargo
P 40-07bis	Poltava Ore Mining and Processing Enterprise (Dnipro, 521.0 km)		x		-	-	-	x	Ore, minerals
P 40-08	Dniprodzerzhynsk (Dnipro, 429.0 km)		x		-	-	-	x	Bulk and general cargo
P 40-08bis	Cargo Handling terminal (Dnipro, 422.0 km)	x			-	-	-	x	Bulk and general cargo
P 40-09	Dnipropetrovsk (Dnipro, 393.0 km)			x	x		-	x	Bulk and general cargo
P 40-10	Zaporizhya (Dnipro, 308.0 km)			x	x	x	-	x	Bulk and general cargo, lighters
P 40-11	Nova Kakhovka (Dnipro, 96.0 km)	x			-	-	-	-	Bulk and general cargo
P 40-12	Kherson (Dnipro, 28.0 km)		x		x	-	-	x	Bulk and general cargo, lighters
P 40-01-01	Chernihiv (Desna, 194.5 km)		x		-	-	-	x	General and bulk cargo
P 40-02-01	Mykolaiv, river port (Pivdenny Buh, 40.0 km)	x			Cereals, scrap, minerals
P 40-02-02	Mykolaiv, sea port (Pivdenny Buh, 35.0 km)		x		x	x	-	x	Timber, oil products, metals, cereals, bulk cargo, scrap
P 40-02-03	Dnipro-Buhskiy (Pivdenny Buh, 16.0 km)		x		-	-	-	x	Ore, general cargo
P 41-01	Klaipeda sea port (Kurshskiy Zaliv)			x	x	x	x	x	
P 41-02	Nida (Kurshskiy Zaliv, 42.7 km) ³	
P 41-03	Uostadvaris (Nemunas river mouth) ³	
P 41-04	Kaunas (Nemunas, 209.0 km)	x			-	-	-		

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **	RO-RO **			
		20'	40'						
1	2	3	4	5	6	7	8	9	
P 41-05	Kaunas winter port (Nemunas, 210.0 km) ⁴	x			-	-	-	-	
P 50-01	Sankt-Petersburg sea port (Neva, 1 397.0 km) ⁴			x	x	x	x	x	General cargoes, timber, cereals, coal
P 50-02	Sankt-Petersburg river port (Neva, 1 385.0 km) ^{4,5}		x		x	-	-	x	General cargoes, timber, construction materials, coal
P 50-03	Podporozhie (Volgo-Baltijskiy Waterway, 1 054.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, ore, pipes
P 50-04	Cherepovets (Volgo-Baltijskiy Waterway, 540.0 km) ⁴	x			x	x	-	x	General cargoes, timber, construction materials, coal
P 50-05	Yaroslavl (Volga, 520.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, fertilizers
P 50-06	Nizhniy Novgorod (Volga, 905.0 km) ⁴	x			-	-	-	x	General cargoes, timber, construction materials, coal
P 50-07	Kazan (Volga, 1 311.0 km) ⁴		x		x	x	General cargoes, construction materials, scrap, heavy goods
P 50-08	Ulianovsk (Volga, 1 528.0 km) ⁴	x			x	-	-	x	General cargoes, construction materials, coal
P 50-09	Samara (Volga, 1 738.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, coal
P 50-10	Saratov (Volga, 2 165.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal, cereals
P 50-11	Volgograd (Volga, 2 551.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal
P 50-12	Astrakhan, sea port (Volga, 3 051.0 km) ⁴		x		x	-	-	x	General cargoes, construction materials, timber
P 50-02-01	Moskva Northern Port (Kanal imeni Moskvi, 46.0 km) ⁴	x			x	x	-	-	General cargoes, timber, construction materials, salt

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'						
1	2	3	4	5	6	7	8	9	
P 50-02-03	Moskva Southern Port (Kanal imeni Moskvi, 0.0 km, Moskva River 151.0 km, from its confluence with Oka River)	x			x	x	...	x	General cargoes, timber, construction materials, salt
P 50-02-02-01	Tver (Volga, 272.0 km) ⁴		x		x	-	-	-	General cargoes, construction materials
P 50-01-01	Perm (Kama, 2 260.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, coal, ore, cereals
P 50-01-02Error! Bookmark not defined.	Agidel (Belaya, 1 786.3 km)	x			-	-	-	-	Oil cargoes
P 60-01	Scheveningen (North Sea)	x			-	-	-	-	
P 60-02	Den Helder (North Sea)	x			-	-	x	-	
P 60-03	Brunsbüttel (Kiel Canal, 2.0–5.0 km)	x			-	-	-	x	
P 60-04	Rendsburg (Kiel Canal, 62.0 km)				-	-	-	x	
P 60-05	Kiel (Kiel Canal, 96.0 km)				x	x	x	x	
P 60-06	Flensburg				-	-	-	x	
P 60-07	Wismar	x			x	x	x	x	
P 60-08	Rostock	x			x	x	x	x	
P 60-09	Stralsund				-	-	-	x	
P 60-10	Greifswald	x			-	-	-	-	
P 60-11	Sventoji (Baltic Sea)	
P 60-12	Vyborg (Vyborg Bay)	
P 60-13	Petrozavodsk (Lake Onega, 1 009.0 km) ⁴	x			-	-	-	x	General cargoes, construction materials
P 60-14	Arkhangelsk sea port (Mouth of Severnaja Dvina)	
P 60-15	Arkhangelsk river port (Mouth of Severnaja Dvina, 0.0 km)	x			x	x	General cargoes, construction materials
P 60-02-01	Sevilla (Guadalquivir, 80.0 km)		x		x	x	x	x	General and bulk cargoes
P 60-04-01	Douro (Douro, 5.0 km)	
P 60-04-02	Sardoura (Douro, 49.0 km)	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 60-04-03	Régua-Lamego (Douro, 101.0 km)	
P 60-06-01	Bordeaux (Gironde et Garonne, 359.0 km)			x	x	x	-	x	
P 60-08-01	Nantes (Loire, 645.0 km)	x			x	x	-	x	Minerals, construction materials
P 60-10-01	Harlingen (Waddenzee)	x			x	x	x	x	
P 60-12-01	Delfzijl (Waddenzee)		x		x	x	x	x	
P 60-11-01	Mustola (39.0 km from the mouth of Saimaa Canal)	x			x	x	x	x	Timber
P 60-11-02	Kaukas* (52.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-03	Rapasaari* (52.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-04	Joutseno* (67.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-05	Vuoksi* (85.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-06	Varkaus (Port of Taipale) (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-07	Varkaus (Port of Kosulanniemi)* (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-08	Varkaus (Port of Akonniemi) (270.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-09	Kuopio (352.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 60-11-02-01	Puhos* (311.0 km from the mouth of Saimaa Canal)	x			-	-	-	-	Timber
P 60-11-02-02	Joensuu (346.0 km from the mouth of Saimaa Canal)	x			-	-	-	x	Timber
P 61-01	Anklam (Peene, 95.0 km)	x			-	-	-	x	
P 70-01	Wageningen (Neder-Rijn, 903.2 km)	x			-	-	-	-	
P 70-01bis	Lochem (Twentekanaal, 15.5 km)	x			-	-	-	-	
P 70-01ter	Hengelo (Twentekanaal, 45.1 km)		x		x	x	-	x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1		2	3	4	5	6	7	8	9		
P 70-02	Enschede (Twentekanaal, 49.8 km)	x			-	-	-	-			
P 70-03	Ibbenbüren (Mittellandkanal, 5.0 km)	x			-	-	-	x			
P 70-04	Minden (Mittellandkanal, 100.0–104.0 km)	x			-	-	-	x			
P 70-05	Hannover (Mittellandkanal, 155.0–159.0 km)	x			x	x	-	x			
P 70-06	Mehrum* (Mittellandkanal, 194.0 km)	x			-	-	-	-			
P 70-07	Braunschweig (Mittellandkanal, 220.0 km)	x			-	-	-	x			
P 70-08	Braunschweig/Thune* (Mittellandkanal, 223.0 km)	x			-	-	-	-			
P 70-09	Haldensleben (Mittellandkanal, 301.0 km)	x			-	-	-	x			
P 70-10	Niegripp* (Elbe-Havel-Kanal, 330.0 km)	x			-	-	-	-			
P 70-11	Brandenburg* (Untere Havel-Wasserstraße, 60.0 km)	x			-	-	-	-			
P 70-12	Brandenburg (Untere Havel-Wasserstraße, 57.0 km)	x			-	-	-	-	Gravel works		
P 70-13	Deponie Deetz* (Untere Havel-Wasserstraße, 40.0 km)	x			-	-	-	x			
P 70-14	Spandau South Harbour (Untere Havel-Wasserstraße, 2.0 km)	x			-	-	-	x			
P 70-15	Elblag (Zalew Wisłany)	x			-	-	-	-			
P 70-16	Kaliningrad sea port (Pregolia, 8.0 km)	x	x			
P 70-17	Kaliningrad river port (Pregolia, 9.0 km)	x			x	Actual cargo turnover is 100 000 t		
P 70-01-01	Gouda (Hollandse IJssel, 1.4 km)	x			-	-	-	-			
P 70-01-02	Alphen aan den Rijn (Oude Rijn, 39.5 km)	x			x	x	-	-			
P 70-03-01	Almelo (Zijkanaal, 17.6 km)	x			-	-	-	-			
P 70-02-01	Osnabrück (Stichkanal, 13.0 km)	-	-	x	x			
P 70-04-01	Hannover-Linden (Stichkanal, 11.0 km)	x			-	-	-	x			
P 70-06-01	Hildesheim (Stichkanal, 15.0 km)	-	-	-	x			
P 70-08-01	Salzgitter (Stichkanal, 15.0 km)	x			x	-	-	x			
P 70-10-01	Cargo-Handling Complex* (branch of the Spree at 0.0 km)	x			-	-	-	-			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 70-10-02	Nonnendamm (Spree, 2.0 km)	x			-	-	-	x	
P 70-10-03	Reuter Power Station* (Spree, 3.0 km)	x			-	-	-	x	
P 70-10-04	Charlottenburg Power Station (Spree, 8.0 km)	-	-	-	-	
P 70-10-05	Westhafen Berlin (Westhafenkanal, 3.0 km)	-	-	-	x	
P 70-10-06	Osthafen Berlin (Spree, 21.0 km)	-	-	-	x	
P 70-10-07	Klingenberg Heating Station (Spree, 25.0 km)	x			-	-	-	x	
P 70-12-01	Moabit Power Station* (Berlin-SpandauerSchiffahrtskanal, 9.0 km)	x			-	-	-	-	
P 71-01	Teltowkanal Cargo-Handling Point* (Teltowkanal, 31.0–34.0 km)	x			-	-	-	x	
P 71-02	Oberschöneweide Cargo-Handling Point (Spree-Oder Wasserstraße, 28.0–29.0 km)	x			-	-	-	x	
P 71-03	Eisenhüttenstadt EKO* (Spree-Oder Wasserstraße, 122.0 km)	x			-	-	-	x	
P 71-04	Eisenhüttenstadt (Spree-Oder Wasserstraße, 124.0 km)	-	-	-	x	
P 71-02-01	Potsdam (Potsdamer Havel, 3.0 km)	-	-	-	-	
P 71-06-01	Niederlehme* (Dahme-Wasserstraße, 8.0 km)	-	-	-	-	
P 71-06-02	Königs Wusterhausen (Dahme-Wasserstraße, 8.0 km)	x			-	-	-	x	
P 80-01	Le Havre (Le Havre-Tancarville Canal, 20.0 km)	x			x	x	x	x	Oil products, fuels, minerals
P 80-02	Rouen (Seine, 242.0 km)		x		x	x	x	x	Oil, cereals, sand, coal
P 80-03	Conflans (Seine, 239.0 km)	x			
P 80-04	Frouard (Moselle, 346.5 km)	x			x	x	x	x	Heavy goods
P 80-05	Metz (Moselle, 297.0–294.0 km)	x			x	x	-	x	
P 80-06	Mondelange-Richemont (Moselle, 279.5–277.9 km)	x			
P 80-07	Thionville-Illange (Moselle, 271.9–270.1 km)	x			x	x	-	-	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1	2	3	4	5	6	7	8	9			
P 80-08	Mertert (Moselle, 208.0 km)	x			x	x	-	x	Oil products, wood shavings, construction materials, coal, agricultural products/fertilizers, 20 and 40 ft containers		
P 80-09	Trier (Moselle, 184.0 km)	x	x		-	-	-	x			
P 80-10	Bingen (Rhine, 527.0 km)	-	-	-	x			
P 80-11	Wiesbaden (Rhine, 500.0 km)	x			-	-	-	x			
P 80-12	Mainz (Rhine, 500.0 km)		x		x	x	x	x			
P 80-13	Flörsheim* (Main, 9.0 km)	x			-	-	-	-			
P 80-14	Raunheim* (Main, 14.0 km)	x			-	-	-	-			
P 80-15	Hattersheim* (Main, 17.0 km)	x			-	-	-	-			
P 80-16	Kelsterbach* (Main, 19.0 km)	x			-	-	-	-			
P 80-17	Frankfurt* (Main, 22.0–29.0 km)	x			x	x	-	x			
P 80-18	Frankfurt (Main, 31.0–37.0 km)		x		x	x	-	x			
P 80-19	Offenbach (Main, 40.0 km)	-	-	-	x			
P 80-20	Hanau (Main, 56.0–60.0 km)	x			-	-	-	x			
P 80-21	Grosskotzenburg* (Main, 62.0 km)	x			-	-	-	-			
P 80-22	Stockstadt (Main, 82.0 km)	x			x	-	-	x			
P 80-23	Aschaffenburg (Main, 83.0 km)	x			x	-	-	x			
P 80-24	Triefenstein* (Main, 173.0 km)	x			-	-	-	-			
P 80-25	Karlstadt* (Main, 227.0 km)	x			-	-	-	-			
P 80-26	Würzburg (Main, 246.0–251.0 km)	x	-	x	x			
P 80-27	Schweinfurt (Main, 330.0 km)	-	-	-	x			
P 80-28	Bamberg (Main-Donau-Kanal, 3.0 km)	-	-	-	x			
P 80-29	Erlangen (Main-Donau-Kanal, 46.0 km)	x			-	-	-	x			
P 80-30	Nürnberg (Main-Donau-Kanal, 72.0 km)	-	-	x	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4		5	6	7	8	9
P 80-31	Regensburg (Danube, 2 370.0–2 378.0 km)	x			x	x	-	x	
P 80-32	Deggendorf* (Danube, 2 281.0–2 284.0 km)	x			x	x	-	-	
P 80-33	Linz (Danube, 2 128.2–2 130.6 km)	x			x	x	x	x	All cargoes
P 80-34	Linz-Vöest* (Danube, 2 127.2 km)		x		x	x	-	x	Metallurgical products
P 80-35	Enns-Ennsdorf (Danube, 2 111.8 km)	x			x	x	x	x	General and bulk cargoes, liquid gas
P 80-36	Krems (Danube, 1998.0 km)	x			x	-	-	x	All cargoes but oil and oil products
P 80-37	Wien (Danube, 1 916.8–1 920.2 km)	x			x	x	x	x	All cargoes
P 80-38	Bratislava (Danube, 1 867.0 km)		x		x	x	x	x	All cargoes
P 80-39	Györ-Gönyü (Danube, 1 807.0 km)	x					x	x	Mainly bulk cargoes and oil products
P 80-40	Komárno (Danube, 1 767.1 km)		x		x	x	-	x	
P 80-41	Štúrovo (Danube, 1 722.0 km)	x			-	-	-	-	
P 80-42	Budapest (Danube, 1 640.0 km)		x		x	x	x	x	
P 80-43	Szàthalombatta (Danube, 1 618.7 km)	x							Oil products
P 80-44	Dunaujvaros (Danube, 1 579.0 km)		x					x	Mainly bulk cargo, general cargo
P 80-45	Dunaföldvár (Danube, 1 563.0 km)	x							Oil products
P 80-46	Baja (Danube, 1 480.0 km)	x			x			x	
P 80-46bis	Apatin (Danube, 1 401.5 km)	x			
P 80-47	Vukovar (Danube, 1 333.1 km)	x			x	x	-	x	
P 80-47bis	Backa Palanka (Danube, 1 295.0 km)	x			x	x	
P 80-47ter	Novi Sad (Danube, 1 253.5 km)	x			x	x	
P 80-48	Beograd (Danube, 1 170.0 km)	x			x	x	...	x	
P 80-48bis	Pančevo (Danube, 1 152.8 km)	x			x	x	
P 80-49	Smederevo (Danube, 1 116.3 km)	x			x	

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1	2	3	4	5	6	7	8	9			
P 80–50	Orsova (Danube, 954.0 km)	x			-	-	-	x			
P 80–51	Turnu Severin (Danube, 931.0 km)	x			-	-	x	x			
P 80–52	Prahovo (Danube, 861.0 km)	x			x			
P 80–52bis	Vidin (Danube, 790.0 km)	x			-	-	x	x			
P 80–53	Lom (Danube, 743.0 km)		x		-	-	-	x			
P 80–53bis	Oriahovo (Danube, 678.0 km)	x			-	-	x	x			
P 80–54	Turnu Magurele (Danube, 597.0 km)	x			-	-	-	x			
P 80–55	Svistov (Danube, 554.0 km)	x			-	-	-	x			
P 80–56	Roussse (Danube, 495.0 km)		x		-	-	x	x			
P 80–57	Giurgiu (Danube, 493.0 km)	x			-	-	x	x			
P 80–58	Oltenita (Danube, 430.0 km)	x			-	-	x	x			
P 80–58bis	Silistra (Danube, 375.5 km)	x			-	-	x	x			
P 80–59	Calarasi (Danube, 370.5 km)	x			-	-	x	x			
P 80–59bis	Cernavoda (Danube, 298.0 km)	x			-	-	x	x			
P 80–60	Braila (Danube, 168.5–172.0 km)		x		-	-	x	x			
P 80–61	Galati (Danube, 76.0 Mm – 160.0 km)			x	-	-	x	x			
P 80–62	Giurgulesti (Danube, 133.0 km)	x			x	x	-	x	Oil products, cereals and containers. Ro-Ro and general cargo terminals under construction		
P 80–63	Reni (Danube, 128.0 km)			x	x	x	x	x	General and bulk cargo, oil products		
P 80–64	Tulcea (Danube, 34.0 Mm – 42.0 Mm)	x			-	-	-	x			

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 80-04-01	Autonomous port of Paris			x	x	x	x	...	Agricultural products, fuels
	Gennecvilliers (Seine, 194.7 km)			x	x	x	x	-	Construction materials, bulk cargo, metallurgy (ore, coils)
	Bonneuil-Vigneux (Seine, 169.7 km)	x			x	x	-	-	Construction materials, bulk cargo, metallurgy (ore, coils)
	Evry (Seine, 137.8 km)	x			x	x	x	x	Construction materials, bulk cargo, metallurgy (ore, coils)
	Melun (Seine, 110.0 km)	x			
	Limay-Porcheville (Seine, 109.0 km)	x			x	x	x	x	Construction materials, bulk cargo, metallurgy (ore, coils)
	Montereau (Seine, 67.4 km)	x			x	x	x	x	2013 project: containers
	Nanterre (Seine, 39.4 km)	x			
	Bruyères-sur-Oise (Oise, 96.9 km)	x			x	x	x	x	Containers: under construction
	St. Ouen-l'Aumône (Oise, 119.2 km)	x			x	
	Lagny (Marne, 149.8 km)	x			x	x	-	-	Containers: project
P 80-06-01	Dillingen (Saar, 59.0 km)		x		x	x	x	x	
P 80-08-01	Osijek (Drava, 14.0 km)		x		x	x	-	x	
P 80-01-01	Szeged (Tisza, 170.0 km)	x			x	
P 80-01-02	Senta (Tisza, 122.0 km)	x			x	x	
P 80-14-01	Medgidia (Danube-Black Sea Canal, 37.5 km)		x		-	-	-	x	
P 80-14-02	Constanta (Danube-Black Sea Canal, 0.0 km)			x	x	x	x	x	
P 80-09-01	Ismail (Danube-Kilia Arm, 93.0 km)		x		x	x	-	x	General and bulk cargo
P 80-09-02	Kilia (Danube-Kilia Arm, 47.0 km)	x			x	-	-	-	General cargo

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS		
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **				
					20'	40'					
1	2	3	4	5	6	7	8	9			
P 80–09–03	Oust-Dunajsk (Danube-Kilia Arm, 0 km)			x	x	x	-	-	General and bulk cargo		
P 81–01	Šaľa (Váh, ... km)	x			x	Port is planned		
P 81–02	Sered' (Váh, ... km)	x			Port is planned		
P 81–03	Hlohovec (Váh, ... km)	x			Port is planned		
P 81–04	Piešťany (Váh, ... km)	x			Port is planned		
P 81–05	Nové mesto nad Váhom (Váh, ... km)	x			Port is planned		
P 81–06	Trenčín (Váh, ... km)	x			Port is planned		
P 81–07	Dubnica (Váh, ... km)	x			Port is planned		
P 81–08	Púchov (Váh, ... km)	x			Port is planned		
P 81–09	Považská Bystrica (Váh, ... km)	x			Port is planned		
P 81–10	Žilina (Váh, ... km)	x			Port is planned		
P 81–11	Čadca (Váh-Oder Link, ... km)	x			Port is planned		
P 90–01	Taganrog, sea port (Taganrog Bay)	x			x	x			
P 90–02	Eysk, sea port (Taganrog Bay)	x			
P 90–03	Azov, sea port (Don, 3 168.0 km) ⁴	x			x	-	-	x	General cargoes, timber, construction materials, ore, dross		
P 90–04	Rostov, sea port (Don, 3 134.0 km) ⁴		x		x	-	-	x	General cargoes, timber, construction materials, coal, dross		
P 90–05	Oust-Donetsk (Severskiy Donets, 5.0 km from the mouth)	x			x	-	-	x	General cargoes, timber, construction materials, coal, ore		
P 90–03–01	Belgorod Dnestrovskiy (mouth of the Dnestr River)			
P 90–03–02	Bender (Nistru, 228.0 km)	x			-	-	-	x	Dry bulk and general cargoes		
P 91–01	Milano Terminale (Milano-Po Canal, 0.0 km)	Construction foreseen		
P 91–02	Lodi (Milano-Po Canal, 20.0 km from Milano Terminale)	Construction foreseen		

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1		2	3	4	5	6	7	8	9
P 91–03	Pizzighetone (Milano-Po Canal, 40.0 km from Milano Terminale)	x			Starting up
P 91–04	Cremona (Milano-Po Canal, 55.0 km from Milano Terminale)		x		x	x	x	x	
P 91–04bis	Cremona-Casalmaggiore (Po)	x			
P 91–04ter	Mantova Viadana (Po)	x			Focused on chemical fluids through pipeline
P 91–05	Boretto R. Emilia Centrale (Po, 120.0 km from Milano Terminale)	x			
P 91–05bis	Mantova S. Benedetto (Po)	x			
P 91–05ter	Mantova Revere (Po)	x			x				
P 91–06	Ferrara (Po, 200.0 km from Milano Terminale)	
P 91–07	Adria (Mantova-Adriatic Sea Canal, 265.0 km from Milano Terminale)	x			
P 91–08	Chioggia (Po-Brondolo Canal, 285.0 km from Milano Terminale)		x		x	x		x	Sea port with connection to inland waterway
P 91–09	Marghera (Laguna Veneta, 300.0 km from Milano Terminale)			x	x	x	x	x	Sea port with connection to inland waterway
P 91–10	Nogaro (Veneta Lateral Waterway, 355.0 km from Milano Terminale)		x		x	x		x	Sea port with connection to inland waterway
P 91–11	Monfalcone (Veneta Lateral Waterway, 410.0 km from Milano Terminale)			x	x	x	x	x	Sea port with connection to inland waterway
P 91–12	Trieste (Adriatic Sea)			x	x	x	x	x	Sea port with connection to inland waterway
P 91–02–01	Piacenza (Po, 35.0 km from Conca di Cremona)	x			
P 91–02–02	Pavia (Po, 98.0 km from Conca di Cremona)	Construction foreseen
P 91–02–03	Casale Monferrato (Po, 183.0 km from Conca di Cremona)	Construction foreseen
P 91–04–01	Ferrara (Ferrara-Porto Garibaldi Canal)	x			x	x		x	
P 91–04–02	Ferrara S. Giovanni Ostellato (Ferrara-Porto Garibaldi Canal)	x			
P 91–04–03	Garibaldi (Ferrara Waterway, 80.0 km from Ferrara)	Construction foreseen

E PORTS		CARGO HANDLING CAPACITY			CARGO HANDLING EQUIPMENT AVAILABLE FOR			RAIL ACCESS **	OTHER CHARACTERISTICS AND COMMENTS
		0.5–3.0 million tonnes	3.0–10.0 million tonnes	> 10.0 million tonnes	CONTAINERS **		RO-RO **		
		20'	40'		5	6	7		
1	2	3	4	5	6	7	8	9	
P 91-04-04	Ravenna			x	x	x	x	x	Sea port with connection to inland waterway
P 91-06-01	Porto Tolle (Po Grande, 260.0 km from Milano Terminale)	Construction foreseen
P 91-03-01	Mantova (Valdaro and private ports) (Mantova-Adriatic Sea Canal, 0.0 km and Mantova Lakes)		x		x	x	...	x	
P 91-03-02	Mantova Roncoferraro/Governolo (Mantova-Adriatic Sea Canal)	x			
P 91-03-03	Mantova Ostiglia (Mantova-Adriatic Sea Canal, 30.0 km)	x			
P 91-03-04	Verona Legnago (Mantova-Adriatic Sea Canal, 65.0 km)	x			
P 91-03-05	Canda (Mantova-Adriatic Sea Canal)	x			
P 91-03-06	Rovigo (Mantova-Adriatic Sea Canal, 140.0 km)		x		x	x	...	x	
P 91-03-07	Conca di Volta Grimana (Mantova-Adriatic Sea Canal, 170.0 km)	
P 91-03-08	Porto Levante* (Po di Levante mouth)	Private ports. Public port in project.

* Private Port ** Legend:

x available

- not available

... no information

Notes to table 1

- ¹ Re-opening for navigation envisaged, currently not in service.
- ² When bridge is not open, air draught is 11.50 m for mean high water (MHW) at normal Amsterdam Peil (Dutch reference water level = mean sea tide level) (NAP) + 0.96 m.
- ³ Only permitted when proceeding downstream.
- ⁴ Depending on the tide water level prevailing.
- ⁵ Estimation by the secretariat.
- ⁶ All bridges are movable.
- ⁷ Sea-going vessels measuring 175.00 m x 25.00 m x 8.80 m are admitted.
- ⁸ For fixed low water level for rivers (OLW) NAP - 0.20 m.
- ⁹ When bridge is not open air draught is 12.00 m for MHW NAP + 0.96 m.
- ¹⁰ For OLW NAP + 0.15 m.
- ¹¹ For sea-going vessels measuring 256.00 m x 34.00 m x 12.25 m.
- ¹² For fixed low water level (OLR) at Lobith NAP + 7.95.
- ¹³ For water level at high river discharge at Lobith NAP + 15.58 m (Marke II).
For mean water level at Lobith NAP + 10.10 m.
- ¹⁴ Fairway depth, below GLW 2002 (between Emmerich and Duisburg: 2.80 m below GLW).
- ¹⁵ When going downstream; reduced to 22.90 m in low water conditions.
- ¹⁶ Fairway depth, below high water level (GLW) 2002.
- ¹⁷ 110.0 m at certain water levels.
- ¹⁸ Fairway depth, below GLW 2002 (between St. Goar and Mainz: 1.90 m below GLW).
- ¹⁹ The height under the railway bridge at Strasbourg Kehl is currently 6.75 m at HNWL.
- ²⁰ Smaller dimensions apply in case of closure of certain lock chambers.
- ²¹ Bridge at Avignon — 6.30 m, Bridge at Tarascon — 7.40 m, bridge at Arles — 7.88 m.
- ²² Fos — Port of Marseille section is not operable because of closure of the Rove tunnel.
- ²³ The under-bridge headroom requirement for this class cannot be met.
- ²⁴ Restrictions apply with regard to two-way traffic.
- ²⁵ Single units and convoys of up to 90 m in length and 9.60 m in width, may draw up to 2.80 m.
- ²⁶ From 113.0 km to 124.0 km — 5.50 m.
- ²⁷ The draught may be reduced to 2.10 m for twenty days a year at low water level downstream of Iffezheim.
- ²⁸ These figures correspond to a level of 5.00 m on the scale at Bâle-Rheinhalle and take into account security clearance of 40 cm.
- ²⁹ The Mittlere Brücke determines the parameters for the section Bâle-Rheinfelden. It has 5.10 m headroom for each arch over a width of 17.00 m at the highest navigable flood level.
- ³⁰ No dimension established for inland navigation vessels; sea-going ships measuring 325.0 m x 42.00 m x 13.10 m are admitted.
- ³¹ The depth required for this category cannot be guaranteed (depending on the water level prevailing).
- ³² Above mean water level.
- ³³ Fairway depth, below GLW 89.
- ³⁴ Depending on the water level prevailing.
- ³⁵ Maximum dimensions of pushed convoys shall be 137.0 x 23.00 m or 170.0 x 11.50 m.
- ³⁶ The total length of the Lüneburg Shiplift is 100.0 m; single units of up to 100.0 m in length are accepted.
- ³⁷ This project is not expected to be realized in the near future.
- ³⁸ Maximum permissible draught on the section Mělník-Praha Radotín — 1.80 m and on the section Praha Radotín-Slapy — 1.2 m.
- ³⁹ The permissible length-of-convoy requirement for this class cannot be met.
- ⁴⁰ Class to be agreed upon by the Governments of Poland and Germany.
- ⁴¹ Non-navigable waterway. A weir in Kozlowice, downstream of Brest, has no navigational locks and constitutes a main obstacle.
- ⁴² During the locking procedure, the pusher is to enter the chamber alongside the barges.

- ⁴³ Periodically, at a low water level, the maximum draught is limited to 3.00 m.
- ⁴⁴ Limitation draught on the section from Gorodetski Lock to Nizhniy Novgorod (of 56 km in length).
- ⁴⁵ At a project water level.
- ⁴⁶ On the Sarapul-Chaikovsky section (of 68 km in length). On other sections the maximum navigable draught is 3.50 m.
- ⁴⁷ Vessels of a greater length may be allowed if their width is approved. The length of pushed convoys of 83.0 m is allowed only up to 126.0 km; from this point up to 210.0 km the length of up to 60.0 m is allowed.
- ⁴⁸ The draught of 3.80 m is ensured on 162.0 km of the river (from its mouth to 135.0 km and on 27.0 km between the Pocinho weir and Spanish port Vega Terron). On the rest of the river the draught of 2.00 m is ensured.
- ⁴⁹ This figure is reduced to 6.60 m under the bridge of Ferradosa at 151.0 km.
- ⁵⁰ The lowest height is under the Westminster Bridge.
- ⁵¹ The maximum dimensions of vessels are applicable in daylight and good visibility. The Swedish Maritime Administration can grant exceptions from the maximum size up to 130.0 m x 19.00 m x 6.80 m.
- ⁵² Single units of 86.0 m x 9.50 m and convoys of 147.0 m x 9.00 m may obtain special permission for navigation.
- ⁵³ As an alternative to the waterway via the Szkarpawa River.
- ⁵⁴ Fairway depth.
- ⁵⁵ Improvement of the Untere Havel Wasserstraße is under way to the south of Wustermark.
- ⁵⁶ No restriction when bridges are open.
- ⁵⁷ The secretariat was informed by the Government of France that the project concerning the Seine – Moselle link has been abandoned.
- ⁵⁸ Height ensured during 300 days per year.
- ⁵⁹ 135.0 m under certain conditions.
- ⁶⁰ Except for road bridge Auheim at 59.56 km, where an under-bridge headroom of 4.39 m applies.
- ⁶¹ Vessels exceeding 90.0 m in length are subject to additional requirements regarding the carriage of equipment.
- ⁶² Except for Kettenbrücke and Löwenbrücke Bridges at Bamberg, where an under-bridge headroom of 5.41 m applies.
- ⁶³ A special permit is required when the draught exceeds 2.50 m.
- ⁶⁴ At low navigable water level (LNWL) (fairway depth).
- ⁶⁵ The single-unit permissible length and width requirement for this class cannot be met.
- ⁶⁶ Road bridge at Pfatter.
- ⁶⁷ Only vessels with a beam of up to 11.40 m may navigate downstream.
- ⁶⁸ Railway bridge at Deggendorf.
- ⁶⁹ Luitpolbrücke at Passau.
- ⁷⁰ Maximum draught according to Police Regulations; 2.70 m fairway depth at LNWL.
- ⁷¹ **Nibelungenbrücke at Linz.**
- ⁷² Maximum draught according to Police Regulations; 3.00 m fairway depth at LNWL.
- ⁷³ **Maximum draught according to Police Regulations: 2.50 m fairway depth at LNWL in the deep channel.**
- ⁷⁴ Road bridge at Stein/Mautern.
- ⁷⁵ **U6 bridge at Wien**
- ⁷⁶ Both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80 m, length/width=160/24 m or 145/38 m (when going downstream), and 220/13 m or 160/24 m (when going upstream).
- ⁷⁷ Both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80 m, length/width=220/24 m (when going upstream).
- ⁷⁸ Both length/width parameters are for convoys, no restriction for vessels. If fairway narrower than 80 m, length/width=225/27 m.
- ⁷⁹ Both length/width parameters are for convoys, no restriction for vessels.

- ⁸⁰ The following length/width parameters are applied:
- If fairway narrower than 120 m, length/width=225/38; if fairway narrower than 80 m, length/width=145/38; at the bridge at 1,560.55 km while Dunaföldvár water gauge lower than -50 cm, length/width=145/35; at the bridge at 1,480.22 km while Baja water gauge above 600 cm, length/width=225/38 (when going downstream);
- If fairway narrower than 120 m, length/width=225/38 or 300/27; if fairway narrower than 80 m, length/width=225/27 (when going upstream).
- ⁸¹ No restrictions for length/width; no bridges.
- ⁸² Temporary road/railway bridge at Novy Sad (1,254.0 km).
- ⁸³ Data received from the Government of Serbia. The higher values of draught and air draught of up to 5.00 m and 13.50 m, respectively, are ensured on request and against payment of costs.
- ⁸⁴ Data received from the Government of Romania.
- ⁸⁵ Minimum height at normal water level varies from 8.54 m to 9.31 m; at the highest navigable water level (HNWL) it varies from 5.15 m to 6.89 m.
- ⁸⁶ Temporary decrease of water depth in the Beaulieu Canal is necessary to obtain this height.
- ⁸⁷ From km 0.0 to km 12.0: depth is partly reduced to less than 2.5 m during the low navigable water level, 70 days per year.
- ⁸⁸ Bridge at 173.6 km with a height 7.69 m.
- ⁸⁹ From km 211.0 to km 223.0, depth is reduced to less than 2.5 m approximately 50 days per year.
- ⁹⁰ From km 307.0 to km 329.0, i.e. between Slavonski Šamac and Novi Grad: unregulated sections.
- ⁹¹ Between Jaruge and Novi Grad: limited width, one way navigation throughout the year. On section from km 321.0 to km 329.0: depth is reduced to less than 2.0 m during the low navigable water level, 170 days per year
- ⁹² From km 515.0 to km 591.0: width restrictions on curves, in some parts, one way navigation throughout the year.
- ⁹³ Footnote by Ukraine: Data concerning this section of the E80–09 waterway are based on the results of the completion of stage one of the Ukrainian project on the reopening of the Danube-Black Sea navigable waterway. Definitive data related to the project will be presented after the full completion of the project, to be undertaken in accordance with the provisions of applicable international environmental agreements and conventions.
Footnote by Romania: Data concerning this section of the E 80–09 waterway are provisional. Definitive data related to the Ukrainian project of building a deep-water navigable waterway on the Kilia Arm and Bystroe outlet into the sea of the Danube River are pending the full assessment of the environmental impact and the full and faithful observance of applicable international agreements and conventions.
- ⁹⁴ Draught at a water level + 250 cm according to the hydrometric station Komarno (Danube).
- ⁹⁵ Height at a zero water level according to the hydrometric station Komarno (Danube).
- ⁹⁶ On the section from the Kochetovsky hydroelectric complex to Aksay (of 116.3 km in length). On other sections, the maximum navigable draught is 3.50 m.
- ⁹⁷ Draught of 2.50 m is ensured during 250 days per year, target data is to be ensured during 300 days per year.
- ⁹⁸ Draught of 2.50 m is ensured during 200 days per year, target data is to be ensured during 250 days per year.
- ⁹⁹ Draught of 2.50 m is ensured during 150 days per year, target data is to be ensured during 200 days per year.
- ¹⁰⁰ Draught of 2.50 m is ensured during 250 days per year, target data is to be ensured during 310 days per year.
- ¹⁰¹ A direct link Po — Adriatic Sea is not possible because of sand banks at the estuary of the Po River.

Notes to table 2

- ¹ In operation in case of storm flood, otherwise open connection.
- ² Datum: Gleichwertiger Wasserstand "GLW" i.e. a low navigable water level (LNWL).
- ³ Maximum dimensions of convoys admitted are 180.0 x 22.90 m and 186.5 x 22.90 m, respectively.
- ⁴ Datum: normal canal water level.
- ⁵ Datum: hydrostatic water level.
- ⁶ Normally open.
- ⁷ The lock is only used as a flood gate: the lock is normally open, it's only closed if the waterlevel on the Maas River reaches a certain limit.
- ⁸ Depending on the tide water level prevailing.
- ⁹ On account of the particular shape and outline of the locks' chambers, single units of not more than 80.0 m in length and 8.25 m in width are admitted.
- ¹⁰ Lock gate width is 11.00 m.
- ¹¹ These locks are located one after the other allowing the passage of convoys of up to 190.0 m in length.
- ¹² Limitation draught at the Gorodetski Lock. At other locks a draught of 4.00 m is ensured.
- ¹³ From Dubna to the Moskva Northern Port depth at sills is 4.00 m.
- ¹⁴ Additional gate of the lock.
- ¹⁵ Datum: Low navigable water level (LNWL).
- ¹⁶ Leads to the old bed of the Danube. Practically not used.

Notes to Table 3

- ¹ After the construction of a new link Gent-Zeebrugge (E 07).
- ² Distances to ports on the river Elbe are measured: in Germany — from the Czech/German State border starting from 0.0 km; in the Czech Republic — from the German/Czech State border starting from 726.15 km to avoid duplication of distances in the two countries concerned.
- ³ The distance to Lithuanian ports is measured from the Klaipeda sea port.
- ⁴ Distance from Moskva Southern Port.
- ⁵ River port Sankt-Petersburg is currently included into a single Great Port of Sankt-Petersburg.