3 December 2004

## **AGREEMENT**

CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS \*/

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 16: Regulation No. 17

**Revision 4 - Corrigendum 2** 

Corrigendum 2 to Revision 4 of the Regulation, subject of Depositary Notification C.N.1035,2004.TREATIES-1 dated 4 October 2004

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF VEHICLES WITH REGARD TO THE SEATS, THEIR ANCHORAGES AND ANY HEAD RESTRAINTS




**UNITED NATIONS** 

<sup>\*/</sup> Former title of the Agreement:

page 2

## Annex 5, the figure, amend to read:



- 1. Original unloaded position.
- 2a. Displaced position by applying to the manikin's back a moment of 373 Nm about the R point, defining the position of the displaced reference line  $r_1$ .
- 2b. Displaced position by applying to the 165 mm sphere a force F producing a moment of 373 Nm about the R point, keeping the displaced reference line  $r_1$  in place.
- 3. Position after displacement by the force F increased to 890 N.

