E/ECE/324 E/ECE/TRANS/505

18 August 1998

## AGREEMENT

## CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS <u>\*</u>/

(Revision 2, including the amendments entered into force on 16 October 1995)

Addendum 71: Regulation No. 72

Amendment 2

Supplement 2 to the original version of the Regulation - Date of entry into force: 28 July 1998

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF MOTOR CYCLE HEADLAMPS EMITTING AN ASYMMETRICAL PASSING BEAM AND A DRIVING BEAM AND EQUIPPED WITH HALOGEN LAMPS (HS $_1$  LAMPS)



UNITED NATIONS

<u>\*/</u> Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

GE.98-

E/ECE/324 E/ECE/TRANS/505 Regulation No. 72 page 2

<u>Annex 5, paragraph 1.2.1.1.</u>, replace by the following text (including also a new footnote  $\underline{4}/$ ):

"1.2.1.1. <u>Test mixture</u>

1.2.1.1.1. For headlamp with the outside lens in glass:

The mixture of water and a polluting agent to be applied to the headlamp shall be composed of:

9 parts by weight of silica sand with a particle size of 0-100  $\mu\text{m}\,,$ 

1 part by weight of vegetal carbon dust (beechwood) with a particle size of 0-100  $\mu\text{m},$ 

0.2 part by weight of NaCMC  $\underline{3}$ /, and

an appropriate quantity of distilled water, with a conductivity of  $\leq$  1 mS/m.

The mixture must not be more than 14 days old.

1.2.1.1.2. For headlamp with outside lens in plastic material:

The mixture of water and polluting agent to be applied to the headlamp shall be composed of:

9 parts by weight of silica sand with a particle size of 0-100  $\mu\text{m}\,,$ 

1 part by weight of vegetal carbon dust (beechwood) with a particle size of 0-100  $\mu m,$ 

0.2 part by weight of NaCMC  $\underline{3}/$ ,

13 parts by weight of distilled water with a conductivity of  $\leq$  1 mS/m, and

2 ± 1 parts by weight of surface-actant.  $\underline{4}/$ 

The mixture must not be more than 14 days old.

 $\frac{4}{}$  The tolerance on quantity is due to the necessity of obtaining a dirt that correctly spreads out on all the plastic lens."

<u>Paragraph 1.2.1.2.</u>, the reference to footnote 4/ and footnote 4/, renumber as footnote 5/.

<sup>&</sup>lt;u>3</u>/ (note not modified)