

**Committee of Experts on the Transport of Dangerous Goods  
and on the Globally Harmonized System of Classification  
and Labelling of Chemicals**

28 September 2017

**Sub-Committee of Experts on the  
Transport of Dangerous Goods**

**Fifty-second session**

Geneva, 26 November - 6 December 2017

Item 10 (d) of the provisional agenda

**Issues relating to the Globally Harmonized System  
of Classification and Labelling of Chemicals:  
Use of the Manual of Tests and Criteria in the  
context of the GHS**

**Sub-Committee of Experts on the Globally Harmonized  
System of Classification and Labelling of Chemicals**

**Thirty-fourth session**

Geneva, 6-8 December 2017

Item 2 (a) of the provisional agenda

**Classification criteria and related hazard  
communication:  
Work of the Sub-Committee of Experts on the  
Transport of Dangerous Goods (TDG) on matters of  
interest to the GHS Sub-Committee**

**Use of the Manual of Tests and Criteria in the context of the  
GHS: Section 1**

**Transmitted by the Chairman of the Working Group on Explosives**

This document takes account of the amendments to the 6th revised edition of the Manual of Tests and Criteria agreed by the Working Group so far (see ST/SG/AC.10/C.3/102 paragraphs 95 to 97 and ST/SG/AC.10/C.4/66 paragraph 8).

Revision of sections 20 to 28 of the Manual is ongoing.

## GENERAL TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1. GENERAL INTRODUCTION (Introduction, Layout, Precedence of hazard characteristics, Safety, General conditions for testing, Recommended tests and Reporting).....	
<b>PART I: CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO EXPLOSIVES OF CLASS 1</b>	
10. INTRODUCTION TO PART I (Purpose, Scope, Acceptance procedure, Assignment procedure, Examples of test reports) .....	
11. TEST SERIES 1 (To determine if a substance has explosive properties) .....	
12. TEST SERIES 2 (To determine if a substance is too insensitive for inclusion into the Class of explosives+) .....	
13. TEST SERIES 3 (To determine if a substance is <del>thermally unstable explosive and not too dangerous for transport</del> in the form in which it was tested) .....	
14. TEST SERIES 4 (To determine if an article, packaged article or packaged substance is <del>classified as an unstable explosive too dangerous for transport</del> ).....	
15. TEST SERIES 5 (To determine if a substance may be assigned to Division 1.5).....	
16. TEST SERIES 6 (To assign a substance or article to Division 1.1, 1.2, 1.3 or 1.4 or exclude it from <del>Class 1 the class of explosives</del> ).....	
17. TEST SERIES 7 (To determine if an article may be assigned to Division 1.6) .....	
18. TEST SERIES 8 (To determine if an ammonium nitrate emulsion, suspension or gel, intermediate for blasting explosives (ANE), is insensitive enough for inclusion in Division 5.1, and to evaluate the suitability for <del>transport containment</del> in tanks as an oxidizing substance) .....	
<b>PART II: CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO SELF-REACTIVE SUBSTANCES <del>OF DIVISION 4.1</del> AND ORGANIC PEROXIDES <del>OF DIVISION 5.2</del></b>	
20. INTRODUCTION TO PART II (Purpose, Scope, Preliminary procedure, Classification procedures, Example of test report) .....	
21. TEST SERIES A (To determine if there is propagation of detonation) .....	
22. TEST SERIES B (To determine if there is detonation in the package) .....	
23. TEST SERIES C (To determine if there is propagation of deflagration) .....	
24. TEST SERIES D (To determine if there is rapid deflagration in the package) .....	
25. TEST SERIES E (To determine the effect of heating under confinement) .....	
26. TEST SERIES F (To determine the explosive power) .....	
27. TEST SERIES G (To determine if there is thermal explosion in the package).....	
28. TEST SERIES H (To determine the self-accelerating decomposition temperature) .....	

## GENERAL TABLE OF CONTENTS (continued)

<u>Section</u>	<u>Page</u>
<b>PART III: CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO <del>CLASS 2, CLASS 3, CLASS 4, DIVISION 5.1, CLASS 8 AND CLASS 9</del> VARIOUS OTHER HAZARD CLASSES</b>	
30. INTRODUCTION TO PART III (Purpose, Scope) .....	
31. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO FLAMMABLE AEROSOLS <del>OF CLASS 2</del> .....	
32. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO LIQUID DESENSITIZED EXPLOSIVES (RELATED TO TRANSPORT ONLY) AND FLAMMABLE LIQUIDS <del>OF CLASS 3</del> .....	
33. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO <del>CLASS 4</del> FLAMMABLE SOLIDS, SOLID DESENSITISED EXPLOSIVES (RELATED TO TRANSPORT ONLY), SUBSTANCES LIABLE TO SPONTANEOUS COMBUSTION AND SUBSTANCE WHICH, IN CONTACT WATER, EMIT FLAMMABLE GASES .....	
34. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO OXIDIZING SUBSTANCES <del>OF DIVISION 5.1</del> .....	
35. DETERMINATION OF CHEMICAL INSTABILITY OF GASES AND GAS MIXTURES .....	
36. <del>Reserved for classification procedures, test methods and criteria relating to Class 7</del> .....	
37. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO CORROSIVE SUBSTANCES <del>OF CLASS 8</del> .....	
38. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO SUBSTANCE AND ARTICLES OF TRANSPORT CLASS 9 .....	
<b>PART IV: TEST METHODS CONCERNING TRANSPORT EQUIPMENT</b>	
40. INTRODUCTION TO PART IV (Purpose, Scope) .....	
41. DYNAMIC LONGITUDINAL IMPACT TEST FOR PORTABLE TANKS AND MULTIPLE-ELEMENT GAS CONTAINERS (MEGCs) .....	
<b>PART V: CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO SECTORS OTHER THAN TRANSPORT</b>	
50. INTRODUCTION TO PART V (Purpose, Scope) .....	
51. CLASSIFICATION PROCEDURES, TEST METHODS AND CRITERIA RELATING TO THE HAZARD CLASS DESENSITIZED EXPLOSIVES .....	
<b>APPENDICES</b> .....	
Appendix 1 SPECIFICATIONS OF STANDARD DETONATORS .....	
Appendix 2 BRUCETON AND SAMPLE COMPARISON METHODS .....	
Appendix 3 CAVITATION OF SAMPLES .....	
Appendix 4 NATIONAL CONTACTS FOR TEST DETAILS .....	

**GENERAL TABLE OF CONTENTS (continued)**

<b><u>Section</u></b>		<b>Page</b>
Appendix 5	EXAMPLE OF A TEST METHOD FOR VENT SIZING .....	
Appendix 6	SCREENING PROCEDURES .....	
Appendix 7	HSL FLASH COMPOSITION TEST .....	
Appendix 8	RESPONSE DESCRIPTORS .....	
Appendix 9	BALLISTIC PROJECTION ENERGY TEST FOR CARTRIDGES, SMALL ARMS (UN NO. 0012) .....	

## SECTION 1

## GENERAL INTRODUCTION

*NOTE: This general introduction relates only to Parts I to III of the Manual of Tests and Criteria and its Appendices 1 to 9. At its second session (10 December 2004), the Committee of Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals decided to add a new Part IV relating to tests methods concerning transport equipment. At its seventh session, the Committee of Experts on the Transport of Dangerous Goods and the Globally Harmonized System of Classification and Labelling of Chemicals decided to add a new Part V relating to classification procedures, test methods and criteria relating to sectors other than transport.*

## 1.1 Introduction

1.1.1 The purpose of the Manual of Tests and Criteria (hereafter referred to as the “Manual”) ~~this text~~ is to present the United Nations schemes for the classification of ~~certain types of~~ dangerous goods subject to transport regulations and hazardous substances and mixtures in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals and to give descriptions of the test methods and procedures considered to be the most useful for providing competent authorities with the necessary information to arrive at a proper classification ~~of substances and articles for transport.~~

1.1.2 ~~The~~This Manual ~~of Tests and Criteria~~ should be used in conjunction with the latest versions of:

- (a) the Recommendations on the Transport of Dangerous Goods (hereafter referred to as the Recommendations) and ~~of the~~ Model Regulations ~~on the Transport of Dangerous Goods~~ annexed ~~thereto~~ ~~these Recommendations~~ (hereafter referred to as the Model Regulations) and;
- (b) the Globally Harmonized System of Classification and Labelling of Chemicals (hereafter referred to as the GHS).

1.1.3 Definitions of terms used in the Manual may be found in Chapter 1.2 and Annex B of the Model Regulations and in the GHS. The term substance as it is used in this Manual includes substances, mixtures and solutions, unless otherwise stated.

1.1.4 The test methods and criteria in this Manual were originally developed to address classification for transport purposes, and therefore in previous editions of the Manual (up to the 7th revised edition) frequent reference is made to “as packaged for transport”. As for physical hazards the GHS refers to the tests contained in this Manual, to facilitate its use in the context of the GHS (i.e. in sectors other than transport), the phrase “as offered for classification” is now used instead when appropriate. For example, if the classification to be determined is for products as packaged for transport, “as offered for classification” means “as offered for transport”. On the other hand, if the classification to be determined is for sectors other than transport in the context of the GHS, then “as offered for classification” means “in the condition relevant to the particular application”. More details on the reasons for this change are provided below.

1.1.5 The outcome of the tests in this Manual is predominantly related to the intrinsic properties of the substance being tested. However the test results may also be affected by other physical parameters such as: density; particle size (distribution) and humidity. For some physical hazards the outcome of the tests and hence the classification can also be dependent on the quantity of the sample and the packaging.

1.1.6 For these reasons, the above mentioned parameters and circumstances should be taken into account when considering test results, particularly for classification for sectors other than transport.

1.1.7<sup>2</sup> It should be noted that the Manual ~~of Tests and Criteria~~ is not a concise formulation of testing procedures that will unerringly lead to a proper classification ~~of products~~. It therefore assumes technical competence on the part of the testing body. The competent authority has discretion to dispense with certain tests, to vary the details of tests, and to require additional tests when this is justified to obtain a reliable and realistic assessment of the hazard of a product. In some cases, a small scale screening procedure may be used to decide whether or not it is necessary to perform larger scale classification tests. Suitable examples of procedures are given in the introductions to some test series and in Appendix 6. Examples which may be listed within various test procedures are for illustrative purposes and are provided for guidance only.

1.1.83 In situations where the proper classification of substances and articles of certain hazard classes ~~or Divisions for transport~~ is the responsibility of the ~~C~~competent ~~A~~authority, it is normal and accepted practice that due consideration will be given to testing or classification results of other ~~C~~competent ~~A~~authorities when provided.

## 1.2 Hazard classes in the Model Regulations and in the GHS

### 1.2.1 Hazard classes in the Model Regulations

1.2.1.1 Substances and articles subject to the Model Regulations are assigned to one of nine classes according to the hazard or the predominant hazard they present for transport. Some of these classes are subdivided into divisions addressing a more specific type of hazard within a given class. The numerical order of the classes and divisions does not reflect the degree of hazard.

1.2.1.2 In addition, for packing purposes, some dangerous goods are assigned to one of three packing groups in accordance with the degree of hazard they present:

- Packing group I: high hazard
- Packing group II: medium hazard
- Packing group III: low hazard

The packing group to which a substance is assigned is indicated in the Dangerous Goods List in Chapter 3.2 of the Model Regulations. Articles are not assigned to packing groups.

1.2.1.3 Dangerous goods meeting the criteria of more than one hazard class or division and which are not listed in the Dangerous Goods List are assigned to a transport class and division and subsidiary hazard(s) on the basis of the precedence of hazards characteristics.

#### 1.2.1.4 *Precedence of hazard characteristics for transport purposes*

1.2.1.4.1 The precedence of hazard characteristics table in 2.0.3.3 of Chapter 2.0 of the Model Regulations may be used as a guide in determining the class of a substance having more than one hazard, when it is not named in the Dangerous Goods List in Chapter 3.2 of the Model Regulations. For goods having multiple hazards, which are not specifically listed by name in the Dangerous Goods List, the most stringent packing group denoted to the respective hazard of the goods takes precedence over other packing groups, irrespective of the precedence of hazard characteristics table.

1.2.1.4.2 The precedence of hazard characteristics of the following are not dealt with in the Precedence of hazard table in Chapter 2.0 of the Model Regulations, since these primary characteristics always take precedence:

- Substances and articles of Class 1;
- Gases of Class 2;
- Liquid desensitized explosives of Class 3;
- Self-reactive substances and solid desensitized explosives of Division 4.1;
- Pyrophoric substances of Division 4.2;
- Substances of Division 5.2;
- Substances of Division 6.1 with a packing group I inhalation toxicity;
- Substances of Division 6.2; and
- Radioactive material of Class 7.

1.2.1.4.3 Self-reactive substances, except for type G, giving a positive result in the self-heating test N.4, should not be classified as pyrophoric liquids or solids but as self-reactive substances (see paragraph 2.4.2.3.1.1 of the Model Regulations). Organic peroxides of type G having properties of another hazard class (e.g. UN 3149) should be classified according to the requirements of that hazard class.

## 1.2.2 Hazard classes in the GHS

The GHS addresses classification of substances by types of chemical hazards (e.g. flammability, toxicity, corrosivity) grouped into physical, health and environmental hazards. Each GHS hazard class corresponds to a type of hazard, and it is sometimes specific to a certain aggregation state (solid, liquid or gaseous). Most of the GHS hazard classes are further subdivided into hazard categories reflecting the severity of the hazard, with Category 1 indicating the most severe hazard.

## 1.2.3 Relationship between the Model Regulations and the GHS

1.2.3.1 Since the GHS addresses also sectors other than transport (e.g. storage, supply and use), it includes hazards not considered relevant to transport, such as several non-acute health hazards. Due to the differences in scope between the GHS and the Model Regulations not all hazards addressed in the GHS have their counterparts in the Model Regulations, and vice versa. For instance there is not a specific hazard class in the GHS for radioactive material (Class 7 in transport) and some of the dangerous goods classified for transport in Class 9 are either not addressed by the GHS at all (e.g. many articles) or are covered by other GHS hazard classes (e.g.: environmentally hazardous substances of Class 9, which may fall under the GHS hazard class Hazardous to the aquatic environment). Furthermore, with the exception of explosive articles, the GHS does not cover articles (see 1.3.2.1.1 of the GHS).

1.2.3.2 In addition, while one transport class may cover several different types of hazards, GHS hazard classes usually address one type of hazard each. For instance, substances of Class 4 in transport belong to seven individual GHS hazard classes. Furthermore, while transport classes are identified by a number (1 to 9), GHS hazard classes are identified by a name reflecting the type of chemical hazard (e.g. “Flammable solids”). Moreover, the concept of precedence of hazards as defined in the Model Regulations (see 1.2.1.4) does not exist in the GHS.

1.2.3.3 The overarching correlation between GHS hazard classes and the transport classes addressed in the Model Regulations is indicated in Table 1.1. The table is indicative only and is not intended to be used as the sole basis in translating the classification of any substance or article between the GHS and the Model Regulations, or vice versa.

**TABLE 1.1: CORRELATION BETWEEN HAZARD CLASSES IN THE GHS AND MODEL REGULATIONS**

GHS hazard classes	Hazard classes in the Model Regulations
Explosives, Divisions 1.1 to 1.6	Class 1, Divisions 1.1 to 1.6
Flammable gases, Category 1	Class 2, Division 2.1
Aerosols	Class 2, Division 2.1 and 2.2
Oxidizing gases	Class 2, Division 2.2
Gases under pressure	Class 2
Flammable liquids	Class 3
Flammable solids	Class 4, Division 4.1
Self-reactive substances	Class 4, Division 4.1
Pyrophoric liquids	Class 4, Division 4.2
Pyrophoric solids	Class 4, Division 4.2
Self-heating substances	Class 4, Division 4.2
Substances which, in contact with water, emit flammable gases	Class 4, Division 4.3
Oxidizing liquids	Class 5, Division 5.1
Oxidizing solids	Class 5, Division 5.1
Organic peroxides	Class 5, Division 5.2
Corrosive to metals	Class 8
Desensitized explosives	Class 3 (liquids)
Class 4, Division 4.1 (solids)	
Acute toxicity, Categories 1, 2 and 3	Class 6, Division 6.1 (solids and liquids)
Class 2, Division 2.3 (gases)	
Skin corrosion, Category 1	Class 8
Hazardous to the aquatic environment, Acute 1 and Chronic 1 and 2	Class 9 (environmentally hazardous substances)

## 1.3.2 Layout

1.3.2.1 The ~~classification procedures, test methods and criteria are~~ Manual is divided into ~~three~~ five parts:

Part I: those relating to ~~assignment of~~ explosives ~~to Class 1~~;

Part II: those relating to ~~assignment of~~ self-reactive substances ~~to Division 4.1~~ and ~~of to~~ organic peroxides ~~to Division 5.2~~;

Part III: those relating to ~~assignment of substances or articles to Class 2, Class 3, Class 4, Division 5.1, Class 8 or Class 9~~ aerosols, desensitized explosives (relating to transport only), flammable liquids, flammable solids, pyrophoric liquids and solids, substances which in contact with water emit flammable gases, oxidizing liquids and solids, chemically unstable gases and gas mixtures, substances corrosive to metals, and substances and articles of transport Class 9 (ammonium nitrate fertilizers, lithium metal and lithium ion batteries.);

Part IV: test methods concerning transport equipment; and

Part V: classification procedures, test methods and criteria relating to sectors other than transport.

~~Part III contains some classification procedures, test methods and criteria which are also given in the Model Regulations.~~

1.3.2 There are also ~~a number of~~ appendices which give information common to a number of different types of tests, on the national contacts for test details, on an example method for emergency relief vent sizing of portable tanks for ~~the transport of~~ organic peroxides and self-reactive substances, ~~and~~ on screening procedures, on flash compositions tests for the classification of fireworks, response descriptors and the ballistic energy test for cartridges, small arms.

1.2.23.3 The methods of test identification are given in Table 1.12.

**Table 1.12: TEST IDENTIFICATION CODES**

Part of Manual	Test series	Test type	Test number	Example of test identification code
I	1 - 8	(a), (b), etc.	(i), (ii), etc. <sup>a</sup>	2 (a) (i)
II	A - H	-	1, 2, etc.	A.1
III	C, L - <del>TU</del>	-	1, 2, etc.	L.1

<sup>a</sup> If only one test is given for a test type, the Roman numerals are not used.

1.2.3.4 Each test is given a unique identification code and is edited as follows:

- x.1 Introduction
- x.2 Apparatus and materials
- x.3 Procedure (including observations to be made and data to be collected)
- x.4 Test criteria and method of assessing results
- x.5 Examples of results

**NOTE:** Examples of results are not normally given for tests on articles as these are too specific to the article tested and do not allow validation of the test procedure. Results on substances may vary from those given in the "Examples of results" if the physical form, composition, purity etc. of the substance is different. The results given should not be regarded as standard values.

**Figures** x.1, x.2, x.3 etc. (i.e. diagrams of apparatus etc.)

**NOTE:** Unless otherwise indicated, the dimensions given on the diagrams are in millimetres.

## 1.3 — ~~Precedence of hazard characteristics~~



~~1.3.1 The table in 2.0.3.3 of Chapter 2.0 of the Model Regulations may be used as a guide in determining the class of a substance, mixture or solution having more than one hazard, when it is not named in the Dangerous Goods List in Chapter 3.2 of the Model Regulations. For goods having multiple hazards, which are not specifically listed by name in Chapter 3.2 of the Model Regulations, the most stringent packing group denoted to the respective hazard of the goods takes precedence over other packing groups, irrespective of the precedence of hazard table in 2.0.3.3 of Chapter 2.0 of the Model Regulations.~~

~~1.3.2 The precedence of hazard characteristics of the following are not dealt with in the Precedence of Hazard Table in Chapter 2.0 of the Model Regulations, since these primary characteristics always take precedence:~~

- ~~\_\_\_\_\_ Substances and articles of Class 1;~~
- ~~\_\_\_\_\_ Gases of Class 2;~~
- ~~\_\_\_\_\_ Liquid desensitized explosives of Class 3;~~
- ~~\_\_\_\_\_ Self reactive substances and solid desensitized explosives of Division 4.1;~~
- ~~\_\_\_\_\_ Pyrophoric substances of Division 4.2;~~
- ~~\_\_\_\_\_ Substances of Division 5.2;~~
- ~~\_\_\_\_\_ Substances of Division 6.1 with a packing group I inhalation toxicity;~~
- ~~\_\_\_\_\_ Substances of Division 6.2; and~~
- ~~\_\_\_\_\_ Material of Class 7.~~

~~1.3.3 Self reactive substances, except for type G, giving a positive result in the self heating test for Division 4.2, should not be classified in Division 4.2 but in Division 4.1 (see paragraph 2.4.2.3.1.1 of the Model Regulations). Organic peroxides of type G having properties of another class or division (e.g. UN 3149) should be classified according to the requirements of that class or division.~~

## 1.4 Safety

1.4.1 For the safety of laboratory personnel, the producer or other applicant for classification of a new product should provide all available safety data on the product e.g. the toxicity data (see Chapter 1.5 and Annex 4 of the GHS for guidance on the preparation of Safety Data Sheets).

1.4.2 Particularly when explosive properties are suspected, it is essential for the safety of workers that small scale preliminary tests are carried out before attempting to handle larger quantities. This involves tests for determining the sensitiveness of the substance to mechanical stimuli (impact and friction), and to heat and flame.

1.4.3 In tests involving initiation of potentially explosive substances or articles, a safe waiting period, prescribed by the test agency, should be observed after initiation.

1.4.4 Extra care should be taken when handling samples which have been tested since changes may have occurred rendering the substance more sensitive or unstable. Tested samples should be destroyed as soon as possible after the test.

## 1.5 General conditions for testing

1.5.1 The conditions given in the test prescriptions should be followed as closely as possible. If a parameter is not specified in the test prescription then the conditions given ~~herebelow~~ should be applied. Where tolerances are not specified in the test prescription, it is implied that the accuracy is according to the number of decimal places given in any dimension e.g. 1.1 implies 1.05 to 1.15. In cases where conditions during a test deviate from those prescribed, ~~the deviation should be described and~~ the reason for the deviation should be stated in the report.

1.5.2 The composition of the test sample should be ~~representative for the substances being classified. as close as possible to the concentration of the substance intended for transport~~ The contents of active substance(s) and diluent(s) should be specified in the test report with at least an accuracy of  $\pm 2\%$  by mass. Components which can have a major effect on a test result, such as moisture, should be specified as accurately as possible in the test report.

1.5.3 All test materials in contact with the test substance should be such that, as far as possible, they do not affect the test results e.g. catalyse decomposition. In cases where such an effect cannot be excluded, special precautions should be taken to prevent the result being affected, e.g. passivation. The precautions taken should be specified in the test report.

1.5.4 The tests should be performed under the conditions (temperature, density etc.) which are representative of the expected circumstances, e.g. of transport or storage. If these circumstances ~~transport conditions~~ are not covered by the test conditions specified, supplementary tests may need to be performed which are specifically designed for the anticipated ~~transport~~ conditions, e.g. elevated temperature. Where appropriate, e.g. when the result is particle size dependent, the physical conditions should be specified in the test report.

## 1.6 Recommended tests

1.6.1 The Manual gives descriptions of tests and criteria used to provide the necessary information to arrive at a proper classification. In some cases, there is more than one test for a particular property. As a result of comparative work with some of these tests, it has been possible to identify one test as the recommended test in a set of equivalent tests. The recommended tests for classifying explosive substances and articles (Part I of the Manual) are listed in Table 1.2 and for classifying self-reactive substances and organic peroxides (Part II of the Manual) in Table 1.3. Unless otherwise specified, all test methods given in Part III of the Manual are recommended tests ~~as only one test is given for each property~~. The other tests in a set are considered to be alternative tests and may continue to be used for classification purposes.

1.6.2 As a result of comparative work, some tests have been deleted. However, as some countries maintain databases referenced by the test number, the tests currently given in the Manual have not been renumbered unless existing tests have been assigned to different test types.

1.6.3 The aim is to have only one United Nations test, or combination of tests, for each property. However, until the recommended tests have been used more widely, it is not possible to do this in all cases at present.

1.6.4 If new tests are proposed for inclusion in the Manual, the proposer should be able to provide justification that the new test is a significant improvement on the existing recommended test. In such cases, the new test may be included as an alternative test until it has been tried by laboratories of other countries.

**Table 1.23: RECOMMENDED TESTS ~~FOR EXPLOSIVES AND EXPLOSIVE ARTICLES~~ IN PART I**

Test series	Test type	Test code	Test name
1	(a)	1 (a)	UN gap test
1	(b)	1 (b)	Koenen test
1	(c)	1 (c) (i)	Time / pressure test
2	(a)	2 (a)	UN gap test
2	(b)	2 (b)	Koenen test
2	(c)	2 (c) (i)	Time / pressure test
3	(a)	3 (a) (ii)	BAM Fallhammer
3	(b)	3 (b) (i)	BAM Friction apparatus
3	(c)	3 (c) (i)	Thermal stability test at 75 °C
3	(d)	3 (d)	Small-scale burning test
4	(a)	4 (a)	Thermal stability test for unpackaged articles and packaged articles
4	(b)	4 (b) (i)	Steel tube drop test for liquids
4	(b)	4 (b) (ii)	Twelve metre drop test for unpackaged articles, packaged articles and packaged substances
5	(a)	5 (a)	Cap sensitivity test
5	(b)	5 (b) (ii)	USA DDT test
5	(c)	5 (c)	External fire test for Division 1.5
6	(a)	6 (a)	Single package test
6	(b)	6 (b)	Stack test
6	(c)	6 (c)	External fire (bonfire) test
6	(d)	6 (d)	Unconfined package test
7	(a)	7 (a)	EIS cap test
7	(b)	7 (b)	EIS gap test

Test series	Test type	Test code	Test name
7	(c)	7 (c) (ii)	Friability test
7	(d)	7 (d) (i)	EIS bullet impact test
7	(e)	7 (e)	EIS external fire test
7	(f)	7 (f)	EIS slow cook-off test
7	(g)	7 (g)	1.6 article external fire test
7	(h)	7 (h)	1.6 article slow cook-off test
7	(j)	7 (j)	1.6 article bullet impact test
7	(k)	7 (k)	1.6 article stack test
8	(l)	7 (l)	1.6 article (or component) fragment impact test
8	(a)	8 (a)	Thermal stability test for ANE
8	(b)	8 (b)	ANE gap test
8	(c)	8 (c)	Koenen test
8	(d)	8 (d)	Vented pipe tests <sup>a</sup>

<sup>a</sup> *These tests are intended for evaluating the suitability for ~~transport~~ containment in portable tanks as an oxidizing substance.*

**Table 1.34: RECOMMENDED TESTS ~~FOR SELF-REACTIVE SUBSTANCES AND ORGANIC PEROXIDES IN PART II~~**

Test series	Test code	Test name
A	A.6	UN detonation test
B	B.1	Detonation test in package
C	C.1	Time/pressure test
C	C.2	Deflagration test
D	D.1	Deflagration test in the package
E	E.1	Koenen test
E	E.2	Dutch pressure vessel test
F	F.4	Modified Trauzl test
G	G.1	Thermal explosion test in package
H	H.1	United States SADT test (for packages)
H	H.2	Adiabatic storage test (for packages, IBCs and tanks)
H	H.4	Heat accumulation storage test (for packages, IBCs and small tanks)

## 1.7 Reporting

1.7.1 Classifications for [inclusion in the list of dangerous goods for transport in](#) Chapter 3.2 of the Model Regulations are made on the basis of consideration of data submitted to the Committee by governments, intergovernmental organisations and other international organisations in the form recommended in Figure 1 of the Recommendations. Supplementary data is required for the classification of:

- [Explosive s](#)Substances and articles ~~of Class 1~~ (see 10.5);
- Self-reactive substances ~~of Division 4.1~~ (see 20.5); and
- Organic peroxides ~~of Division 5.2~~ (see 20.5).

1.7.2 Where tests are performed on packaged substances or articles, the test report should contain the quantity of substance or number of articles per package and the type and construction of the packaging.